

**DAVEY**  
**PSYCHOPATHOLOGY, 2<sup>ND</sup> EDITION**  
**CHAPTER 10 | EATING DISORDERS**  
**REFERENCES**

- Abou-Saleh, M.T., Younis, Y. & Karim, L. (1998). Anorexia nervosa in an Arab culture. *International Journal of Eating Disorders*, 23(2), 207–212.
- Agras, W.S., Rossiter, E.M., Arnow, B., Schneider, J.A. *et al.* (1992). Pharmacological and cognitive-behavioral treatment for bulimia nervosa: A controlled comparison. *American Journal of Psychiatry*, 149(1), 82–87.
- Agras, W.S. (1997). Pharmacotherapy of bulimia nervosa and binge eating disorder: Longer-term outcomes. *Psychopharmacology Bulletin*, 33(3), 433–436.
- Anderson, D.A. & Maloney, K.C. (2001). The efficacy of cognitive-behavioral therapy on the core symptoms of bulimia nervosa. *Clinical Psychology Review*, 21, 971–988.
- Arcelus, J., Mitchell, A.J., Wales, J. & Nielsen, S. (2011). Mortality rates in patients with anorexia nervosa and other eating disorders: A meta-analysis of 36 studies. *Archives of General Psychiatry*, 68, 724–731.
- Attia, E., Haiman, C., Walsh, T. & Flater, S.R. (1998). Does fluoxetine augment the inpatient treatment of anorexia nervosa? *American Journal of Psychiatry*, 155 (4), 548–551.
- Bacaltchuk, J. & Hay, P. (2003). Antidepressants versus placebo for people with bulimia nervosa. *Cochrane Database System Review*, Issue 4, CD003391.
- Bailer, U., de Zwaan, M., Leisch, F., Strnad, A. *et al.* (2004). Guided self-help versus cognitive-behavioral group therapy in the treatment of bulimia nervosa. *International Journal of Eating Disorders*, 35(4), 522–537.
- Baker, J. H., Mitchell, K.S., Neale, M.C. & Kendler, K.S. (2010). Eating disorder symptomatology and substance use disorders: Prevalence and shared risk in a population based sample. *International Journal of Eating Disorders*, 43, 648–658.

- Ball, K. & Lee, C. (2000). Relationships between psychological stress, coping and disordered eating: A review. *Psychological Health, 14*, 1007–1035.
- Bardone-Cone, A.M., Fitzsimmons-Craft, E.E., Harney, M.B., Maldonado, C.R. *et al.* (2012). The inter-relationships between vegetarianism and eating disorders among females. *Journal of the Academy of Nutrition and Dietetics, 112*, 1247–1252.
- Bastiani, A.M., Rao, R., Weltzin, T. & Kaye, W.H. (1995). Perfectionism in anorexia nervosa. *International Journal of Eating Disorders, 17*(2), 147–152.
- Bell, R.M. (1985). *Holy anorexia*. Chicago: University of Chicago Press.
- Bellini, M. & Merli, M. (2004). Current drug treatment of patients with bulimia nervosa and binge-eating disorder: Selective serotonin reuptake inhibitors versus mood stabilizers. *International Journal of Psychiatry in Clinical Practice, 8*, 235–243.
- Berridge, K.C., Ho, C.Y., Richard, J.M. & DiFeliceantonio, A.G. (2010). The tempted brain eats: Pleasure and desire circuits in obesity and eating disorders. *Brain Research, 1350*, 43–64.
- Biederman, J., Herzog, D.B., Rivinus, T.M., Harper, G.P. *et al.* (1985). Amitriptyline in the treatment of anorexia nervosa: A double-blind, placebo-controlled study. *Journal of Clinical Psychopharmacology, 5*(1), 10–16.
- Bieling, P.J., Summerfeldt, L.J., Israeli, A.L. & Antony, M.M. (2004). Perfectionism as an explanatory construct in comorbidity of Axis I disorders. *Journal of Psychopathology and Behavioral Assessment, 26*(3), 193–201.
- Bieling, P.J., Israeli, A.L. & Antony, M.M. (2004). Is perfectionism good, bad, or both? Examining models of the perfectionism construct. *Personality and Individual Differences, 36*(6), 1373–1385.
- Braun, D.L., Sunday, S.R. & Halmi, K.A. (1994). Psychiatric comorbidity in patients with eating disorders. *Psychological Medicine, 24*(4), 859–867.
- Brewerton, T.D., Lydiard, R.B., Laraia, M.T., Shook, J.E. & Ballender, J.C. (1992). CSF beta-endorphin and dynorphin in bulimia nervosa. *American Journal of Psychiatry, 149*(8), 1086–1090.

- Brewerton, T.D., Lydiard, R.B., Herzog, D.B., Brotman, A.W. *et al.* (1995). Comorbidity of Axis-I psychiatric disorders in bulimia nervosa. *Journal of Clinical Psychiatry*, 56(2), 77–80.
- Brietzke, E., Moreira, C.L.R., Toniolo, R.A. & Lafer, B. (2011). Clinical correlates of eating disorder comorbidity in women with bipolar disorder type 1. *Journal of Affective Disorders*, 130, 162–165.
- Brown, L., Russell, J., Thornton, C. & Dunn, S. (1997). Experiences of physical and sexual abuse in Australian general practice attenders and an eating disordered population. *Australian and New Zealand Journal of Psychiatry*, 31(3), 398–404.
- Bryant-Waugh, R. (2000). Overview of the eating disorders. In B. Lask & R. Bryant-Waugh (Eds.) *Anorexia nervosa and related eating disorders in childhood and adolescence* (2nd edn). East Sussex, UK: Psychology Press.
- Bulik, C.M., Sullivan, P.F., Epstein, L.H., McKee, M. *et al.* (1992). Drug use in women with anorexia and bulimia nervosa. *International Journal of Eating Disorders*, 11(3), 213–225.
- Burns, D.D. & Spangler DL (2000). Does psychotherapy homework lead to improvements in depression in cognitive-behavioral therapy or does improvement lead to increased homework compliance? *Journal of Consulting and Clinical Psychology*, 68(1), 46–56.
- Button, E.J., Sonuga-Barke, E.J.S., Davies, J. & Thompson, M. (1996). A prospective study of self-esteem in the prediction of eating problems in adolescent schoolgirls: Questionnaire findings. *British Journal of Clinical Psychology*, 35, 193–203.
- Byrne, S. & McLean, N. (2002). Elite athletes: Effects of the pressure to be thin. *Journal of Science and Medicine in Sport*, 5(2), 80–94.
- Carretero-Garcia, A., Sánchez Planell, L., Doval, E., Rusiñol Estragues, J. *et al.* (2012). Repeated traumatic experiences in eating disorders and their association with eating symptoms. *Eating and Weight Disorders: Studies on Anorexia Bulimia and Obesity*, 17(4), e267–e273.

- Carroll, J.M., Touyz, S.W. & Beumont, P.J.V. (1996). Specific comorbidity between bulimia nervosa and personality disorders. *International Journal of Eating Disorders*, 19(2), 159–170.
- Carrasco, J.L., Diaz-Marsa, M., Hollander, E., Cesar, J. & Saiz-Ruiz, J. (2000). Decreased platelet monoamine oxidase activity in female bulimia nervosa. *European Neuropsychopharmacology*, 10(2), 113–117.
- Carter, F.A., Bulik, C.M., Lawson, R.H., Sullivan, P.F. & Wilson, J.S. (1996). Effect of mood and food cues on body image in women with bulimia and controls. *International Journal of Eating Disorders*, 20(1), 65–76.
- Casper, R.C. & Lyubomirsky, S. (1997). Individual psychopathology relative to reports of unwanted sexual experiences as predictor of a bulimic eating pattern. *International Journal of Eating Disorders*, 21(3), 229–236.
- Chamorro, R. & Flores-Ortiz Y (2000). Acculturation and disordered eating patterns among Mexican American women. *International Journal of Eating Disorders*, 28(1), 125–129.
- Chandler-Laney, P.C., Castaneda, E., Pritchett, C.E., Smith, M.L., Giddings, M., Artiga, A.I. et al. (2007). A history of caloric restriction induces neurochemical and behavioral changes in rats consistent with models of depression. *Pharmacology Biochemistry and Behavior*, 87, 104–114.
- Chou, K.-L. (2012). Childhood sexual abuse and psychiatric disorders in middle-aged and older adults: Evidence from the 2007 Adult Psychiatric Morbidity Survey. *Journal of Clinical Psychiatry*, 73, e1365–1371.
- Claudino, A., Hay, P., Lima, M.S., Bacaltchuk, J., Schmidt, U. & Treasure, J.T. (2006). Antidepressants for anorexia nervosa. *The Cochrane Database System Review*, Issue 1. The Cochrane Collaboration. Chichester: Wiley.
- Compas, B.E., Haaga, D.A. F., Keefe, F.J., Leitenberg, H. & Williams, D.A. (1998). Sampling of empirically supported psychological treatment from health psychology: Smoking, chronic pain, cancer, and bulimia nervosa. *Journal of Consulting and Clinical Psychology*, 66, 89–112.
- Cooper, P.J., Coker, S. & Fleming, C. (1994). Self-help for bulimia nervosa: A preliminary report. *International Journal of Eating Disorders*, 16(4), 401–404.

- Cooper, Z. & Fairburn, C.G. (2011). The evolution of 'enhanced' cognitive behaviour therapy for eating disorders: Learning from treatment nonresponse. *Cognitive and Behavioral Practice*, 18, 394–402.
- Corbridge, C. & Bell, L. (1996). An audit of people with eating disorders treated by adult mental health services. *European Eating Disorders Review*, 4(4), 241–248.
- Cottrell, D. (2003). Outcome studies of family therapy in child and adolescent depression. *Journal of Family Therapy*, 25, 406–416.
- Currin, L., Schmidt U, Treasure, J. & Jick H (2005). Time trends in eating disorder incidence. *British Journal of Psychiatry*, 186, 132–135.
- Dallos, R. (2004). Attachment narrative therapy: Integrating ideas from narrative and attachment theory in systemic family therapy with eating disorders. *Journal of Family Therapy*, 26, 40–65.
- Dansky, B.S., Brewerton, T.D., Kilpatrick, D.G. & O'Neal, P.M. (1997). The National Women's Study: Relationship of victimization and posttraumatic stress disorder to bulimia nervosa. *International Journal of Eating Disorders*, 21(3), 213–228.
- Davey, G.C.L. (Ed.) (2004). *Complete Psychology*. London: Hodder.
- DeJong, W. & Kleck RE (1986). The social psychological effects of overweight. In PC Herman, MP Zanna & TE Higgins (Eds.) *Physical appearance, stigma and social behavior: The Ontario symposium*. Hillsdale: Lawrence Erlbaum.
- Dingemans, A.E., Bruna, M.J. & van Furth, E.F. (2002). Binge eating disorder: A review. *International Journal of Obesity*, 26, 299–307.
- Downs, K.J. & Blow, A.J. (2013). A substantive and methodological review of family-based treatment for eating disorders: the last 25 years of research. *Journal of Family Therapy*, 35, 3–28.
- Easter, A., Naumann, U., Northstone, K., Schmidt, U. *et al.* (2013). A longitudinal investigation of nutrition and dietary patterns in children of mothers with eating disorders. *Journal of Pediatrics*, 163, 173–174.
- Egan, S.J., Wade, T.D. & Shafran R (2011). perfectionism as a transdiagnostic process: A clinical review. *Clinical Psychology Review*, 31, 203–212.

- Eisenberg, M.E., Neumark-Sztainer, D., Story, M. & Perry, C. (2005). The role of social norms and friends' influences on unhealthy weight-control behaviors among adolescent girls. *Social Science and Medicine*, 60(6), 1165–1173.
- Eisler, I. (2005). The empirical and theoretical base of family therapy and multiple family day therapy for adolescent anorexia nervosa. *Journal of Family Therapy*, 27, 104–131.
- Fairburn, C.G., Agras, W.S. & Wilson, G.T. (1992). The research on the treatment of bulimia nervosa: Practical and theoretical implications. In GH Anderson & SH Kennedy (Eds.) *The biology of feast and famine: Relevance to eating disorders*. New York: Academic Press.
- Fairburn, C.G., Norman, P.A., Welch, S.L., O'Connor, M.E. et al. (1995). A prospective study of outcome in bulimia nervosa and the long-term effects of three psychological treatments. *Archives of General Psychiatry*, 52(4), 304–312.
- Fairburn, C.G., Welch, S.L., Norman, P.A., O'Connor, M.E. & Doll, H.A. (1996). Bias and bulimia nervosa: How typical are clinic cases? *American Journal of Psychiatry*, 153(3), 386–391.
- Fairburn, C.G. (1997). Eating disorders. In D.M. Clark & C.G. Fairburn (Eds.) *The science and practice of cognitive behaviour therapy*. Oxford: Oxford University Press.
- Fairburn, C.G., Shafran, R. & Cooper, Z. (1999). A cognitive behavioural theory of anorexia nervosa. *Behaviour Research and Therapy*, 37, 1–13.
- Fairburn, C.G., Cooper, Z. & Shafran, R. (2003). Cognitive behaviour therapy for eating disorders: A 'transdiagnostic' theory and treatment. *Behaviour Research and Therapy*, 41, 509–528.
- Fairburn, C.G. (2008). *Cognitive behaviour therapy and eating disorders*. New York: Guilford Press.
- Fairburn, C.G., Cooper, Z., Doll, H.A., O'Connor, M.E. et al. (2013). Enhanced cognitive behaviour therapy for adults with anorexia nervosa: A UK–Italy study. *Behaviour Research and Therapy*, 51, R2–R8.

- Fayet F, Petocz, P. & Samman, S. (2012). Prevalence and correlates of dieting in college women: A cross sectional study. *International Journal of Women's Health*, 4, 405–411.
- Fennell, M.J.V. & Teasdale, J.D. (1987). Cognitive therapy for depression: Individual differences and the process of change. *Cognitive Therapy and Research*, 11(2), 253–271.
- Forbes, G.B., Adams-Curtis, L.E., Rade, B. & Jaberg, P. (2001). Body dissatisfaction in women and men: The role of gender-typing and self-esteem. *Sex Roles*, 44(7–8), 461–484.
- Fredrickson, B.L. & Roberts, T. (1997). Objectification theory: Toward understanding women's lived experiences and mental health risks. *Psychology of Women Quarterly*, 21, 173–206.
- Frieling, H., Romer, K.D., Scholz, S., Mittelbach, F. et al. (2010). Epigenetic dysregulation of dopaminergic genes in eating disorders. *International Journal of Eating Disorders*, 43, 577–583.
- Garfinkel, P.E., Kennedy, S.H. & Kaplan, A.S. (1995). Views on classification and diagnosis of eating disorders. *Canadian Journal of Psychiatry/Revue Canadienne de Psychiatrie*, 40(8), 445-456.
- Garfinkel, P.E., Lin, E., Goering, P., Spegg, C. et al. (1995). Bulimia nervosa in a Canadian community sample: Prevalence and comparison of subgroups. *American Journal of Psychiatry*, 152(7), 1052–1058.
- Garner, D.M., Olmstead, M.P. & Garfinkel, P.E. (1983). Does anorexia nervosa occur on a continuum? Subgroups of weight-preoccupied women and their relationship to anorexia nervosa. *International Journal of Eating Disorders*, 2(4), 11–20.
- Ghaderi, A. & Scott, B. (2001). Prevalence, incidence and prospective risk factors for eating disorders. *Acta Psychiatrica Scandinavica*, 104, 122–130.
- Gordon, A. (2001). Eating disorders: 2. Bulimia nervosa. *Hospital Practice*, 36(3), 71–72.

- Gordon, K.H., Castro, Y., Sitnikov, L. & Holm-Denoma, J.M. (2010). Cultural body shape ideals and eating disorder symptoms among White, Latina, and Black college women. *Cultural Diversity and Ethnic Minority Psychology, 16*, 135–143.
- Gotestam, K.G. & Agras, W.S. (1995). General population-based epidemiologic study of eating disorders in Norway. *International Journal of Eating Disorders, 18*(2), 119–126.
- Grabe, S. & Hyde, J. (2006). Ethnicity and body dissatisfaction among women in the United States: A meta-analysis. *Psychological Bulletin, 132*, 622–640.
- Grilo, C.M., Pagano, M.E., Skodol, A.E., Sanislow, C.A., McGlashan, T.H., Gunderson, J.G. et al. (2007). Natural course of bulimia nervosa and of eating disorder not otherwise specified: 5-year prospective study of remissions, relapses, and the effects of personality disorder psychopathology. *Journal of Clinical Psychiatry, 68*, 738–746.
- Habermas, T. (1989). The psychiatric history of anorexia nervosa and bulimia nervosa: Weight concerns and bulimic symptoms in early case reports. *International Journal of Eating Disorders, 8*, 259–273.
- Habermas, T. (1996). In defense of weight phobia as the central organizing motive in anorexia nervosa: Historical and cultural arguments for a culture-sensitive psychological conception. *International Journal of Eating Disorders, 19*, 317–334.
- Halmi, K.A., Eckert, E., Marchi, P., Sampugnaro, V. et al. (1991). Comorbidity of psychiatric diagnoses in anorexia nervosa. *Archives of General Psychiatry, 48*(8), 712–718.
- Hardy, B.W. & Waller, D.A. (1988). Bulimia as substance abuse. In W.G. Johnson (Ed.) *Advances in eating disorders*. New York: JAI Press.
- Harrison, K. (2001). Ourselves, our bodies: Thin-ideal media, self-discrepancies, and eating disorder symptomatology in adolescents. *Journal of Social and Clinical Psychology, 20*(3), 289–323.
- Hausenblas, H.A., Campbell, A., Menzel, J.E., Doughty, J. et al. (2013). Media effects of experimental presentation of the ideal physique on eating disorder



symptoms: A meta-analysis of laboratory studies. *Clinical Psychology Review*, 33, 168–181.

Haworth-Hoepfner, S. (2000). The critical shapes of body image: The role of culture and family in the production of eating disorders. *Journal of Marriage and the Family*, 62(1), 212–227.

Hay, P. & Fairburn, C. (1998). The validity of the DSM-IV scheme for classifying bulimic eating disorders. *International Journal of Eating Disorders*, 23(1), 7–15.

Health & Social Care Information Centre (2011). *Health survey for England – 2011, Health, social care and lifestyles*. Retrieved from <http://www.hscic.gov.uk/catalogue/PUB09300>

Herman, C.P., Polivy, J., Lank, C.N. & Heatherton, T.F. (1987). Anxiety, hunger and eating behavior. *Journal of Abnormal Psychology*, 96(3), 264–269.

Herzog, D.B., Greenwood DN, Dorer DJ, Flores, A.T. *et al.* (2000). Mortality in eating disorders: A descriptive study. *International Journal of Eating Disorders*, 28(1), 20–26.

Hill, A.J. & Franklin, J.A. (1998). Mothers, daughters and dieting: Investigating the transmission of weight control. *British Journal of Clinical Psychology*, 37, 3–13.

Hodes, M., Timimi, S. & Robinson, P. (1997). Children of mothers with eating disorders: A preliminary study. *European Eating Disorders Review*, 5(1), 11–24.

Hoebel, B.G. & Teitelbaum, P. (1966). Weight regulation in normal and hypothalamic hyperphagic rats. *Journal of Comparative and Physiological Psychology*, 61(2), 189.

Hoek, H.W. & van Hoeken, D. (2003). Review of the prevalence and incidence of eating disorders. *International Journal of Eating Disorders*, 34, 383–396.

Holbrook, T.L. & Weltzin, T.E. (1998). Eating disorders in males: A neglected problem revisited. *Treatment Today*, 10, 102–105.

Holland, L.A., Bodell, L.P. & Keel, P.K. (2013). Psychological factors predict eating disorder onset and maintenance at 10-year follow-up. *European Eating Disorders Review*, 21, 405–410.

- Horesh N, Apter A, Ishai J, Danziger, Y. *et al.* (1996). Abnormal psychosocial situations and eating disorders in adolescence. *Journal of the American Academy of Child and Adolescent Psychiatry*, 35(7), 921–927.
- Hudson, J.I., Pope, H.G., Jonas, J.M. & Yurgelun-Todd, D. (1983). Phenomenologic relationship of eating disorders to major affective disorder. *Psychiatry Research*, 9(4), 345–354.
- Irving, L.M. (2001). Media exposure and disordered eating: Introduction to the special section. *Journal of Social and Clinical Psychology*, 20(3), 259–269.
- Jacobi, C., Hayward C, de Zwaan M, Kraemer, H.C. & Agras, W.S. (2004). Coming to terms with risk factors for eating disorders: Application of risk terminology and suggestions for a general taxonomy. *Psychological Bulletin*, 130, 19–65.
- Jett, S., LaPorte, D.J. & Wanchisn, J. (2010) Impact of exposure to pro-eating disorder websites on eating behaviour in college women. *European Eating Disorders Review*, 18, 410–416.
- Johnson, C. & Larson, R. (1982). Bulimia: An analysis of moods and behavior. *Psychosomatic Medicine*, 44(4), 341–351.
- Johnson, J.G., Cohen, P., Kasen, S., Smailes, E. & Brook, J.S. (2002). Maladaptive parenting and the association between parental and offspring psychiatric disorders. *Zeitschrift Fur Psychosomatische Medizin Und Psychotherapie*, 48(4), 396–410.
- Joiner, T.E., Heatherton, T.F., Rudd, M.D. & Schmidt, N.B. (1997). Perfectionism, perceived weight status, and bulimic symptoms: Two studies testing a diathesis-stress model. *Journal of Abnormal Psychology*, 106(1), 145–153.
- Jordan, J., Joyce, P.R., Carter, F.A., Horn, J., McIntosh, V.V., Luty, S.E. *et al.* (2008). Specific and nonspecific comorbidity in anorexia nervosa. *International Journal of Eating Disorders*, 41, 47–56.
- Kassett, J.A., Gershon, E.S., Maxwell, M.E. *et al.* (1989). Psychiatric disorders in first-degree relatives of probands with bulimia nervosa. *American Journal of Psychiatry*, 146, 1468–1471.

- Kaye, W.H., Ebert, M.H., Raleigh, M. & Lake, C.R. (1984). Abnormalities in central nervous system monoamine metabolism in anorexia nervosa. *Archives of General Psychiatry*, *41*, 350–355.
- Keel, P.K. & Klump, K.L. (2003). Are eating disorders culture-bound syndromes? Implications for conceptualising their etiology. *Psychological Bulletin*, *129*, 747–769.
- Keel, P.K., Gravener, J.A., Joiner, T.E., & Haedt, A.A. (2010). Twenty-year follow-up of bulimia nervosa and related eating disorders not otherwise specified. *International Journal of Eating Disorders*, *43*, 492–497.
- Keel, P.K. & Forney, K.J. (2013). Psychosocial risk factors for eating disorders. *International Journal of Eating Disorders*, *46*, 433–439.
- Kendler, K.S., MacLean, C., Neale, M., Kessler, R., Heath, A. & Eaves, L. (1991). The genetic epidemiology of bulimia nervosa. *American Journal of Psychiatry*, *148*(12), 1627-1637.
- Kruger, S. & Kennedy, SH (2000). Psychopharmacotherapy of anorexia nervosa, bulimia nervosa and binge-eating disorder. *Journal of Psychiatry and Neuroscience*, *25*, 497–508.
- Lacey, J.H. (1993). Self-damaging and addictive behavior in bulimia nervosa: A catchment area study. *British Journal of Psychiatry*, *163*, 190–194.
- Lam, R.W., Lee, S.K., Tam, E.M., Grewal, A. & Yatham, L.N. (2001). An open trial of light therapy for women with seasonal affective disorder and comorbid bulimia nervosa. *Journal of Clinical Psychiatry*, *62*(3), 164–168.
- Lampard, A.M., Byrne, S.M., McLean, N.J. & Fursland, A. (2011). An evaluation of the enhanced cognitive-behavioural model of bulimia nervosa. *Behaviour Research and Therapy*, *49*, 529–535.
- Lampard, A.M., Tasca, G.A., Balfour, L. & Bissada, H. (2013). An evaluation of the transdiagnostic cognitive-behavioural model of eating disorders. *European Eating Disorders Review*, *21*, 99–107.
- Lask, B. & Bryant-Waugh, R. (Eds.) (2000). *Anorexia nervosa and related eating disorders in childhood and adolescence (2nd edn)*. Hove: Psychology Press.

- Lee, S., Ng, K.L., Kwok, K. & Fung, C. (2010). The changing profile of eating disorders at a tertiary psychiatric clinic in Hong Kong (1987–2007). *International Journal of Eating Disorders*, 43, 307–314.
- Leon, G.R., Fulkerson, J.A., Perry, C.L. & Early-Zald, M.B. (1995). Prospective analysis of personality and behavioral vulnerabilities and gender influences in the later development of disordered eating. *Journal of Abnormal Psychology*, 104 (1), 140–149.
- Levine, M.P., Smolak, L., Moodey, A.F., Shuman, M.D. & Hessen, L.D. (1994). Normative developmental challenges and dieting and eating disturbances in middle school girls. *International Journal of Eating Disorders*, 15(1), 11–20.
- Lindberg, L. & Hjern, A. (2003). Risk factors for anorexia nervosa: A national cohort study. *International Journal of Eating Disorders*, 34, 397–408.
- Lock, J., Le Grange, D., Agras, S., Moye, A., Bryson, S.W. & Jo, B. (2010). Randomized clinical trial comparing family-based treatment with adolescent-focused individual therapy for adolescents with anorexia nervosa. *Archives of General Psychiatry*, 67, 1025–1032.
- Lovejoy, M. (2001). Disturbances in the social body: Differences in body image and eating problems among African American and white women. *Gender & Society*, 15(2), 239–261.
- Maltby, J., Giles, D.C., Barber, L. & McCutcheon, L.E. (2005). Intense personal celebrity worship and body image: Evidence of a link among female adolescents. *British Journal of Health Psychology*, 10, 17–32.
- Marce, L.V. (1860). On a form of hypochondriacal delirium occurring consecutive to dyspepsia and characterized by refusal of food. *Journal of Psychological Medicine and Mental Pathology*, 13, 264–266.
- McBride, O., McManus, S., Thompson, J., Palmer, R.L. & Brugha, T. (2013). Profiling disordered eating patterns and body mass index (BMI) in the English general population. *Social Psychiatry and Psychiatric Epidemiology*, 48, 783–793.
- McCreary, D. R., & Sadava, S. W. (2001). Gender differences in relationships among perceived attractiveness, life satisfaction, and health in adults as a function of

body mass index and perceived weight. *Psychology of Men and Masculinity*, 2, 108–116.

McSherry, J.A. (1985). Was Mary Queen of Scots anorexic? *Scottish Medical Journal*, 30, 243–245.

McVey, G., Tweed, S. & Blackmore, E. (2004). Dieting among preadolescent and young adolescent females. *Canadian Medical Association Journal*, 170(10), 1559–1561.

Meyer, C. & Waller G (2001). Social convergence of disturbed eating attitudes in young adult women. *Journal of Nervous and Mental Disease*, 189(2), 114–119.

Miller, M.N. & Pumariega, A.J. (2001). Culture and eating disorders: A historical and cross-cultural review. *Psychiatry: Interpersonal and Biological Processes*, 64, 93–110.

Minuchin, S., Baker, L., Rosman, B.L., Lieman, R. *et al.* (1975). Conceptual model of psychosomatic illness in children: Family organization and family therapy. *Archives of General Psychiatry*, 32(8), 1031–1038.

Minuchin, S., Rosman, B.L. & Baker, L. (1978). *Psychosomatic families: Anorexia nervosa in context*. Cambridge, MA: Harvard University Press.

Mitchell, J.E., Agras, S., Crow, S., Halmi, K.A. *et al.* (2011). Stepped care and cognitive behavioural therapy for bulimia nervosa: randomized trial. *British Journal of Psychiatry*, 198, 391–397.

Monsma, E.V. & Malina, R.M. (2004). Correlates of eating disorders risk among female figure skaters: A profile of adolescent competitors. *Psychology of Sport and Exercise*, 5(4), 447–460.

Myers, T.C., Swan-Kremeier, L., Wonderlich, S., Lancaster, K. & Mitchell, J.E. (2004). The use of alternative delivery systems and new technologies in the treatment of patients with eating disorders. *International Journal of Eating Disorders*, 36, 123–143.

Napolitano, M.A. & Himes, S. (2011). Race, weight, and correlates of binge eating in female college students. *Eating Behaviors*, 12, 29–36.

- Neumark-Sztainer, D. & Hannan, P.J. (2000). Weight-related behaviors among adolescent girls and boys: Results from a national survey. *Archives of Pediatrics and Adolescent Medicine*, 154(6), 569–577.
- O'Brien, K.M. & Vincent, N.K. (2003). Psychiatric comorbidity in anorexia and bulimia nervosa: Nature, prevalence, and causal relationships. *Clinical Psychology Review*, 23, 57–74.
- Owen, P.R. & Laurel-Seller, E. (2000). Weight and shape ideals: Thin is dangerously in. *Journal of Applied Social Psychology*, 30(5), 979–990.
- Patton, G.C., Carlin, J.B., Shao, Q., Hibbert, M.E. et al. (1997). Adolescent dieting: healthy weight control or borderline eating disorder? *Journal of Child Psychology and Psychiatry and Allied Disciplines*, 38, 299–306.
- Pederson, K.J., Roerig, J.L. & Mitchell, J.E. (2003). Towards the pharmacotherapy of eating disorders. *Expert Opinion on Pharmacotherapy*, 4(10), 1659–1678.
- Pike, K.M. & Rodin, J. (1991). Mothers, daughters, and disordered eating. *Journal of Abnormal Psychology*, 100(2), 198–204.
- Pike, K.M., Dohm, F.A., Striegel-Moore, R.H., Wilfley, D.E. & Fairburn, C.G. (2001). A comparison of black and white women with binge eating disorder. *American Journal of Psychiatry*, 158(9), 1455–1460.
- Polivy, J. & Herman, C.P. (1985). Dieting and binging: A causal analysis. *American Psychologist*, 40(2), 193–201.
- Polivy, J. & Herman, C.P. (1987). Diagnosis and treatment of normal eating. *Journal of Consulting and Clinical Psychology*, 55, 635–644.
- Polivy, J., Heatherton, T.F. & Herman, C.P. (1988). Self-esteem, restraint, and eating behavior. *Journal of Abnormal Psychology*, 97(3), 354–356.
- Polivy, J. & Herman, C.P. (2002). Causes of eating disorders. *Annual Review of Psychology*, 53, 187–213.
- Powell, A.D. & Kahn, A.S. (1995). Racial differences in women's desires to be thin. *International Journal of Eating Disorders*, 17(2), 191–195.

- Raffi, A.R., Rondini, M., Grandi, S. & Fava, G.A. (2000). Life events and prodromal symptoms in bulimia nervosa. *Psychological Medicine*, 30(3), 727–731.
- Rastam, M. & Gillberg, C. (1992). background factors in anorexia nervosa. *European Child and Adolescent Psychiatry*, 1, 54–65.
- Ravaldia, C., Vannacci, A., Zucchi, T., Mannucci, E. et al. (2003). Eating disorders and body image disturbances among ballet dancers, gymnasium users and body builders. *Psychopathology*, 36(5), 247–254.
- Richards, P.S., Baldwin, B., Frost, H., Clark-Sly, J., Berrett, M. & Hardman, R. (2000). What works for treating eating disorders: A synthesis of 28 outcome reviews. *Eating Disorders: Journal of Treatment and Prevention*, 8, 189–206.
- Rodgers, R. F., Chabrol, H. & Paxton, S. (2011). An exploration of the tripartite influence model of body dissatisfaction and disordered eating among Australian and French college women. *Body Image*, 8, 208–215.
- Rorty, M. & Yager, J. (1996). Histories of childhood trauma and complex posttraumatic sequelae in women with eating disorders. *Psychiatric Clinics of North America*, 19(4), 773.
- Rosman, B.L., Minuchin, S. & Liebman, R. (1975). Family lunch session: Introduction to family therapy in anorexia nervosa. *American Journal of Orthopsychiatry*, 45(5), 846–853.
- Ruggiero, G.M., Levi, D., Ciuna, A. & Sassaroli, S. (2003). Stress situation reveals an association between perfectionism and drive for thinness. *International Journal of Eating Disorders*, 34(2), 220–226.
- Sanftner, J.L. & Crowther, J.H. (1998). Variability in self-esteem, moods, shame and guilt in women who binge. *International Journal of Eating Disorders*, 23(4), 391–397.
- Santonastaso, P., Mondini, S. & Favaro, A. (2002). Are fashion models a group at risk for eating disorders and substance abuse? *Psychotherapy and Psychosomatics*, 71(3), 168–172.

- Schmidt, N.B. & Telch, M.J. (1990). Prevalence of personality disorders among bulimics, nonbulimic binge eaters and normal controls. *Journal of Psychopathology and Behavioral Assessment*, 12(2), 169-185.
- Schwartz, M.B., Chambliss, H.O., Brownell, K.D., Blair, S.N. & Billington, C. (2003). Weight bias among health professionals specializing in obesity. *Obesity Research*, 11, 1033-1039.
- Shisslak, C.M., Pazda, S.L. & Crago, M. (1990). Body weight and bulimia as discriminators of psychological characteristics among anorexic, bulimic and obese women. *Journal of Abnormal Psychology*, 99(4), 380-384.
- Shoebridge, P. & Gowers, S.G. (2000). Parental high concern and adolescent-onset anorexia nervosa: A case-control study to investigate direction of causality. *British Journal of Psychiatry*, 176, 132-137.
- Silverman, J.A. (1987). Robert Whytt 1714-1766, eighteenth century limner of anorexia nervosa and bulimia, an essay. *International Journal of Eating Disorders*, 6, 143-146.
- Smink, F.R.E., van Hoeken, D. & Hoek, H.W. (2012). Epidemiology of eating disorders: Incidence, prevalence and mortality rates. *Current Psychiatry Reports*, 14, 406-414.
- Spitzer, B.L., Henderson, K.A. & Zivian, M.T. (1999). Gender differences in population versus media body sizes: A comparison over four decades. *Sex Roles*, 40(7-8), 545-565.
- Steiger, H., Stotland, S., Trottier, J. & Ghadirian, A.M. (1996). Familial eating concerns and psychopathological traits: Causal implications of transgenerational effects. *International Journal of Eating Disorders*, 19(2), 147-157.
- Steiger, H., Leonard, S., Kin, N.M.K.N.Y. *et al.* (2000). Childhood abuse and platelet tritiated-paroxetine binding in bulimia nervosa: Implications of borderline personality disorder. *Journal of Clinical Psychiatry*, 61(6), 428-435.
- Stein, D.M. & Laasko, W. (1988). Bulimia: A historical perspective. *International Journal of Eating Disorders*, 7, 201-210.



- Steinhausen, H.C., Seidel, R. & Metzke, C.W. (2000). Evaluation of treatment and intermediate and long-term outcome of adolescent eating disorders. *Psychological Medicine*, 30(5), 1089–1098.
- Stice, E., Shaw, H. & Nemeroff, C. (1998). Dual pathway model of bulimia nervosa: Longitudinal support for dietary restraint and affect-regulation mechanisms. *Journal of Social and Clinical Psychology*, 17(2), 129–149.
- Stice, E., Telch, C.F. & Rizvi, S.L. (2000). Development and validation of the eating disorder diagnostic scale: A brief self-report measure of anorexia, bulimia, and binge-eating disorder. *Psychological Assessment*, 12(2), 123–131.
- Stice, E. (2001). A prospective test of the dual-pathway model of bulimic pathology: Mediating effects of dieting and negative affect. *Journal of Abnormal Psychology*, 110, 124–135.
- Stice, E., Trost, A. & Chase, A. (2003). Healthy weight control and dissonance-based eating disorder prevention programs: Results from a controlled trial. *International Journal of Eating Disorders*, 33, 10–21.
- Stice, E., Shaw, H. & Marti, C.N. (2007). A meta-analytic review of eating disorder prevention programs: Encouraging findings. *Annual Review of Clinical Psychology*, 3, 207–231.
- Stice, E., Rohde, P., Durant, S. & Shaw H. (2012). A preliminary trial of a prototype Internet dissonance-based eating disorder prevention program for young women with body image concerns. *Journal of Consulting and Clinical Psychology*, 80(5), 907–916.
- Stice, E., Marti, C.N. & Rohde, P. (2013). Prevalence, incidence, impairment, and course of the proposed DSM-5 eating disorder diagnoses in an 8-year prospective community study of young women. *Journal of Abnormal Psychology*, 122, 445–457.
- Stice, E., Becker, C.B. & Yokum S. (2013). Eating disorder prevention: Current evidence-base and future directions. *International Journal of Eating Disorders*, 46(5), 478–485.
- Stoving, R.K., Hangaard, J. & Hansen-Nord, M. et al. (1999). A review of endocrine changes in anorexia nervosa. *Journal of Psychiatric Research*, 33, 139–152.

- Striegel-Moore, R. & Smolak, L. (1996). The role of race in the development of eating disorders. In M.P. Levine, L.L. Smolak & R. Stiegel-Moore (Eds.) *The developmental psychopathology of eating disorders: Implications for research, prevention and treatment*. Hillsdale, NJ: Erlbaum.
- Striegel-Moore, R. (1997). Risk factors for eating disorders. *Annals of the New York Academy of Sciences*, 817, 98–109.
- Striegel-Moore, R.H., Cachelin, F.M., Dohm, F.A., Pike, K.M. et al. (2001). Comparison of binge eating disorder and bulimia nervosa in a community sample. *International Journal of Eating Disorders*, 29(2), 157–165.
- Striegel-Moore, R.H. & Franko, D.L. (2003). Epidemiology of binge-eating disorder. *International Journal of Eating Disorders*, 34, 19–29.
- Strober, M. (1991). Disorders of the self in anorexia nervosa: An organismic-developmental paradigm. In C.L. Johnson (Ed.) *Psychodynamic treatments of anorexia nervosa and bulimia*. New York: Guilford Press.
- Strober M, Freeman R, Lampert C, Diamond, J. & Kaye, W. (2000). Controlled family study of anorexia nervosa and bulimia nervosa: Evidence of shared liability and transmission of partial syndromes. *American Journal of Psychiatry*, 157(3), 393–401.
- Strong, S.M., Williamson, D.A., Netemeyer, R.G. & Geer, J.H. (2000). Eating disorder symptoms and concerns about body differ as a function of gender and sexual orientation. *Journal of Social and Clinical Psychology*, 19(2), 240–255.
- Sudi, K., Ottl, K., Payerl, D., Baumgartl, P., Tauschmann, K. & Muller, W. (2004). Anorexia athletica. *Nutrition*, 20(7–8), 657–661.
- Sullivan, P.F., Daly, M.J. & O'Donovan, M. (2012). Genetic architectures of psychiatric disorders: The emerging picture and its implications. *Nature Review of Genetics*, 10, 537–551.
- Thaler, L., Groleau, P., Badawi, G., Sycz, L. et al. (2012). Epistatic interactions implicating dopaminergic genes in bulimia nervosa (BN), relationships to eating- and personality-related psychopathology. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 39, 120–128.

- Thompson SH, Corwin, S.J. & Sargent, R.G. (1997). Ideal body size beliefs and weight concerns of fourth-grade children. *International Journal of Eating Disorders*, 21(3), 279–284.
- Tiggemann, M. & Pickering, A.S. (1996). Role of television in adolescent women's body dissatisfaction and drive for thinness. *International Journal of Eating Disorders*, 20(2), 199–203.
- Tiggemann, M. (2003). Appearance and social comparison processing in response to music videos. *Australian Journal of Psychology*, 55, 65–65.
- Tiggemann, M. & Slater, A. (2004). Thin ideals in music television: A source of social comparison and body dissatisfaction. *International Journal of Eating Disorders*, 35(1), 48–58.
- Tozzi, F., Sullivan, P.F., Fear, J.L. McKenzie, J. & Bulik, M. (2003). Causes and recovery in anorexia nervosa: The patient's perspective. *International Journal of Eating Disorders*, 33, 143–145.
- Trace, S.E., Baker, J.H., Penas-Lledo, E. & Bulik, C.M. (2013). The genetics of eating disorders. *Annual Review of Clinical Psychology*, 9, 589–620.
- Troop, N.A. (1998). Eating disorders as coping strategies: A critique. *European Eating Disorders Review*, 6(4), 229–237.
- Tyrka, A.R., Waldron, I., Graber, A. & Brooks-Gunn, J. (2002). Prospective predictors of the onset of anorexic and bulimic syndromes. *International Journal of Eating Disorders*, 32, 282–290.
- Van den Berg, P., Thompson JK, Obremski-Brandon, K. & Covert, M. (2002). The tripartite influence model of body image and eating disturbance: A covariance structure modeling investigation testing the mediational role of appearance comparison. *Journal of Psychosomatic Research*, 53, 1007–1020.
- Van Dyck, Z., Bellwald, L., Kurz, S., Dremmel, D. et al. (2013). Eating problems in childhood: Screening in the general population. *Zeitschrift für Gesundheitspsychologie*, 21(2), 91–100.

- Van Furth, E.F., van Strien, D.C., Martina, L.M.L., van Son M.J.M. *et al.* (1996). Expressed emotion and the prediction of outcome in adolescent eating disorders. *International Journal of Eating Disorders*, 20(1), 19–31.
- Vandereycken, W. & Van Deth, R. (1994). *From fasting saints to anorexic girls: The history of self-starvation*. New York: New York University Press.
- Vanderlinden, J., Norre, J. & Vandereycken, W. (1992). A practical guide to the treatment of bulimia nervosa. *Brunner/Mazel Eating Disorders Monograph, Series No.6*. Levittton, PA: Brunner/Mazel.
- Vitousek K. & Manke, F. (1994). Personality-variables and disorders in anorexia nervosa and bulimia nervosa. *Journal of Abnormal Psychology*, 103(1), 137–147.
- Vohs, K.D., Bardone, A.M., Joiner, T.E., Abramson, L.Y. & Heatherton, T.F. (1999). Perfectionism, perceived weight status, and self-esteem interact to predict bulimic symptoms: A model of bulimic symptom development. *Journal of Abnormal Psychology*, 108, 695–700.
- Wade, T.D., Bulik, C.M., Sullivan, P.F., Neale, M.C. & Kendler, K.S. (2000). The relation between risk factors for binge eating and bulimia nervosa: A population-based female twin study. *Health Psychology*, 19(2), 115–123.
- Wagner, G., Penelo, E., Wanner, C., Gwinner, P. *et al.* (2013). Internet-delivered cognitive-behavioural therapy v conventional guided self-help for bulimia nervosa: Long-term evaluation of a randomized controlled trial. *British Journal of Psychiatry*, 202, 135–141.
- Walsh, B.T., Wilson, G.T., Loeb, K.L., Devlin, M.J. *et al.* (1997). Medication and psychotherapy in the treatment of bulimia nervosa. *American Journal of Psychiatry*, 154(4), 523–531.
- Walsh, B.T. (2013). The enigmatic persistence of anorexia nervosa. *American Journal of Psychiatry*, 170, 477–484.
- Walters, E.E. & Kendler, K.S. (1994). Anorexia nervosa and anorexia-like syndromes in a population based female twin sample. *American Journal of Psychiatry*, 152, 64–71.

- Wang, K., Zhang, H., Bloss, C.S., Duvvuri, V. et al. (2011). A genome-wide association study on common SNPs and rare CNVs in anorexia nervosa. *Molecular Psychiatry*, *16*, 949–959.
- Wardle, J. & Johnson, F. (2002). Weight and dieting: examining levels of weight concern in British adults. *International Journal of Obesity*, *26*(8), 1144–1149.
- Wax, E. (2000). *Immigrant girls suffer from anorexia*. Washington Post, March 12, 2000.
- Welch, S.L. & Fairburn, C.G. (1994). Sexual abuse and bulimia nervosa: 3. Integrated case-control comparisons. *American Journal of Psychiatry*, *151*(3), 402–407.
- Welch, S.L., Doll, H.A. & Fairburn, C.G. (1997). Life events and the onset of bulimia nervosa: A controlled study. *Psychological Medicine*, *27*(3), 515–522.
- Whelan, E. & Cooper, P.J. (2000). The association between childhood feeding problems and maternal eating disorder: A community study. *Psychological Medicine*, *30*(1), 69–77.
- Whittal, M. L., Agras, W. S., & Gould, R. A. (1999). Bulimia nervosa: a meta-analysis of psychosocial and pharmacological treatments. *Behavior Therapy*, *30*, 117–135.
- Wilson, G.T., Eldridge, K.L., Smith, D. & Niles, B. (1991). Cognitive-behavioral treatment with and without response prevention for bulimia. *Behavior Research and Therapy*, *29*(6), 575–583.
- Wilson, G.T., Fairburn, C.G. & Agras, W.S. (1997). Cognitive-behavioral therapy for bulimia nervosa. In D.M. Garner & P. Garfinkel (Eds.) *Handbook of treatment for eating disorders*. New York: Guilford Press.
- Wilson, G.T., Loeb, K.L., Walsh, B.T., Labouvie, E. et al. (1999). Psychological versus pharmacological treatments of bulimia nervosa: Predictors and processes of change. *Journal of Consulting and Clinical Psychology*, *67*(4), 451–459.
- Wilson, G.T., Fairburn, C.G., Agras, W.S., Walsh, B.T. & Kraemer, H. (2002). Cognitive-behavioral therapy for bulimia nervosa: Time course and

mechanisms of change. *Journal of Consulting and Clinical Psychology*, 70, 267–274.

Wilson, G.T. & Shafran, R. (2005). Eating disorders guidelines from NICE. *Lancet*, 365, 79–81.

Wonderlich, S.A., Swift, W.J., Slotnick, H.B. & Goodman, S. (1990). DSM-III-R personality disorders in eating-disorder subtypes. *International Journal of Eating Disorders*, 9(6), 607–616.

Yamamiya, Y., Shroff, H. & Thompson, J.K. (2008). The tripartite influence model of body image and eating disturbance: A replication with a Japanese sample. *International Journal of Eating Disorders*, 41, 88–91.