

DAVEY
PSYCHOPATHOLOGY, 2ND EDITION
CHAPTER 13 | SOMATIC SYMPTOM DISORDERS
REFERENCES

- Abramowitz, J.S. & Braddock, A.E. (2006). Hypochondriasis: Conceptualization, treatment, and relationship to obsessive-compulsive disorder. *Psychiatric Clinics of North America*, 29, 503.
- Adshead, G. & Brooke, D. (2001). (Eds.) *Munchausen's syndrome by proxy: Current issues in assessment, treatment and research*. London: Imperial College Press.
- Aronson, K.R., Barrett, L.F. & Quigley, K. (2006). Emotional reactivity and the overreport of somatic symptoms: Somatic sensitivity or negative reporting style? *Journal of Psychosomatic Research*, 60(5), 521–530.
- Barsky, A.J. (1992). Amplification, somatization, and the somatoform disorders. *Psychosomatics*, 33, 28–34.
- Barsky, A.J. & Ahern, D.K. (2004). Cognitive behaviour therapy for hypochondriasis: A randomized control study. *JAMA: Journal of the American Medical Association*, 291, 1464–1470.
- Bluglass, K. (2001). Treatment of perpetrators. In G. Adshead & D. Brooke (Eds.) *Munchausen's syndrome by proxy: Current issues in assessment, treatment and research*. London: Imperial College Press.
- Bohman, M., Cloninger, C.R., von Knorring, A.L. & Sigvardsson, S. (1984). An adoption study of somatoform disorders.3: Cross-fostering analysis and genetic relationship to alcoholism and criminality. *Archives of General Psychiatry*, 41(9), 872–878.
- Bowman, E.S. & Markand, O.N. (1996). Psychodynamics and psychiatric diagnoses of pseudoseizure subjects. *American Journal Of Psychiatry*, 153(1), 57–63.
- Brown, R.J. (2004). Psychological mechanisms of medically unexplained symptoms: An integrative conceptual model. *Psychological Bulletin*, 130, 793–812.

- Cassady, J.D., Kirschke, D.L., Jones, T.F., Craig, A.S. *et al.* (2005). Case series: Outbreak of conversion disorder among Amish adolescent girls. *Journal of the American Academy of Child and Adolescent Psychiatry*, 44(3), 291–297.
- Clark, D.M., Salkovskis, P.M., Hackmann, A. *et al.* (1998). Two psychological treatments for hypochondriasis: A randomised controlled trial. *British Journal of Psychiatry*, 173, 218–225.
- Cloninger, C.R., Sigvardsson, S., von Knorring, A.L. & Bohman, M. (1984). An adoption study of somatoform disorders. 2: Identification of two discrete somatoform disorders. *Archives of General Psychiatry*, 41(9), 863–871.
- Craig, T.K.J., Boardman, A.P., Mills, K., Daly-Jones, O. & Drake, H. (1993). The South London Somatization Study.1: Longitudinal course and the influence of early-life experiences. *British Journal of Psychiatry*, 163, 579–588.
- Craig, T.K.J. (2001). Life events: Meanings and precursors. In P.W. Halligan, C. Bass & J. Marshall (Eds.) *Contemporary approaches to the study of hysteria: Clinical and theoretical perspectives*. Oxford: Oxford University Press.
- Craig, T.K.J., Cox, A.D. & Klein, K. (2002). Intergenerational transmission of somatization behaviour: A study of chronic somatizers and their children. *Psychological Medicine*, 32(5), 805–816.
- Craig, T.K., Bialas, I. & Hodson, S. *et al.* (2004). Intergenerational transmission of somatization behaviour. 2: Observation of joint attention and bids for attention. *Psychological Medicine*, 34, 199–209.
- Escobar, J.I., Burnam, M.A., Karno, M., Forsythe, A. & Golding, J.M. (1987). Somatization in the community. *Archives of General Psychiatry*, 44(8), 713–718.
- Fallon, B.A. & Feinstein, S. (2001). Hypochondriasis. In K.A. Phillips (Ed.) *Somatoform and factitious disorders*. Washington, DC: American Psychiatric Press.
- Fjorback, L.O., Arendt, M., Ornbol, E., Walach, H. *et al.* (2013). Mindfulness therapy for somatization disorder and functional somatic syndromes: Randomized trial with one-year follow-up. *Journal of Psychosomatic Research*, 74, 31–40.

- Fox, R. (1989). *The sociology of medicine: A participant observer's view*. Englewood Cliffs, NJ: Prentice Hall.
- Galvin, H.K., Newton, A.W. & Vandeven, A.M. (2005). Update on Munchausen syndrome by proxy. *Current Opinion in Pediatrics*, 17(2), 252–257.
- Goldberg, D.P. & Bridges, K. (1988). Somatic presentations of psychiatric illness in primary care setting. *Journal of Psychosomatic Research*, 32(2), 137–144.
- Grosz, H.J. & Zimmerman, J. (1970). A second detailed case study of functional blindness: Further demonstration of the contribution of objective psychological laboratory data. *Behavior Therapy*, 1, 115–123.
- Gureje, O., Simon, G.E., Ustun, T.B. & Goldberg, D.P. (1997). Somatization in cross-cultural perspective: A World Health Organization study in primary care. *American Journal of Psychiatry*, 154(7), 989–995.
- Haenen, M.A., de Jong, P.J., Schmidt, A.J.M., Stevens, S. & Visser, L. (2000). Hypochondriacs' estimation of negative outcomes: Domain-specificity and responsiveness to reassuring and alarming information. *Behaviour Research and Therapy*, 38(8), 819–833.
- Halligan, P.W., Athwal, B.S., Oakley, D.A. & Frackowiak, R.S. (2000). Imaging hypnotic paralysis: implications for conversion hysteria. *Lancet*, 355(9208), 986–987.
- Harris, M.B., Deary, I.J. & Wilson, J.A. (1996). Life events and difficulties in relation to the onset of globus pharyngis. *Journal of Psychosomatic Research*, 40(6), 603–615.
- Holder-Perkins, V. & Wise, T.N. (2001). Somatization disorder. In K.A. Phillips (Ed.) *Somatoform and factitious disorders. Review of psychiatry (Vol. 20)*. Washington, DC: American Psychiatric Association.
- Hotopf, M., Mayou, R., Wadsworth, M. & Wessely, S. (1999). Psychosocial and developmental antecedents of chest pain in young adults. *Psychosomatic Medicine*, 61(6), 861–867.

- Janca, A., Isaac, M., Bennett, L.A. & Tacchini, G. (1995). Somatoform disorders in different cultures: A mail questionnaire survey. *Social Psychiatry And Psychiatric Epidemiology*, 30(1), 44–48.
- Janet, P. (1907). *The major symptoms of hysteria*. New York: Macmillan.
- Kellner, R. (1990). Somatization. *Journal of Nervous and Mental Disease*, 178, 150–160.
- Kent, D.A., Tomasson, K. & Coryell, W. (1995). Course and outcome of conversion and somatization disorders: A 4-year follow-up. *Psychosomatics*, 36(2), 138–144.
- Kuechenoff, J. (2002). Hysterie heute: eine Revision. Forum Psychoanalysis: *Zeitschr. Klin. Theor. Prax.*, 18, 224–244.
- Labbate, L.A., Cardena, E., Dimitreva, J., Roy, M. & Engel, C.C. (1998). Psychiatric syndromes in Persian Gulf War veterans: An association of handling dead bodies with somatoform disorders. *Psychotherapy and Psychosomatics*, 67(4–5), 275–279.
- Landgrebe, M., Barta, W., Rosengarth, K. et al. (2008). Neuronal correlates of symptom formation in functional somatic syndromes. A fMRI study. *NeuroImage*, 41, 1336–1344.
- Latimer, P.R. (1981). Irritable bowel syndrome: A behavioral model. *Behaviour Research and Therapy*, 19(6), 475–483.
- Leichsenring, F. (2001). Comparative effects of short-term psychodynamic psychotherapy and cognitive-behavioral therapy in depression. A meta-analytic approach. *Clinical Psychology Review*, 21, 401–419.
- Leichsenring, F. (2005). Are psychodynamic and psychoanalytic therapies effective? A review of empirical data. *International Journal of Psychoanalysis*, 86, 841–868.
- Liebson, I. (1967). Conversion reaction: A learning theory approach. *Behaviour Research and Therapy*, 7, 217–218.
- Lim, S.-L. & Kim, J.-H. (2005). Cognitive processing of emotional information in depression, panic and somatoform disorder. *Journal of Abnormal Psychology*, 114, 50–61.

- Oakley, D.A. (1999). Hypnosis and conversion hysteria: A unifying model. *Cognitive Neuropsychiatry*, 4, 243–265.
- MacLeod, A.K., Haynes, C. & Sensky T (1998). Attributions about common bodily sensations: Their associations with hypochondriasis and anxiety. *Psychological Medicine*, 28(1), 225–228.
- Maldonado, J.R. & Spiegel, D. (2003). Clinical characteristics, pathophysiology and treatment of conversion disorders: A research-based approach *Psychosomatics*, 44(2), 165.
- Marcus, D.K., Gurley, J.R., Marchi, M.M. & Bauer, C. (2007). Cognitive and perceptual variables in hypochondriasis and health anxiety: A systematic review. *Clinical Psychology Review*, 27, 127–139.
- Marshall, J.C., Halligan, P.W., Fink, G.R., Wade, D.T. & Frackowiak RS (1997). The functional anatomy of hysterical paralysis. *Cognition*, 64, B1–8.
- Merten, T. & Merckelbach, H. (2013). Introduction to malingering research and symptom validity assessment. *Journal of Experimental Psychopathology*, 4, 3–5.
- Noyes, R., Kathol, R.G., Fisher, M.M., Phillips, M.M. et al. (1994). Psychiatric comorbidity among patients with hypochondriasis. *General Hospital Psychiatry*, 16, 78–87.
- Noyes, R. (1999). The relationship of hypochondriasis to anxiety disorders. *General Hospital Psychiatry*, 21, 8–17.
- Pankratz, L. (2006). Persistent problems with the Munchausen syndrome by proxy label. *Journal of the American Academy of Psychiatry And the Law*, 34(1), 90–95.
- Parsons, T. (1951). *The social system*. Free Press: New York.
- Phillips, K.A. (1996). *The broken mirror: Understanding and treating body dysmorphic disorder*. New York: Oxford University Press.
- Phillips, K.A. (1998). Body dysmorphic disorder: Clinical aspects and treatment strategies. *Bulletin of the Menninger Clinic*, 62, A33–A48.

- Rief W, Hiller, W. & Margraf J (1998). Cognitive aspects of hypochondriasis and the somatization syndrome. *Journal of Abnormal Psychology*, 107(4), 587–595.
- Rief, W., Buhlmann, U., Wilhelm, S., Borkenhagen, A. & Braehler, E. (2006). The prevalence of body dysmorphic disorder: A population-based survey. *Psychological Medicine*, 36(6), 877–885.
- Rode, S., Salkovskis, P., Dowd, H. & Hanna, M. (2006). Health anxiety levels in chronic pain clinic attenders. *Journal of Psychosomatic Research*, 60(2), 155–161.
- Roelofs, K., Spinhoven, P., Sandijck, P., Moene, F.C. et al. (2005). The impact of early trauma and recent life-events on symptom severity in patients with conversion disorder. *Journal of Nervous and Mental Diseases*, 193, 508–514.
- Rosen, J.C. (1996). Body image assessment and treatment in controlled studies of eating disorders. *International Journal of Eating Disorders*, 20, 331–343.
- Salmon, P. & Calderbank S (1996). The relationship of childhood physical and sexual abuse to adult illness behavior. *Journal of Psychosomatic Research*, 40(3), 329–336.
- Salkovskis, P.M. & Warwick, H.M.C. (1986). Morbid preoccupation, health anxiety and reassurance: A cognitive-behavioural approach to hypochondriasis. *Behaviour Research and Therapy*, 24, 597–602.
- Sar, V., Akyuz, G., Kundakci, T., Kiziltyan, E. & Dogan, O. (2004). Childhood trauma, dissociation, and psychiatric comorbidity in patients with conversion disorder. *American Journal of Psychiatry*, 161, 2271–2276.
- Schrag, A., Brown, R.J. & Trimble, M.R. (2004). The validity of self-reported diagnoses in patients with neurologically unexplained symptoms. *Journal of Neurology Neurosurgery and Psychiatry*, 75(5), 801–801.
- Schroder, A., Heider, J., Zaby, A. & Golliner, R. (2013). Cognitive behavioural therapy versus progressive muscle relaxation training for multiple somatoform symptoms: Results of a randomized controlled trial. *Cognitive Therapy and Research*, 37, 296–306.

- Schulte, I.E. & Petermann, F. (2011). Familial risk factors for the development of somatoform symptoms and disorders in children and adolescents: A systematic review. *Child Psychiatry and Human Development*, 42, 569–583.
- Smeets, G., de Jong, P.J. & Mayer, B. (2000). If you suffer from a headache, then you have a brain tumour: Domain specific reasoning 'bias' and hypochondriasis. *Behaviour Research and Therapy*, 38, 763–776.
- Smith, T.W. (1992). Hostility and health: Current status of a psychosomatic hypothesis. *Health Psychology*, 11, 139–150.
- Somashekar, B., Jainar, A. & Wuntakal, B. (2013). Psychopharmacotherapy of somatic symptom disorders. *International Review of Psychiatry*, 25, 107–115.
- Temple, N. (2002). A critical enquiry into the psychoanalytic theories and approaches to psychosomatic conditions. *International Journal of Psychoanalysis*, 56, 11–15.
- Tezzi A, Duckworth, M.P. & Adams, H.E. (2001). Somatoform and factitious disorders. In H.E. Adams & P.B. Sutker (Eds.) *Comprehensive handbook of psychopathology (3rd edn)*. New York: Kluwer.
- Theodor, L.H. & Mandelcorn, M.S. (1973). Hysterical blindness: Case report and study using a modern psychophysical technique. *Journal of Abnormal Psychology*, 82(3), 552–553.
- Tomasson, K., Kent, D. & Coryell, W. (1991). Somatization and conversion disorders: Comorbidity and demographics at presentation. *Acta Psychiatrica Scandinavica*, 84(3), 288–293.
- Torgersen, S. (1986). Genetics of somatoform disorders. *Archives of General Psychiatry*, 43, 1085–1089.
- Ullman, L.P. & Krasner, L. (1975). *A psychological approach to abnormal behaviour (2nd edn)*. Englewood Cliffs, NJ: Prentice Hall.
- Van Ommeren, M., Sharma, B., Komproe, I., Poudyal, B.N. *et al.* (2001). Trauma and loss as determinants of medically unexplained epidemic illness in a Bhutanese refugee camp. *Psychological Medicine*, 31(7), 1259–1267.

- Warwick, H.M.C. & Marks, I.M. (1988). Behavioral treatment of illness phobia and hypochondriasis: A pilot study of 17 cases. *British Journal of Psychiatry*, *152*, 239–241.
- Warwick, H.M.C. (1995). Assessment of hypochondriasis. *Behaviour Research and Therapy*, *33*, 845–853.
- Wingenfeld, K., Terfehr, K., Meyer, B., Lowe, B. & Spitzer, C. (2013). Memory bias for emotional and illness-related words in patients with depression, anxiety and somatization disorders: An investigation with the directed forgetting task. *Psychopathology*, *46*, 22–27.
- Withhöft, M., Rist, F. & Bailer, J. (2009). Abnormalities in cognitive-emotional information processing in idiopathic environmental intolerance and somatoform disorders. *Journal of Behavior Therapy and Experimental Psychiatry*, *40*, 70–84.
- Withhöft, M. & Hiller, W. (2010). Psychological approaches to origins and treatments of somatoform disorders. *Annual Review of Clinical Psychology*, *6*, 257–283.
- Zimmerman, J. & Grosz, H.J. (1966). 'Visual' performance of a functionally blind person. *Behaviour Research and Therapy*, *4*, 119–134.