

DAVEY
PSYCHOPATHOLOGY, 2ND EDITION
CHAPTER 4 | TREATING PSYCHOPATHOLOGY
REFERENCES

- Ainsworth, M. (2002). My life as an e-patient. In R.C. Hsiung (Ed.) *E-therapy: Case studies, guiding principles, and the clinical potential of the internet*. New York: W.W. Norton.
- Andrews, G. & Harvey, R. (1981). Does psychotherapy benefit neurotic patients? A reanalysis of the Smith, Glass and Miller data. *Archives of General Psychiatry*, 38, 1203–1208.
- Arch, J.J., Ayers, C.R., Baker, A., Almklov, E. et al. (2013). Randomized clinical trial of adapted mindfulness-based stress reduction versus group cognitive therapy for heterogeneous anxiety disorders. *Behaviour Research and Therapy*, 51, 185–196.
- Azrin, N.H. (1976). Improvements in the community-reinforcement approach to alcoholism. *Behaviour Research and Therapy*, 14, 339–348.
- Baldwin, D., Woods, R., Lawson, R. & Taylor, D. (2011). Efficacy of treatment for generalised anxiety disorder: Systematic review and meta-analysis. *BMJ*, 2011 342:d1199. doi: 10.1136/bmj.d1199
- Barazzone, N., Cavanagh, K. & Richards, D.A. (2012). Computerised cognitive behavioural therapy and the therapeutic alliance: A qualitative enquiry. *British Journal of Clinical Psychology*, 51, 396–417.
- Barker, C., Pistrang, N. & Elliott, R. (2002). *Research methods in clinical psychology*. (2nd edn). Chichester: Wiley.
- Beattie, A., Shaw, A., Kaur, S. & Kessler, D. (2009). Primary-care patients' expectations and experiences of online cognitive behavioural therapy for depression: A qualitative study. *Health Expectations*, 12, 45–59.
- Bebbington, P., Brugha, T., Coid, J., Crawford, M., Deverill, C., D'Souza, J. et al. (2007). *Adult psychiatric morbidity in England: Results of a household survey*. NHS Information Centre for Health and Social Care.

- Bendall, S., Jackson, H.J., Killackey, E., Allott, K. *et al.* (2006). The credibility and acceptability of befriending as a control therapy in a randomized controlled trial of cognitive behaviour therapy for acute first episode psychosis. *Behavioural and Cognitive Psychotherapy*, *34*, 277–291.
- Bentall, R. (2003). *Madness explained: Psychosis and human nature*. London: Penguin Books.
- Bishop SR, Lau M, Shapiro S, Carlson L *et al.* (2004). Mindfulness: A proposed operational definition. *Clinical Psychology Review*, *11*, 230–241.
- Block, S. & Crouch, E. (1987). *Therapeutic factors in group psychotherapy*. New York: Oxford University Press.
- Borkovec, T.D. & Costello, E. (1993). Efficacy of applied relaxation and cognitive-behavioral therapy in the treatment of generalized anxiety disorder. *Journal of Consulting and Clinical Psychology*, *61*, 611–619.
- Brewin, C.R. & Bradley, C. (1989). Patient preferences and randomized clinical trials. *British Medical Journal*, *299*, 313–315.
- Burks, H.M. & Steffire, B. (1979). *Theories of counselling (3rd edn)*. New York: McGraw-Hill.
- Butler, A.C., Chapman, J.E., Forman, E.M. & Beck, A.T. (2006). The empirical status of cognitive-behavioral therapy: A review of meta-analyses. *Clinical Psychology Review*, *26*, 17–31.
- Chadwick, P., Hughes, S., Russell, D., Russel, I. & Dagnan, D. (2009). Mindfulness groups for distressing voices and paranoia: A replication and randomized feasibility trial. *Behavioural and Cognitive Psychotherapy*, *37*, 403–412.
- Chambless, D.L. & Hollon, S.D. (1998). Defining empirically supported therapies. *Journal of Consulting & Clinical Psychology*, *66*, 7–18.
- Chambless, D.L. & Ollendick, T.H. (2001). Empirically supported psychological interventions: Controversies and evidence. *Annual Review of Psychology*, *52*, 685–716.

- Clark, D.M., Ehlers, A., Hackmann, A., McManus, F. et al. (2006). Cognitive therapy versus exposure and applied relaxation in social phobia: A randomised control trial. *Journal of Consulting and Clinical Psychology*, 74, 568–578.
- Clegg, K.A. (2010). Some Gestalt contributions to psychiatry. *Journal of Psychiatric Practice*, 16, 250–252.
- Cooper, M. (2003). *Existential therapies*. London: Sage.
- Craske, M.G., Liao, B., Brown, L. & Vervliet, B. (2012). Role of inhibition in exposure therapy. *Journal of Experimental Psychopathology*, 3, 322–345.
- Cuijpers, P., Marks, I.M., van Straten, A., Cavanagh, K., et al. (2009). Computer-aided psychotherapy for anxiety disorders: A meta-analytic review. *Cognitive Behaviour Therapy* 38(2), 66–82.
- Dallos, R. & Draper, R. (2005). *Introduction to family therapy: Systemic theory and practice (2nd edn)*. Maidenhead, UK: Oxford University Press.
- Davey, G.C.L. (1989). *Ecological learning theory*. London: Routledge.
- Davey, G.C.L. (1998). Learning theory. In C. E. Walker (Ed.) *Comprehensive clinical psychology: Foundations of clinical psychology. Vol. 1*. Elsevier.
- Davey, G.C.L. (2002). Smoking them out. *The Psychologist*, 15, 499.
- Day, S.X. & Schneider, P.L. (2002). Psychotherapy using distance technology: A comparison of face-to-face, video, and audio treatment. *Journal of Counseling Psychology*, 49, 499–503.
- Dell’Osso, B., Buoli, M., Baldwin, D.S. & Altamura, A.C. (2010). Serotonin norepinephrine reuptake inhibitors (SNRIs) in anxiety disorders: A comprehensive review of their clinical efficacy. *Human Psychopharmacology*, 25, 17–29.
- Del Re, A.C., Flückiger, C., Horvath, A.O., Symonds, D. & Wampold, B.E. (2012). Therapist effects in the therapeutic alliance-outcome relationship: A restricted-maximum likelihood meta-analysis. *Clinical Psychology Review*, 32, 642–649.

- Department of Health (2012). IAPT three-year report: The first million patients. London: Department of Health. Retrieved from <http://www.iapt.nhs.uk/silo/files/iapt-3-year-report.pdf>
- Derby, K.M., Wacker, D.P., Sasso, G., Steege, M., Northup, J., Cigrand, K., et al. (1992). Brief functional assessment techniques to evaluate aberrant behavior in an outpatient setting: A summary of 79 cases. *Journal of Applied Behavior Analysis*, 25, 713–721.
- Dimidjian, S. & Hollon, S.D. (2010). How would we know if psychotherapy were harmful? *American Psychologist*, 65, 21–33.
- Dogg-Helgadottir, F., Menzies, R.G., Onslow, M., Packman, A. & O'Brian, S. (2009). Online CBT II: A phase I trial of a standalone, online CBT treatment program from social anxiety in stuttering. *Behaviour Change*, 26, 254–270.
- Dwan, K., Altman, D.G., Arnaiz, J.A., Bloom, J. et al. (2008). Systematic review of the empirical evidence of study publication bias and outcome reporting bias. *PLOS One*, 3(8): e3081. doi:10.1371/journal.pone.0003081
- Ellis, A. (1962). *Reason and emotion in psychotherapy*. New York: Lyle Stuart.
- Erwin, E. (2000). Is a science of psychotherapy possible? *American Psychologist*, 55, 1133–1138.
- Eysenck, H.J. (1961). The effects of psychotherapy. In H.J. Eysenck (Ed.) *Handbook of abnormal psychology*. New York: Basic Books.
- Fava, G.A. (2003). Can long-term treatment with antidepressant drugs worsen the course of depression? *Journal of Clinical Psychiatry*, 64, 123–133.
- Feldman, M.P. & MacCulloch, M.J. (1965). The application of anticipatory avoidance learning to the treatment of homosexuality: 1: Theory, technique and preliminary results. *Behaviour Research and Therapy*, 2, 165–183.
- Ferster, C.B. (1985). Classification of behavioral pathology. In L. Krasner & L.P. Ullman (Eds.) *Research in behavior modification*. New York: Holt, Rinehart & Winston.

- Fournier, J.C., DeRubeis, R.J., Hollon, S.D., Dimidjian, S. et al. (2010). Antidepressant drug effects and depression severity: A patient level meta-analysis. *Journal of the American Medical Association*, 303, 47–53.
- Freedman, J. & Combs, G. (1996). *Narrative therapy: The social construction of preferred realities*. New York: W.W. Norton.
- Frosh, S. (2012). *A brief introduction to psychoanalytic theory*. Basingstoke: Palgrave Macmillan.
- Gaudiano, B.A. (2009). Öst's (2008). methodological comparison of clinical trials of acceptance and commitment therapy versus cognitive therapy: Matching apples with oranges. *Behaviour Research and Therapy*, 47, 1066–1070.
- Gibbons, R.D., Hedeker, D., Elkin, I., Waternaux, C., Kraemer, H.C., Greenhouse, J.B. et al. (1993). Some conceptual and statistical issues in analysis of longitudinal psychiatric data: Application to the NIMH treatment of depression Collaborative Research Program dataset. *Archives of General Psychiatry*, 50, 739–750.
- Gibson, S.F., Morley, S. & Romeo-Wolff, C.P. (2002). A model community telepsychiatry program in rural Arizona. In R.C. Hsiung (Ed.) *E-therapy: Case studies, guiding principles, and the clinical potential of the internet*. New York: W.W. Norton.
- Glynn, S.M. (1990). Token economy approaches for psychiatric patients: Progress and pitfalls over 25 years. *Behavior Modification*, 14, 383–407.
- Goldfried, M.R. & Wolfe, B.E. (1996). Psychotherapy practice and research. Repairing a strained alliance. *American Psychologist*, 51, 1007–1016.
- Grencavage, L.M. & Norcross, J.C. (1990). Where are the commonalities among the therapeutic common factors? *Professional Psychology: Research and Practice*, 21, 372–378.
- Hanrahan, H., Field, A.P., Jones, F.W. & Davey, G.C.L. (2013). A meta-analysis of cognitive therapy for worry in generalized anxiety disorder. *Clinical Psychology Review*, 33, 120–132.

- Harris, H. (2006). Embracing your demons: An overview of Acceptance & Commitment Therapy. *Psychotherapy in Australia*, 12, 2–8.
- Hayes, S.C., Luoma, J.B., Bond, F.W., Masuda, A. & Lillis, J. (2006). Acceptance and commitment therapy: Model, processes and outcomes. *Behaviour Research and Therapy*, 44, 1–25
- Hoffman, E.J. & Mathews, S.J. (2008). Anxiety disorders: A comprehensive review of pharmacotherapies. *Mount Sinai Journal of Medicine*, 75, 248–262.
- Hofman, S.G., Sawyer, A.T. & Fang, A. (2010). The empirical status of the “new wave” of CBT. *Psychiatric Clinics of North America*, 33, 701–710.
- Hofman, S.G., Asmundson, G.J. & Beck, C. (2013). The science of cognitive behavior therapy. *Behavior Therapy*, 44(2), 199–212.
- Hollon, S.D. & Beck, A.T. (1994). Cognitive and cognitive-behavioral therapies. In A.E. Bergin & S.L. Garfield (Eds.) *Handbook of psychotherapy and behaviour change (4th edn)*. New York: Wiley.
- Hsiung, R.C. (Ed.) (2002). *E-therapy: Case studies, guiding principles, and the clinical potential of the internet*. New York: W.W. Norton.
- Isaacs, W., Thomas, J. & Goldiamond, I. (1960). Application of operant conditioning to reinstate verbal behavior in psychotics. *Journal of Speech & Hearing Disorders*, 25, 8–12.
- Iwata B.A., Dorsey M.F., Slifer K.J., Bauman K.E. & Richman G.S. (1985). Toward a functional analysis of self-injury. In G. Murphy & B. Wilson (Eds.) *Self-injurious behaviour*. Kidderminster: BIHM Publications.
- Jadad, A.R. & Enkin, M.W. (2007). *Randomized controlled trials: Questions, answers and musings*. Oxford: Wiley-Blackwell.
- Jacobson, N. & Weiss, R.L. (1978). Behavioral marriage therapy III. The contents of Gurma et al. may be hazardous to our health. *Family Process*, 17, 149–163.
- Jacobson, N. S., Follette, W. C., Revenstorf, D., Baucom, D. H., Hahlweg, K., & Margolin, G. (1984). Variability in outcome and clinical significance of behavioral marital therapy: A re-analysis of outcome. *Journal of Consulting and Clinical Psychology*, 52, 497–504.

- Jacobson, N.S., & Truax, P. (1991). Clinical significance: A statistical approach to defining meaningful change in psychotherapy research. *Journal of Consulting and Clinical Psychology, 59*, 12–19.
- Jacobson, N.S. & Christenson, A. (1996). Studying the effectiveness of psychotherapy. *American Psychologist, 51*, 1031–1039.
- Janov, A. (1973). *Primal scream: Primal therapy – the cure for neurosis*. Abacus.
- Kabat-Zinn, J. (1982). An out-patient program in behavioral medicine for chronic pain patients based on the practice of mindfulness meditation: Theoretical considerations and preliminary results. *General Hospital Psychiatry, 4*(1), 33–47.
- Kabat-Zinn, J. (2003). Mindfulness: The heart of rehabilitation. In E. Leskowitz (Ed.) *Complementary and alternative medicine in rehabilitation*. St. Louis, MO: Churchill Livingstone.
- Kaltenthaler, E., Parry, G. & Beverley, C. (2004). Computerized cognitive behaviour therapy: A systematic review. *Behavioural and Cognitive Psychotherapy, 32*, 31–55.
- Kaltenthaler, E., Parry, G, Beverley, C. & Ferriter, M. (2008). Computerized cognitive-behavioural therapy for depression: Systematic review. *British Journal of Psychiatry, 193*, 181–184.
- Kirsch, I., Deacon, B.J., Huedo-Medina, T.B., Scoboria, A. et al. (2008). Initial severity and antidepressant benefits: A meta-analysis of data submitted to the food and drug administration. *PLOS Medicine* DOI: 10.1371/journal.pmed.0050045
- Kocovski, N.L., Segal, Z. & Battista, S.R. (2009). Mindfulness and psychopathology. In F. Didonna (Ed.) *Clinical handbook of mindfulness*. New York: Springer.
- Kohn, R., Saxena, S., Levav, I. & Saraceno, B. (2004). The treatment gap in mental health care. *Bulletin of the World Health Organization, 82*, 858–866.
- Korchin, S. J, & Sands, S. H. (1983). Principles common to all psychotherapies. In C. E. Walker (Ed.), *The handbook of clinical psychology: Theory, research, and practice*. Homewood, IL: Dow-Jones/Irwin.

- Lam, J.N. & Steketee, G.S. (2001). Reducing obsessions and compulsions through behaviour therapy. *Psychoanalytic Inquiry*, 21, 157–182.
- Lamb, H.R. (1984). Deinstitutionalization and the homeless mentally ill. *Hospital and Community Psychiatry*, 35, 899–907.
- Lambert, M.J., Shapiro, D.A. & Bergin, A.E. (1986). The effectiveness of psychotherapy. In SL Garfield & AE Bergin (Eds). *Handbook of psychotherapy and behavior change (3rd edn)*. New York: Wiley.
- Lambert, M. (1992). Implications for outcome research for psychotherapy integration. In J.C. Norcross & M.R. Goldstein (Eds.) *Handbook of psychotherapy integration*. New York: Basic Books.
- Layard, Lord (2007). *The depression report: A new deal for depression and anxiety disorders*. Centre for Economic Performances Mental Health Policy Group.
- Leach, L.S. & Christensen, H. (2006). A systematic review of telephone-based interventions for mental disorders. *Journal of Telemedicine and Telecare*, 12, 122–129.
- Learmonth, D., Trosh, J., Rai, S., Sewell, J., & Cavanagh, K. (2008). The role of computer-aided psychotherapy within an NHS CBT Specialist Service. *Counselling and Psychotherapy Research*, 8(2), 117–123.
- Lemere, F. & Voegtlin, W.L. (1950). An evaluation of aversive treatment of alcoholism. *Quarterly Journal of the Study of Alcoholism*, 11, 199–204.
- Leung, G.S.M., Leung, T.Y.K. & Ng, M.L.T. (2013). An outcome study of Gestalt-oriented growth workshops. *International Journal of Group Therapy*, 63, 117–125.
- London School of Economics and Political Science (2006). The Depression Report: A new deal for depression and anxiety disorders. London School of Economics and Political Science. Retrieved from http://cep.lse.ac.uk/textonly/research/mentalhealth/DEPRESSION_REPORT_LAYARD2.pdf

- Luborsky, L., Singer, B. & Luborsky, L. (1975). Comparative studies of psychotherapies: Is it true that 'Everyone has won and all must have prizes'? *Archives of General Psychiatry*, 32, 995–1008.
- Ludman, E.J., Simon, G.E., Tutty, S. & Von Korff, M. (2007). A randomized trial of telephone psychotherapy and pharmacotherapy for depression: Continuation and durability of effects. *Journal of Consulting and Clinical Psychology*, 75, 257–266.
- Lutzker, J.R. & Martin, J.A. (1981). *Behavior change*. Monterey, CA.: Brooks.
- Lynch, D., Tamburrino, M. & Nagel, R. (1997). Telephone counselling for patients with minor depression: preliminary findings in a family practice setting. *Journal of Family Practice*, 44, 293–245.
- MacLeod, J. (2003). *An introduction to counselling (3rd edn)*. Maidenhead, UK: Open University Press.
- Maletzky, B.M. (1993). Factors associated with success and failure in the behavioral and cognitive treatment of sex offenders. *Annals of Sex Research*, 6, 241–258.
- Marques, J.K., Wiederanders, M., Day, D.M., Nelson, C. & van Ommeren, A. (2005). Effects of a relapse prevention program on sexual recidivism: Final results from California's sex offender treatment and evaluation program (STOP). *Sexual Abuse: A Journal of Research and Treatment*, 17, 79–107.
- Marzillier, J. (2004). The myth of evidence-based psychotherapy. *The Psychologist*, 17, 392–395.
- Mathews, A.M., Bancroft, J., Whitehead, A., Hackmann, A., Julier, D., Bancroft, J., Gath, D. & Shaw, P. (1976). The behavioural treatment of sexual inadequacy: A comparative study. *Behaviour Research and Therapy*, 14, 427–436.
- McRae, A.L., Budney, A.J. & Brady, K.T. (2003). Treatment of marijuana dependence: A review of the literature. *Journal of Substance Abuse Treatment*, 24, 369–376.
- Minuchin, P. (1985). Families and individual development: Provocations from the field of family therapy. *Child Development*, 56, 289–302.

- Mohr, D.C., Hart, S.L., Julian, L., Catledge, C. et al. (2005). Telephone-administered psychotherapy for depression. *Archives of General Psychiatry*, 62, 1007–1014.
- Montgomery, S.A. (1995). Selective serotonin reuptake inhibitors in the acute treatment of depression. In F.E. Bloom & D. Kupfer (Eds.) *Psychopharmacology: The fourth generation of progress*. New York: Raven.
- Moritz, S., Schilling, L., Hauschildt, M., Schröder, J. & Treszl, A. (2012). A randomized controlled trial of internet-based therapy in depression. *Behaviour Research and Therapy*, 50, 513–521.
- Munder, T., Brüttsch, O., Leonhart, R., Gerger, H., & Barth, J. (2013). Researcher allegiance in psychotherapy outcome research: An overview of reviews. *Clinical Psychology Review*, 33(4), 501–511.
- Najavits, L.M. & Strupp, H.H. (1994). Differences in the effectiveness of psychodynamic therapies: A process-outcome study. *Psychotherapy*, 31(1), 114–123.
- Neeleman, J., Oldehinkel, A.J. & Ormel, J. (2003). Positive life change and remission of non-psychotic mental illness: A competing outcomes approach. *Journal of Affective Disorders*, 76(1–3):69–78
- NICE (2008). Computerised cognitive behaviour therapy for depression and anxiety. *National Institute for Health and Care Excellence (NICE)*. Retrieved from <http://www.nice.org.uk/nicemedia/pdf/TA097guidance.pdf>
- Northrup, J., Broussard C., Jones K., George T., Vollmer T.R. & Herring M. (1995). The differential effects of teacher and peer attention on the disruptive classroom behavior of three children with a diagnosis of attention deficit hyperactivity disorder. *Journal of Applied Behavior Analysis*, 28, 277–288.
- O’Leary, K.D. & Wilson, G.T. (1975). *Behavior therapy: Application and outcome*. Englewood Cliffs, NJ: Prentice Hall.
- O’Reilly, M.F. (1995). Functional analysis and treatment of escape-maintained aggression correlated with sleep deprivation. *Journal of Applied Behavior Analysis*, 28, 225–226.

- Olfson, M. & Klerman, G.L. (1993). Trends in the prescription of antidepressants by office-based psychiatrists. *American Journal of Psychiatry*, *150*, 571–577.
- Olfson, M., Blanco, C., Liu, L., Moreno, C. & Laje, G. (2006). National trends in the outpatient treatment of children and adolescents with antipsychotic drugs. *Archives of General Psychiatry*, *63*, 679–687.
- Ormrod, J.A., Kennedy, L., Scott, J. & Cavanagh, K. (2010). Computerised cognitive behavioural therapy in an adult mental health service: A pilot study of outcomes and alliance. *Cognitive Behaviour Therapy*, *39*, 188–192.
- Öst L.-G. (2008). Efficacy of the third wave of behavioural therapies: A systematic review and meta-analysis. *Behaviour Research and Therapy*, *46*, 296–321.
- Otte, C. (2011). Cognitive behavioral therapy in anxiety disorders: Current state of the evidence. *Dialogues in Clinical Neuroscience*, *13*, 413–421.
- Patel V, Chowdhary N, Rahman, A. & Verdeli, H. (2011). Improving access to psychological treatments: Lessons from developing countries. *Behaviour Research and Therapy*, *49*, 523–528.
- Paul, G.L. (1966). *Insight vs. desensitization in psychotherapy: An experiment in anxiety reduction*. Stanford, CA: Stanford University Press.
- Perls, F. (1947). *Ego, hunger and aggression*. Gouldsboro, ME: The Gestalt Journal Press.
- Perls, F., Hefferline, R. & Goodman, P. (1951). *Gestalt therapy: Excitement and growth in the human personality*. Gouldsboro, ME: The Gestalt Journal Press.
- Perls, F.S. (1969). *Gestalt therapy verbatim*. Moab, UT: Real People Press.
- Prochaska, J.O. & Norcross, J.C. (2001). Stages of change. *Psychotherapy*, *38*, 443–448.
- Proudfoot, J., Ryden, C., Everitt, B., Shapiro, D. et al. (2004). Clinical efficacy of computerised cognitive-behavioural therapy for anxiety and depression in primary care: Randomised controlled trial. *British Journal of Psychiatry*, *185*, 46–54.

- Radhakrishnan, M., Hammond, G., Jones, P.B., Watson, A. et al. (2013). Cost of Improving Access to Psychological Therapies (IAPT) programme: An analysis of cost of session, treatment and recovery in selected primary care trusts in the east of England region. *Behaviour Research and Therapy*, *51*, 37–45.
- Reimherr, F.W., Strong, R.E., Marchant, B.K., Hedges, D.W. & Wender, P.H. (2001). Factors affecting return of symptoms 1 year after treatment in a 62-week controlled study of fluoxetine in major depression. *Journal of Clinical Psychiatry*, *62*, 16–23
- Richard, D.C.S. & Lauterbach, D.L. (2007). *Handbook of exposure therapies*. Academic Press.
- Robinson, L.A. Berman, J.S. & Neimeyer, R.A. (1990). Psychotherapy for the treatment of depression: A comprehensive review of controlled outcome research. *Psychological Bulletin*, *108*, 30–49.
- Rogers, C.R. (1961). *Client-centered therapy*. Boston: Houghton Mifflin.
- Rosen, H. (1996). Meaning-making narratives: Foundations for constructivist and social constructivist psychotherapies. In H Rosen & K Kuehlwein (Eds.) *Constructing realities: Meaning-making perspectives for psychotherapists*. San Francisco: Jossey-Bass.
- Rosenzweig, S. (1936). Some implicit common factors in diverse methods of psychotherapy. Republished in *American Journal of Orthopsychiatry* (2010), *6*, 412–415.
- Schweizer, E., Rickels, K., Case, G. & Greenblatt, D.J. (1990). Long-term therapeutic use of benzodiazepines: Effects of gradual taper. *Archives of General Psychiatry*, *47*, 908–915.
- Seligman, M.E.P. (1995). The effectiveness of psychotherapy: The Consumer Reports study. *American Psychologist*, *50*, 965–974.
- Sensky, T., Turkington, D., Kingdon, D., Scott, J.L. et al. (2000). A randomised controlled trial of cognitive-behavioral therapy for persistent symptoms in schizophrenia resistant to medication. *Archives of General Psychiatry*, *57*, 165–172.

- Shaw, I. & Woodward, L. (2004). The medicalisation of unhappiness? The management of mental distress in primary care. In I. Shaw & K. Kauppinen (Eds.) *Conceptualising health and illness: European perspectives*. Aldershot: Ashgate.
- Shore, J.H. (2013). Telepsychiatry: Videoconferencing in the delivery of psychiatric care. *Treatment in Psychiatry*, 170, 256–262.
- Siev, J. & Chambless, D.L. (2007). Specificity of treatment effects: Cognitive therapy and re- relaxation for generalized anxiety and panic disorders. *Journal of Consulting and Clinical Psychology*, 75, 513–522.
- Siev, J. & Chambless, D.L. (2009). The dodo bird, treatment technique, and disseminating empirically supported treatments. *The Behavior Therapist*, 32, 69–75.
- Slade, P. (1982). Towards a functional analysis of anorexia nervosa and bulimia nervosa. *British Journal of Clinical Psychology*, 21, 167–179.
- Smit, Y., Huibers, M.J., Ioannidis, J.P., van Dyck, R. et al. (2012). The effectiveness of long-term psychoanalytic psychotherapy – a meta-analysis of randomized controlled trials. *Clinical Psychology Review*, 32, 81–92.
- Smith, M.I., Glass, G.V. & Miller, T.I. (1980). *The benefits of psychotherapy*. Baltimore, MD: Johns Hopkins Press.
- Stokes, T.F. & Baer, D.M. (1977). An implicit technology of generalization. *Journal of Applied Behavior Analysis*, 10, 349–369.
- Stokes T.F. & Osnes P.G. (1988). The developing applied technology of generalization and maintenance. In R.H. Horner, G. Dunlap & R.L. Koegel (Eds). *Generalization and maintenance: Life style changes in applied settings*. Baltimore: Brookes.
- Stuart, R.B. (1967). Behavioral control of overeating. *Behaviour Research and Therapy*, 5, 357–365.
- Stuart, R.B. & Davis, B. (1972). *Slim chance in a fat world: Behavioral control of obesity*. Champaign, IL: Research Press.

- Thase, E.M., Greenhouse, J.B., Frank, E., Reynolds, C. et al. (1997). Treatment of major depression with psychotherapy or psychotherapy-pharmacotherapy combinations. *Archives of General Psychiatry*, *54*, 1009–1015.
- Thoresen, C.E. & Mahoney, M.J. (1974). *Behavioral self-control*. New York: Holt, Rinehart & Winston.
- Titov, N. (2007). The status of computerized cognitive behavioural therapy (CCBT) for adults: A review. *Australian and New Zealand Journal of Psychiatry*, *41*, 95–114.
- Tolin, D.F. (2010). Is cognitive-behavioral therapy more effective than other therapies? Meta-analytic review. *Clinical Psychology Review*, *30*, 710–720.
- Tonnesvang, J., Sommer, U., Hammink, J. & Sonne, M. (2010). Gestalt therapy and cognitive therapy – contrasts or complementaries. *Psychotherapy*, *47*, 586–602.
- Van Boeijen C.A., van Oppen P., van Balkom, A.J.L.M., Visser, S., et al. (2005). Treatment of anxiety disorders in primary care practice: A randomised controlled trial. *British Journal of General Practice*, *55*(519), 763–769.
- Voegtlin, W.L. & Lemere, F. (1942). The treatment of alcohol addiction: A review of the literature. *Quarterly Journal of the Study of Alcoholism*, *2*, 717–803.
- Vujanovic, A.A., Niles, B., Pietrefesa, A., Schmertz, S.K. & Potter, C.M. (2011). mindfulness in the treatment of posttraumatic stress disorder among military veterans. *Professional Psychology: Research and Practice*, *42*, 24–31.
- Wacker, D.P., Steege, M.W., Northrup, J., Sasso, G., Berg, W., Reimers, T., Cooper, L., Cigrand, K. & Donn, L. (1990). A component analysis of functional communication training across three topographies of severe behavior problems. *Journal of Applied Behavior Analysis*, *23*, 417–429.
- Wampold, B.E., Minami, T., Baskin, T.W., & Tierney, S.C. (2002). A meta-(re)analysis of the effects of cognitive therapy versus 'other therapies' for depression. *Journal of Affective Disorders*, *68*, 159–165.

- Wampold, B. E., Imel, Z. E., and Miller, S. D. (2009). Barriers to the dissemination of empirically supported treatments: Matching evidence to messages. *The Behavior Therapist*, 32, 144–155.
- Wellings, N. & McCormick, E.W. (Eds.) (2000). *Transpersonal psychotherapy*. London: Sage.
- Westen, D., Novotny, C.A. & Thompson-Brenner, H. (2004). The empirical status of empirically supported psychotherapies: Assumptions, findings, and reporting in controlled clinical trials. *Psychological Bulletin*, 130, 631–663.
- Williams, J.M.G. & Kuyken, W. (2012). Mindfulness-based cognitive therapy: A promising new approach to preventing depressive relapse. *British Journal of Psychiatry*, 200, 359–360.
- Wilson, G.T. (1978). Aversion therapy for alcoholism: Issues, ethics, and evidence. In G.A. Marlatt & P.E. Nathan (Eds.) *Behavioral assessment and treatment of alcoholism*. New Brunswick, NJ: Center for Alcohol Studies.
- Wise, E.A. (2004). Methods for analyzing psychotherapy outcomes: A review of clinical significance, reliable change, and recommendations for future directions. *Journal of Personality Assessment*, 82, 50–59.
- Wolpe, J. (1958). *Psychotherapy by reciprocal inhibition*. Stanford, CA: Stanford University Press.
- Yager, J. (2002). Using email to support the outpatient treatment of anorexia nervosa. In R.C. Hsiung (Ed.) *E-therapy: Case studies, guiding principles, and the clinical potential of the internet*. New York: W.W. Norton.
- Yaphe, J., Edman, R., Knishkowsky, B. & Hermand, J. (2001). The association between funding by commercial interests and study outcome in randomized controlled drug trials. *Family Practice*, 18, 565–568.
- Yellowlees, P.M. (2002). Clinical principles of professional ethics for e-therapy. In R.C. Hsiung (Ed.) *E-therapy: Case studies, guiding principles, and the clinical potential of the internet*. New York: W.W. Norton.

Zettle, R.D. (2005). The evolution of a contextual approach to therapy: From comprehensive distancing to ACT. *International Journal of Behavioral and Consultation Therapy*, 1, 77–89.