

DAVEY
PSYCHOPATHOLOGY, 2ND EDITION
CHAPTER 7 | DEPRESSION AND MOOD DISORDERS
REFERENCES

- Abela, J.R.Z. & Hankin, B.L. (2011). Rumination as a vulnerability factor to depression during the transition from early to middle adolescence: A multiwave longitudinal study. *Journal of Abnormal Psychology, 120*, 259–271.
- Abercrombie, H.C., Schaefer, S.M., Larson, C.L., Oakes, T.R. *et al.* (1998). Metabolic rate in the right amygdala predicts negative affect in depressed patients. *Neuroreport, 9*(14), 3301–3307.
- Abraham, K. (1916/1960). The first pregenital stage of the libido. In *Selected papers on psychoanalysis*. New York: Basic Books.
- Abramson, L.Y., Seligman, M.E.P. & Teasdale, J.D. (1978). Learned helplessness in humans: Critique and reformulation. *Journal of Abnormal Psychology, 87*, 49–74.
- Abramson, L.Y., Metalsky, G.I. & Alloy, L.B. (1989). Hopelessness depression: A theory based subtype of depression. *Psychological Review, 96*, 358–372.
- Agrawal, A., Jacobson, K.C., Gardner, C.O., Prescott, C.A.. & Kendler, K.S. (2004). Population based twin study of sex differences in depressive symptoms. *Twin Research, 7*(2), 176–181.
- Alloy, L.B. & Abrahamson, L.Y. (1979). Judgment of contingency in depressed and nondepressed students: Sadder but wiser. *Journal of Experimental Psychology: General, 108*(4), 441-485.
- Alloy, L.B., Lipman, A.J. & Abrahamson, L.Y. (1992). Attributional style as a vulnerability factor for depression: Validation by past history of mood disorders. *Cognitive Therapy and Research, 16*(4), 391-407.
- Alloy, L.B., Abramson, L.Y., Murray, L.A., Whitehouse, W.G. & Hogan, M.E. (1997). Self-referent information-processing in individuals at high and low cognitive risk for depression. *Cognition & Emotion, 11*(5–6), 539–568.

- Alloy, L.B., Abramson, L.Y., Hogan, M.E., Whitehouse, W.G. *et al.* (2000). The Temple-Wisconsin Cognitive Vulnerability to Depression project: Lifetime history of axis I psychopathology in individuals at high and low cognitive risk for depression. *Journal of Abnormal Psychology, 109*(3), 403–418.
- Altshuler, L.L., Curran, J.G., Hauser, P., Mintz, J. *et al.* (1995). T-2 hyperintensities in bipolar disorder: Magnetic-resonance-imaging comparison and literature metaanalysis. *American Journal of Psychiatry, 152*(8), 1139-1144.
- American Psychiatric Association (1993). Practice guidelines for major depressive disorder in adults. *American Journal of Psychiatry, 150*(4, Supp.), 1–26.
- Anisman, H., Merali, Z. & Hayley, S. (2008). Neurotransmitter, peptide and cytokine processes in relation to depressive disorder: comorbidity between depression and neurodegenerative disorders. *Progress in Neurobiology, 85*(1), 1–74.
- Arroll, B., Macgillivray, S., Ogston, S., Reid, I., Sullivan, F., Williams, B. & Crombie, I. (2005). Efficacy and tolerability of tricyclic antidepressants and SSRIs compared with placebo for treatment of depression in primary care: a meta-analysis. *Annals of Family Medicine, 3*(5), 449–456.
- Aubry, J.M., Gervasoni, N., Osiek, C., Perret, G., Rossier, M.F., Bertschy, G. *et al.* (2007). The DEX/CRH neuroendocrine test and the prediction of depressive relapse in remitted depressed outpatients, *Journal of Psychiatric Research, 41*, 290–294.
- Ayd, F.J. (1956). A clinical evaluation of Frenquel. *Journal of Nervous & Mental Disease, 124*, 507–509.
- Bakish, D. (1999). The patient with comorbid depression and anxiety: The unmet need. *Journal of Clinical Psychiatry, 60*, 20–24.
- Balazic, J. & Marusic, A. (2005). The completed suicide as interplay of genes and environment. *Forensic Science International, 147*(Supp.), S1–S3.
- Beauregard, M., Leroux, J.M., Bergman, S., Arzoumanian, Y., *et al.* (1998). The functional neuroanatomy of major depression: an fMRI study using an emotional activation paradigm. *Neuroreport, 9*(14): 3253–3258.

- Beck, A.T. (1967). *Depression: Clinical, experimental and theoretical aspects*. New York: Harper & Row.
- Beck, A.T., Rush, A.J., Shaw, B.F. & Emery, G. (1979). *Cognitive therapy of depression*. New York: Guilford.
- Beck, A.T., Steer, R.A., Kovacs, M. & Garrison, B. (1985). Hopelessness and eventual suicide: A 10-year prospective-study of patients hospitalized with suicidal ideation. *American Journal of Psychiatry*, 142(5), 559-563.
- Beck, A.T. (1987). Cognitive models of depression. *Journal of Cognitive Psychotherapy*, 1, 5–37.
- Becker, R.E., Heimberg, R.G. & Bellack, A.S. (1987). *Social skills training treatment for depression*. New York: Pergamon Press.
- Beevers, C.G. & Miller, I.W. (2005). Unlinking negative cognition and symptoms of depression: Evidence of a specific treatment effect for cognitive therapy. *Journal of Consulting and Clinical Psychology*, 73(1), 68–77.
- Behan, W.M.H, More, I.A.R & Behan, P.O. (1991). Mitochondrial abnormalities in the postviral fatigue syndrome. *Acta Neuropathologica*, 83(1), 61-65.
- Bini, L. (1938). Experimental researches of epileptic attacks induced by the electric current. *American Journal of Psychiatry*, 94, 172–183.
- Blackburn, I.M. & Moorhead, S. (2000). Update in cognitive therapy for depression. *Journal of Cognitive Psychotherapy: An International Quarterly*, 14, 305–336.
- Blatt, S.J. & Homann, E. (1992). Parent-child interaction in the etiology of dependent and self-critical depression. *Clinical Psychology Review* 12(1), 47-91.
- Blehar, M.C. & Rosenthal, N.E. (1989). Seasonal affective disorders and phototherapy: Report of a National Institute of Mental Health sponsored workshop. *Archives of General Psychiatry*, 46(5), 469–474.
- Bohon, C., Stice, E., Burton, E., Fudell, M. & Nolen-Hoeksema, S. (2008). A prospective test of cognitive vulnerability models of depression with adolescent girls. *Behavior Therapy*, 39, 79–90.

- Borges, G., Nock, M.K., Kessler, R.C., Haro Abad, J.M., Hwang, I., Sampson, N. *et al.* (2010). Twelve month prevalence of and risk factors for suicide attempts in the WHO World Mental Health Surveys. *Journal of Clinical Psychiatry*, 71(12), 1617-1628.
- Breggin, P. (1997). *Brain-disabling treatments in psychiatry*. New York: Springer.
- Bridle, C., Spanjers, K., Patel, S., Atherton, N.M. & Lamb, SE. (2012). Effect of exercise on depression severity in older people: systematic review and meta-analysis of randomised controlled trials. *British Journal of Psychiatry*, 201(3), 180–5.
- Briere, J., & Gil, E. (1998). Self-mutilation in clinical and general population samples: Prevalence, correlates, and functions. *American Journal of Orthopsychiatry*, 68, 609–620.
- Bruce, M.L., Ten Have, T.R., Reynolds, C.F., III & Katz, I.I. *et al.* (2004). Reducing suicidal ideation and depressive symptoms in depressed older primary care patients: a randomized controlled trial. *JAMA*. 3;291(9):1081–91.
- Bunney, W.E., Goodwin, F.K. & Murphy, D.L. (1972). The switch processes in manic-depressive illness. 3. Theoretical implications. *Archives of General Psychiatry*, 27(3), 312-317
- Bunney, W.E. & Davis, J.M. (1995). Norepinephrine in depressive reactions: A review. *Archives of General Psychiatry*, 13(6), 483-494.
- Butters, J., McClure, J., Siegert, R. & Ward, T. (1997). Attributions for real and hypothetical events: Do they predict depression? *Australian Journal of Psychology*, 49(1), 42–48.
- Brown, E.S., Woolston, D.J., Frol, A., Bobadilla, L. *et al.* (2004). Hippocampal volume, spectroscopy, cognition, and mood in patients receiving corticosteroid therapy. *Biological Psychiatry* 55(5): 538–545.
- Cadoret, R.J. (1978). Evidence for genetic inheritance of primary affective disorder in adoptees. *American Journal of Psychiatry*, 135, 463–466.

- Chan, J.C., Davey, G.C.L. & Brewin, C.R. (2013). Understanding depressive rumination from a mood-as-input perspective: effects of stop-rule manipulation. *Behaviour Research and Therapy*, 51(6):300–306.
- Chaney, J.M., Mullins, L.L., Wagner, J.L., Hommel, K.A. *et al.* (2004). A longitudinal examination of causal attributions and depression symptomatology in rheumatoid arthritis. *Rehabilitation Psychology*, 49(2), 126–133.
- Clarke, H., Flint, J., Attwood, A.S. & Munafò, M.R. (2010). Association of the 5-HTTLPR genotype and unipolar depression: A meta-analysis. *Psychological Medicine*, 40(11), 1767–78.
- Cohen, D., Taieb, O., Flament, M., Benoit, N. *et al.* (2000). Absence of cognitive impairment at long-term follow-up in adolescents treated with ECT for severe mood disorder. *American Journal of Psychiatry*, 157(3), 460–462.
- Commonwealth Department of Health and Family Services, Australia (1997). *Evaluation of the national mental health strategy*. Canberra: Commonwealth Department of Health and Family Services, Mental Health Branch.
- Compton, W.M., Helzer, J.E., Hwu, H.G., Yeh, E.K., *et al.* (1991). New methods in cross-cultural psychiatry: Psychiatric illness in Taiwan and the United States. *American Journal of Psychiatry*, 148(12), 1697-1704.
- Conner, K.R., Duberstein, P.R., Conwell, Y., Seidlitz, L. & Caine, E.D. (2001). Psychological vulnerability to completed suicide: A review of empirical studies. *Suicide and Life-Threatening Behaviour*, 31(4), 367–385.
- Coyne, J.C. (1976). Depression and response of others. *Journal of Abnormal Psychology*, 85(2), 186–193.
- Coyne, J.C. (1994). Self-reported distress: Analog or Ersatz depression. *Psychological Bulletin*, 116(1), 29-45.
- Coyne, J.C. & Whiffen, V.E. (1995). Issues in personality as diathesis for depression: The case of sociotropy-dependency and autonomy-self-criticism. *Psychological Bulletin*, 118(3): 358–378.

- Crane, C., Barnhofer, T. & Williams, J.M.G. (2007). Cue self-relevance affects autobiographical memory specificity in individuals with a history of major depression. *Memory*, *15*, 312–323.
- da Costa, R.T., Range, B.P., Malagris, L.E., Sardinha, A. *et al.* (2010). Cognitive-behavioral therapy for bipolar disorder. *Expert Review of Neurotherapeutics*, *10*(7), 1089–99.
- Danielson, C.K., Feeny, N.C., Findling, R.L. & Youngstrom, E.A. (2004). Psychosocial treatment of bipolar disorders in adolescents: A proposed cognitive-behavioral intervention. *Cognitive and Behavioral Practice*, *11*(3), 283–297.
- Davidson, R.J., Pizzagalli, D., Nitschke, J.B. & Putnam, K. (2002). Depression: Perspectives from affective neuroscience. *Annual Review of Psychology*, *53*, 545–574.
- Davila, J., Stroud, C. B., Starr, L. R., Ramsay Miller, M., Yoneda, A., & Hershenberg, R. (2009). Romantic and sexual activities, parent–adolescent stress, and depressive symptoms among early adolescent girls. *Journal of Adolescence*, *32*, 909–924.
- Deeks, E.D. & Keating, G.M. (2008). Spotlight on olanzapine/fluoxetine in acute bipolar depression. *CNS Drugs*, *22*(9), 793–795.
- Delgado, P.L. & Moreno, F.A. (2000). Role of norepinephrine in depression. *Journal of Clinical Psychiatry*, *61*, 5–12.
- Depue, R.A. & Iacono, W.G. (1989). Neurobehavioral aspects of affective disorders. *Annual Review of Psychology*, *40*, 457–492.
- DeRubeis, R.J., Hollon, S.D., Amsterdam, J.D., Shelton, R.C., Young, P.R., Salomon, R.M. *et al.* (2005). Cognitive therapy vs medications in the treatment of moderate to severe depression. *Archives of General Psychiatry*, *62*, 409–416.
- Dobson, K.S., Hollon, S.D., Dimidjian, S., Schmaling, K.B. *et al.* (2008). Randomized trial of behavioural activation, cognitive therapy, and antidepressant medication in the prevention of relapse and recurrence in major depression. *Journal of Consulting and Clinical Psychology*, *76*(3), 468–477.

- Drevets, W.C. (1998). Functional neuroimaging studies of depression: The anatomy of melancholia. *Annual Review of Medicine*, 49, 341–361.
- Dubow, E.F., Kausch, D.F., Blum, M.C., Reed, J. & Bush, E. (1989). Correlates of suicidal ideation and attempts in a community sample of junior-high and high-school students. *Journal of Clinical Child Psychology*, 18(2), 158-166.
- Enserink, M. (1999). Drug therapies for depression: From MAO inhibitors to substance. *Science*, 284, 239.
- Epp, A. M., Dobson, K. S., Dozois, D. J. A., & Frewen, P. A. (2012). A systematic meta-analysis of the Stroop task in depression. *Clinical Psychology Review*, 32(4), 316-328.
- Epperson, C.N., Steiner, M., Hartlage, A., Eriksson, E. Schmidt, P.J., Jones, I. et al. (2012). Premenstrual dysphoric disorder: Evidence for a new category for DSM-5. *American Journal of Psychiatry*, 169(5), 465–475..
- Erickson, G. & Hellerstein, D.J. (2011). Behavioral Activation Therapy for remediating persistent social deficits in medication-responding chronic depression. *Journal of Psychiatric Practice*, 17, 161–169.
- Evans, E., Hawton, K. & Rodham, K. (2004). Factors associated with suicidal phenomena in adolescents: A systematic review of population-based studies. *Clinical Psychology Review*, 24(8), 957–979.
- Everaert, J., Koster, E.H. & Derakshan, N. (2012). The combined cognitive bias hypothesis in depression. *Clinical Psychology Review* 32(5), 413–24.
- Evraire, L.E. & Dozois DJ. (2011). An integrative model of excessive reassurance seeking and negative feedback seeking in the development and maintenance of depression. *Clinical Psychological Review*, 31(8), 1291–1303.
- Fanselow, M.S. (2000). Contextual fear, gestalt memories, and the hippocampus. *Behavioural Brain Research*, 110, 73–81.
- Favazza, A.R. (1996). *Bodies under siege: Self-mutilation and body modification in culture and psychiatry*. Baltimore: John Hopkins University Press.
- Felger, J.C., Alagbe, O., Hu, F., Mook, D., Freeman, A.A., Sanchez, M.M. et al (2007). Effects of Interferon-alpha on rhesus monkeys: A non-human primate

model of cytokine-induced depression. *Biological Psychiatry*, 62(11), 1324–1333.

Fergusson, D.M. & Lynskey, M.T. (1995). Suicide attempts and suicidal ideation in a birth cohort of 16-year-old New Zealanders. *Journal of the American Academy of Child and Adolescent Psychiatry*, 34(10), 1308-1317.

Ferrari, A. J., Baxter, A. J., & Whiteford, H. A. (2011). A systematic review of the global distribution and availability of prevalence data for bipolar disorder. *Journal of Affective Disorders*, 134(1–3), 1–13.

Fine, S., Forth, A., Gilbert, M. & Haley, G. (1991). Group-therapy for adolescent depressive disorder: A comparison of social skills and therapeutic support. *Journal of the American Academy of Child and Adolescent Psychiatry*, 30(1), 79-85.

Fishbain, D.A. (2000). Re: The meeting of pain and depression: Comorbidity in women. *Canadian Journal of Psychiatry: Revue Canadienne de Psychiatrie*, 45(1), 88–88.

Forgas, J.P., Bower, G.H. & Krantz, S.E. (1984). The influence of mood on perceptions of social interactions. *Journal of Experimental Social Psychology*, 20(6), 497-513.

Fountoulakis, K.N., Kelsoe, J.R. & Akiskal, H. (2012). Receptor targets for antidepressant therapy in bipolar disorder: An overview. *Journal of Affective Disorders*, 138(3), 222–238.

Fremouw, W., Callahan, T. & Kashden, J. (1993). Adolescent suicidal risk: Psychological, problem-solving and environmental-factors. *Suicide and Life-Threatening Behavior*, 23(1), 46-54.

Freud, S. (1917/1963). *A general introduction to psychoanalysis*. New York: Liveright.

Frosh, S. (2012). *A brief introduction to psychoanalytic theory*. London: Palgrave.

Gable, S.L. & Shean, G.D. (2000). Perceived social competence and depression. *Journal of Social and Personal Relationships*, 17(1), 139–150.

Garber, J. & Flynn, C. (2001). Predictors of depressive cognitions in young adolescents. *Cognitive Therapy and Research*, 25(4), 353–376.

- Gerard, A., de Moore, G., Niessen, O., Large, M. (2012). Survivors of self-inflicted stab wounds. *Australasian Psychiatry*, 20(1), 44–48.
- Gershon, E.S., Hamovit, J., Guroff, J.J., Dibble, E. *et al.* (1982). A family study of schizoaffective, bipolar I, bipolar II, unipolar, and normal control probands. *Archives of General Psychiatry*, 39, 1157–1167.
- Gershon, E.S. (2000). Bipolar illness and schizophrenia as oligogenic diseases: Implications for the future. *Biological Psychiatry*, 47(3), 240–244.
- Ghaemi, S.N., Boiman, E.E. & Goodwin, F.K. (1999). Kindling and second messengers: An approach to the neurobiology of recurrence in bipolar disorder *Biological Psychiatry*, 45(2), 137–144.
- Gitlin, M.J. (2002). Pharmacological treatment of depression. In I.H. Gotlib & C.L. Hammen (Eds.) *Handbook of depression*. New York: Guilford.
- Golden, R.N. & Gilmore, J.H. (1990). Serotonin and mood disorders. *Psychiatric Annals*, 20(10), 580-586.
- Gomes, B.C., Abreu, L.N., Brietzke, E., Caetano, S.C., Kleinman, A., Nery, F.G. *et al.* (2011). A randomized controlled trial of cognitive behavioral group therapy for bipolar disorder. *Psychotherapy and Psychosomatics*, 80, 144–150.
- Goodman, S.H. (2002). Depression and early adverse experiences. In I.H. Gotlib & C.L. Hammen (Eds.) *Handbook of depression*. New York: Guilford.
- Gortner, E.T., Gollan, J.K., Dobson, K.S. & Jacobson, N.S. (1998). Cognitive-behavioral treatment for depression: Relapse prevention. *Journal of Consulting and Clinical Psychology*, 66, 377–384.
- Gotlib, I.H. & Robinson, L.A. (1982). Responses to depressed individuals: Discrepancies between self-report and observer-rated behavior. *Journal of Abnormal Psychology* 91(4), 231-240.
- Gotlib, I.H. & Cane, D.B. (1987). Construct accessibility and clinical depression: A longitudinal investigation. *Journal of Abnormal Psychology*, 96(3), 199-204.
- Gotlib, I.H., Lewinsohn, P.M. & Seeley, J.R. (1995). Symptoms versus a diagnosis of depression: Differences in psychosocial functioning. *Journal of Consulting and Clinical Psychology*, 63(1), 90-100.

- Gotlib, I.H., Gilboa, E., & Sommerfeld, B.K. (2000). Cognitive functioning in depression: Nature and origins. In R.J. Davidson (Ed.). *Anxiety, depression, and emotion*. New York: Oxford University Press.
- Gould, M., Jamieson, P. & Romer, D. (2003). Media contagion and suicide among the young. *American Behavioral Scientist*, 46, 1269–1284.
- Gould, M.S., Kramer, R.A. (2001). Youth suicide prevention. *Suicide and Life-Threatening Behavior*, 31(1), 6–31.
- Greenberger, D. & Padesky, C. (1995). *Clinician's guide to mind over mood*. New York: Guilford Press.
- Greydanus, D.E. & Shek, D. (2009). Deliberate self-harm and suicide in adolescents. *Keio Journal of Medicine*, 58(3), 144–151.
- Gunnell, D., Saperia, J. & Ashby, D. (2005). Do selective serotonin reuptake inhibitors cause suicide? Reply. *British Medical Journal*, 330(7500), 1148–1149.
- Haefel, G.J., Voelz, Z.R., & Joiner, T.E. (2007). Vulnerability to depressive symptoms: Clarifying the role of excessive reassurance-seeking and perceived social support in an interpersonal model of depression. *Cognition & Emotion*, 21, 681–688.
- Hamilton, E.W. & Abramson, L.Y. (1983). Cognitive patterns and major depressive disorder: A longitudinal study in a hospital setting. *Journal of Abnormal Psychology* 92(2), 173-184.
- Hankin, B.L. & Abramson, L.Y. (2001). Development of gender differences in depression: An elaborated cognitive vulnerability-transactional stress theory. *Psychological Bulletin*, 127(6), 773–796.
- Hankin, B.L. & Abramson, L.Y. (2002). Measuring cognitive vulnerability to depression in adolescence: Reliability, validity, and gender differences. *Journal of Clinical Child and Adolescent Psychology*, 31(4), 491–504.
- Harris, T.O., Brown, G.W. & Bifulco, A.T. (1990). Depression and situational helplessness mastering in a sample selected to study childhood parental loss. *Journal of Affective Disorders*, 20(1), 27-41.

- Harter, S. (1999). *The construction of the self: A developmental perspective*. New York: Guilford Press.
- Hawksley, J. & Davey, G.C.L. (2010). Mood-as-input and depressive rumination. *Behaviour Research and Therapy*, 48(2):134–140.
- Hawton, K., Rodham, K., Evans, E. & Weatherall, R. (2002). Deliberate self-harm in adolescents: Self-report survey in schools in England. *British Medical Journal*, 325(7374), 1207–1211.
- Hawton, K. & James, A. (2005). ABC of adolescence: Suicide and deliberate self harm in young people. *British Medical Journal*, 330(7496): 891–894.
- Hellerstein, D.J., Kocsis, J.H., Chapman, D., Stewart, J.W. & Harrison, W. (2000). Double-blind comparison of sertraline, imipramine, and placebo in the treatment of dysthymia: Effects on personality. *American Journal of Psychiatry*, 157(9), 1436–1444.
- Henkel, V., Bussfield, P., Moller, H.J. & Hegerl, U. (2002). Cognitive-behavioural theories of helplessness/hopelessness: Valid models of depression? *European Archives of Psychiatry and Clinical Neuroscience*, 252, 240–249.
- Hensley, P.L., Nadiga, D. & Uhlenhuth, E.H. (2004). Long-term effectiveness of cognitive therapy in major depressive disorder. *Depression and Anxiety*, 20(1), 1–7.
- Hepburn, S.R., Barnhofer, T. & Williams, J.M.G. (2006). Effects of mood on how future events are generated and perceived. *Personality and Individual Differences*, 41, 801–811.
- Hersen, M., Bellack, A.S. & Himmelhoch, J.M. (1980). Treatment of unipolar depression with social skills training. *Behavior Modification* 4(4), 547-556.
- Heuser, I., Yassourides, A. & Holsboer, F. (1994). The combined dexamethasone/CRH test: A refined laboratory test for psychiatric disorders, *Journal of Psychiatric Research*, 28, 341–356.
- Hirsch, C. R., Clark, D. M. & Mathews, A. (2006). Imagery and interpretations in social phobia: Support for the combined cognitive biases hypothesis. *Behavior Therapy*. 37(3), 223–236.

- Ho-Yen, D. (1990). Patient management in post-viral fatigue syndrome. *British Journal of General Practice*, 40, 37–39.
- Hofmann, S.G., Sawyer, A.T., Witt, A.A., Oh, D. (2010). The effect of mindfulness-based therapy on anxiety and depression: A meta-analytic review. *Journal of Consulting and Clinical Psychology*, 78(2), 169–83.
- Hollon, S.D., Shelton, R.C. & Davis, D.D. (1993). Cognitive therapy for depression: Conceptual issues and clinical efficacy. *Journal of Consulting and Clinical Psychology*, 61(2), 270–275.
- Holsboer, F. (2001). Stress, hypercortisolism and corticosteroid receptors in depression: Implications for therapy. *Journal of Affective Disorders*, 62, 77–91.
- Hopko, D.R., Lejuez, C.W., Ruggiero, K.J. & Eifert, G.H. (2003). Contemporary behavioral activation treatments for depression: Procedures, principles, and progress. *Clinical Psychology Review*, 23(5), 699–717.
- Hopko, D.R., Lejuez, C.W., LePage, J.P., McNeil, D.W. & Hopko, S.D. (2003). A brief behavioral activation treatment for depression: A randomized pilot trial within an inpatient psychiatric hospital. *Behavior Modification*, 27(4), 458–469.
- Hussong, A.M. (2003). Social influences in motivated drinking among college students. *Psychology of Addictive Behaviour*, 17(2), 142–150.
- Ingram, R.E., Burnett, C.Z. & McLaughlin, S.C. (1994). Attentional allocation processes in individuals at risk for depression. *Cognitive Therapy and Research*, 18, 317–332.
- Ingram, R.E., Miranda, J. & Segal, Z.V. (1998). *Cognitive vulnerability to depression*. New York: Guilford Press.
- Isbister, G.K., Bowe, S.J., Dawson, A. & Whyte, I.M. (2004). Relative toxicity of selective serotonin reuptake inhibitors (SSRIs) in overdose. *Journal of Toxicology: Clinical Toxicology*, 42(3), 277–285.
- Isometsa, E., Henriksson, M., Marttunen, M. et al. (1995). Mental disorders in young and middle-aged men who commit suicide. *British Medical Journal*, 310(6991), 1366-1367.

- Isaacson, G. & Rich, C.L. (1997). Depression, antidepressants and suicide: Pharmaco-epidemiological evidence. In R.W. Maris, M.M. Silverman & S.S. Canetto (Eds.) *Review of suicidology*. New York: Guilford.
- Jackson, H.J., Moss, J.D. & Solinski, S. (1985). Social skills training: An effective treatment for unipolar nonpsychotic depression. *Australian and New Zealand Journal of Psychiatry*, 19(4), 342-353.
- Jacobson, N.S., Gortner, E.T. (2000). Can depression be de-medicalized in the 21st century: Scientific revolutions, counter-revolutions and the magnetic field of normal science. *Behaviour Research and Therapy*, 38(2): 103–117.
- Jacobson, N.S., Martell, C.R. & Dimidjian, S. (2001). Behavioral activation treatment for depression: Returning to contextual roots. *Clinical Psychology: Science and Practice*, 8(3), 255–270.
- Jamison, K.R. (1992). *Touched with fire: Manic-depressive illness and the artistic temperament*. New York: Free Press.
- Jamison, K.R. (1995). *An unquiet mind*. New York: Vintage Books.
- Jason, L.A., Wagner, L., Taylor, R., Ropacki, M.T. et al. (1995). Chronic fatigue syndrome: A new challenge for health-care professionals. *Journal of Community Psychology*, 23(2), 143-164.
- Johnson, S.L., Cuellar, A.K. & Miller, C. (Eds.) (2010). *Bipolar and unipolar depression: A comparison of clinical phenomenology, biological vulnerability, and psychosocial predictors (2nd edn)*. New York: Guilford.
- Joiner, T.E., Alfano, M.S. & Metalsky, G.I. (1992). When depression breeds contempt: Reassurance seeking, self-esteem and rejection of depressed college-students by their roommates. *Journal of Abnormal Psychology* 101(1), 165-173.
- Joiner, T.E. (1995). The price of soliciting and receiving negative feedback: Self-verification theory as a vulnerability to depression theory. *Journal of Abnormal Psychology*, 104(2), 364–372.

- Joiner, T.E. & Metalsky, G.I. (1995). A prospective test of an integrative interpersonal theory of depression: A naturalistic study of college roommates. *Journal of Personality and Social Psychology*, 69(4), 778-788.
- Joiner, T.E., Metalsky, G.I., Katz, J. & Beach, S.R.H. (1999). Depression and excessive reassurance-seeking. *Psychological Inquiry*, 10, 269-278.
- Joiner, T.E. (2001). Negative attributional style, hopelessness depression and endogenous depression. *Behaviour Research and Therapy*, 39(2), 139-149.
- Joiner, T.E., Brown, J.S. & Wingate, L.R. (2005). The psychology and neurobiology of suicidal behavior. *Annual Review of Psychology*, 56, 287-314.
- Just, N. & Alloy, L.B. (1997). The response styles theory of depression: Tests and an extension of the theory. *Journal of Abnormal Psychology*, 106(2), 221-229.
- Kabat-Zinn, J. (1990). *Full catastrophe living: The program of the Stress Reduction Clinic at the University of Massachusetts Medical Center*. New York: Delta.
- Kelsoe, J.R. (2003). Arguments for the genetic basis of the bipolar spectrum. *Journal of Affective Disorders*, 73, 183-197.
- Kendler, K.S., Thornton, L.M. & Gardner, C.O. (2000). Stressful life events and previous episodes in the etiology of major depression in women: An evaluation of the "kindling" hypothesis. *American Journal of Psychiatry*, 157(8), 1243-1251.
- Kendler, K.S., Gardner, C.O., Neale, M.C., & Prescott, C.A. (2001). Genetic risk factors for major depression in men and women: Similar or different heritabilities and same or partly distinct genes? *Psychological Medicine*, 31, 605-616.
- Kessler, R.C., McGonagle, K.A., Zhao, S., Nelson, C.B. *et al.* (1994). Lifetime and 12-month prevalence of DSM-III psychiatric disorders in the United States: Results from the National Comorbidity Study. *Archives of General Psychiatry*, 51, 8-19.
- Kessler, R.C., Nelson, C.B., McGonagle, K.A., Liu, J., Swartz, M. & Blazer, D.G. (1996). Comorbidity of DSM-III-R major depressive disorder in the general

population: Results from the US National Comorbidity Survey. *British Journal of Psychiatry*, 168, 17–30.

Kessler, R.C., Borges, G. & Walters, E.E. (1999). Prevalence of and risk factors for lifetime suicide attempts in the national comorbidity survey. *Archives of General Psychiatry*, 56(7), 617–626.

Kessler, R.C. (2002). Epidemiology of depression. In I.H. Gotlib & C.L. Hammen (Eds.) *Handbook of depression*. New York: Guilford Press.

Kessler, R.C., Borges, G. & Walters, E.E. (1999). Prevalence of and risk factors for lifetime suicide attempts in the national comorbidity survey. *Archives of General Psychiatry*, 56(7), 617–626.

King, C.A. (1997). Suicidal behaviour in adolescence. In R.W. Maris, M.M. Silverman & S.S. Canetto (Eds.) *Review of suicidology*. New York: Guilford Press.

Kleinstauber, M., Witthoft, M. & Hiller, W. (2011). Efficacy of short-term psychotherapy for multiple medically unexplained physical symptoms: A meta-analysis. *Clinical Psychology Review*, 31(1), 146–160.

Klonsky, E.D. (2011). Non-suicidal self-injury in United States adults: prevalence, sociodemographics, topography and functions. *Psychological Medicine*, 41(9), 1981–1986.

Koob, G. & Kreek, M.J. (2007). Stress, dysregulation of drug reward pathways, and the transition to drug dependence. *American Journal of Psychiatry*, 164(8), 1149–1159.

Kruijshaar, M.E., Barendregt, J., Vos, T., De Graaf, R., *et al.* (2005). Lifetime prevalence estimates of major depression: An indirect estimation method and a quantification of recall bias. *European Journal of Epidemiology* 20(1):103–111.

Kupfer, D.J. & Frank, E. (2001). The interaction of drug and psychotherapy in the long-term treatment of depression. *Journal of Affective Disorders*, 62(1–2), 131–137.

Kupfer, D.J., Frank, E. & Phillips, M.L. (2012). Major depressive disorder: New clinical, neurobiological, and treatment perspectives. *Lancet*, 379(9820), 1045–55.

- Kyaga, S., Landén, M., Boman, M., Hultman, C.M., Långström, N. & Lichtenstein, P. (2013). Mental illness, suicide and creativity: 40-year prospective total population study. *Journal of Psychiatric Research*, 47(1), 83–90.
- Lara ME. & Klein DN (1999). Psychosocial processes underlying the maintenance and persistence of depression: Implications for understanding chronic depression. *Clinical Psychology Review*, 19(5), 553–570.
- Lauber, C., Falcató, L., Nordt, C. & Rossler, W. (2003). Lay beliefs about causes of depression. *Acta Psychiatrica Scandinavica*, 108, 96–99.
- Leibenluft, E., Albert, P.S., Rosenthal, N.E. & Wehr, T.A. (1996). Relationship between sleep and mood in patients with rapid cycling bipolar disorder. *Psychiatry Research*, 63, 161–168.
- Leichsenring, F. (2001). Comparative effects of short-term psychodynamic psychotherapy and cognitive-behavioral therapy in depression. A meta-analytic approach. *Clinical Psychology Review*, 21, 401–419.
- Lejuez, C.W., Hopko, D.R., LePage, J.P., Hopko, S.D. & McNeil, D.W. (2001). A brief behavioral activation treatment for depression. *Cognitive and Behavioural Practice*, 8(2), 164–175.
- Lemma, A., Target, M. & Fonagy, P. (2011). *Brief dynamic interpersonal therapy*. Oxford: Oxford University Press.
- Lenox, R.H. & Hahn, C.G. (2000). Overview of the mechanism of action of lithium in the brain: Fifty-year update. *Journal of Clinical Psychiatry*, 61, 5–15.
- Leon, A.C., Friedman, R.A., Sweeney, J.A. et al. (1990). Statistical issues in the identification of risk factors for suicidal behavior: The application of survival analysis. *Psychiatry Research*, 31(1), 99–108.
- Lester, D. (1998). Differences in content of suicide notes by age and method. *Perception & Motor Skills*, 87, 530.
- Levinson, D.F. (2006). The genetics of depression: a review. *Biological Psychiatry*, 60(2), 84–92.

- Lewinsohn, P.M. & Shaw, D.A. (1969). Feedback about interpersonal behavior as an agent of behavior change: A case study in treatment of depression. *Psychotherapy and Psychosomatics*, 17(2), 82-88.
- Lewinsohn, P.M. & Shaffer, M. (1971). Use of home observations as an integral part of treatment of depression: Preliminary report and case studies. *Journal of Consulting and Clinical Psychology*, 37(1), 87-94.
- Lewinsohn, P.M. (1974). Clinical and theoretical aspects of depression. In K.S. Calhoun, H.E. Adams & K.M. Mitchell (Eds.) *Innovative treatment methods of psychopathology*. New York: Wiley.
- Lewinsohn, P.M., Youngren, M.A. & Grosscup, S.J. (1979). Reinforcement and depression. In R.A. Depu (Ed.) *The psychology of the depressive disorders*. New York: Academic Press.
- Lewinsohn, P.M., Sullivan, J.M. & Grosscup, S.J. (1980). Changing reinforcing events: An approach to the treatment of depression. *Psychotherapy: Research and Practice*, 17(3), 322-334.
- Lewinsohn, P.M., Sullivan, J.M. & Grosscup, S.J. (1982). Behavioral therapy: Clinical applications. In A.T. Rush (Ed.) *Short-term psychotherapy for the depressed patient*. New York: Guilford.
- Lewinsohn, P.M., Rohde, P., Seeley, J.R. & Baldwin, C.L. (2001). Gender differences in suicide attempts from adolescence to young adulthood. *Journal of the American Academy of Child and Adolescent Psychiatry*, 40(4), 427–434.
- Li, Z., Page A, Martin G. & Taylor R (2011). Attributable risk of psychiatric and socio-economic factors for suicide from individual-level, population-based studies: a systematic review. *Social Science and Medicine*, 72, 608–616.
- Lisanby, S.H., Maddox, J.H., Prudic, J., Devanand, D.P. & Sackeim, H.A. (2000). The effects of electroconvulsive therapy on memory of autobiographical and public events. *Archives of General Psychiatry*, 57(6), 581–590.
- Littman, S.K. (1985) Suicide epidemics and newspaper reporting. *Suicide and Life-Threatening Behavior*, 15, 43–50.

- Lucht, M., Schaub, R.T., Meyer, C., Hapke, U., *et al.* (2003). Gender differences in unipolar depression: a general population survey of adults between age 18 to 64 of German nationality. *Journal of Affective Disorders*, 77(3), 203–211.
- Ludwig, A.M. (1995). *The price of greatness: Resolving the creativity and madness controversy*. New York: Guilford.
- Ma, S.H. & Teasdale, J.D. (2004). Mindfulness-based cognitive therapy for depression: Replication and exploration of differential relapse prevention effects. *Journal of Consulting and Clinical Psychology*, 72(1), 31–40.
- Magnusson, A. & Boivin, D. (2003). Seasonal affective disorder: An overview. *Chronobiology International*, 20, 189–207.
- Maier, W., Lichtermann, D., Minges, J., Heun, R., Hallmayer, J., Benkert, O. (1992). Schizoaffective disorder and affective disorders with mood-incongruent psychotic features: Keep separate or combine? Evidence from a family study. *American Journal of Psychiatry*, 149, 1666–1673.
- Mandell, A.J. & Knapp, S. (1979). Asymmetry and mood, emergent properties of serotonin regulation: Proposed mechanism of action of lithium. *Archives of General Psychiatry*, 36(8), 909-916.
- Mann, J.J. & Kapur, S. (1994). Elucidation of biochemical basis of the antidepressant action of electroconvulsive therapy by human studies. *Psychopharmacology Bulletin*, 30, 445–453.
- Martin, L., & Stoner, P. (1996). Mood as input: What we think about how we feel determines how we think. In L.L. Martin & A. Tesser (Eds.) *Striving and feeling: Interactions among goals, affect, and self-regulation*. Hillsdale, NJ: Erlbaum.
- Martin, G. & Koo, L. (1997). Celebrity suicide: Did the death of Kurt Cobain influence young suicides in Australia? *Archives of Suicide Research*, 3, 187–198.
- Mathews, A. & MacLeod, C. (1994). Cognitive approaches to emotion and emotional disorders. *Annual Review of Psychology*, 45, 25-50.
- May, M., McCarron, P., Stansfield, S., Ben-Shlomo, Y. *et al.* (2002). Does psychological distress predict the risk of ischemic stroke and TIA? The Caerphilly Study. *Stroke*, 33, 7.

- Medda, P., Perugi, G., Zanillo, S., Ciuffa, M. & Cassano, G.B. (2009). Response to ECT in bipolar I, bipolar II and unipolar depression. *Journal of Affective Disorders*, *118*(1–3), 55–59.
- Meltzer, H., Gatwood, R., Goodman, R. & Ford, T. (2003). Mental health of children and adolescents in Great Britain. (Reprinted from 2000.) *International Review of Psychiatry*, *15*(1–2), 185–187.
- Merikangas, K.R., Akiskal, H.S., Angst, J., Greenberg, P.E., Hirschfeld, R.M., Petukhova, M. & Kessler, R.C. (2007). Lifetime and 12-month prevalence of bipolar spectrum disorder in the National Comorbidity Survey replication. *Archives of General Psychiatry*, *64*(5), 543–52.
- Mervaala, E., Fohr, J., Kononen, M., Valkonen-Korhonen, M. *et al.* (2000). Quantitative MRI of the hippocampus and amygdala in severe depression. *Psychological Medicine*, *30*, 117–125.
- Metalsky, G.I. & Joiner, T.E. (1992). Vulnerability to depressive symptomatology: A perspective test of the diathesis-stress and causal mediation components of the hopelessness theory of depression. *Journal of Personality and Social Psychology*, *63*(4), 667–675.
- Metalsky, G.I., Joiner, T.E., Hardin, T.S. & Abramson, L.Y. (1993). Depressive reactions to failure in a naturalistic setting: A test of the hopelessness and self-esteem theories of depression. *Journal of Abnormal Psychology*, *102*, 101–109.
- Meyer, B., Johnson, S.L. & Winters, R. (2001). Responsiveness to threat and incentive in bipolar disorder: Relations of the BIS/BAS scales with symptoms. *Journal of Psychopathology and Behavioral Assessment*, *23*, 133–143.
- Meyers, C.A., Albitar, M. & Estey, E. (2005). Cognitive impairment, fatigue, and cytokine levels in patients with acute myelogenous leukemia or myelodysplastic syndrome. *Cancer*, *104*(4), 788–793.
- Michalak, J., Troje, N.F., Fischer, J., Vollmar, P., Heidenreich, T. & Schulte, D. (2009) Embodiment of sadness and depression: Gait patterns associated with dysphoric mood. *Psychosomatic Medicine*, *71*, 5.

- Michalak J., Troje N.F. & Heidenreich T. (2010). Embodied effects of mindfulness-based cognitive therapy. *Journal of Psychosomatic Research*, 68, 312–313.
- Michalak, J., Holz, A. & Teismann, T. (2011). Rumination as a predictor of relapse in mindfulness-based cognitive therapy for depression. *Psychology and Psychotherapy: Theory, Research and Practice*, 84, 230–236.
- Middleton, H., Shaw, I., Hull, S. & Feder, G. (2005). NICE guidelines for the management of depression - Are clear for severe depression, but uncertain for mild or moderate depression. *British Medical Journal*, 330(7486): 267–268.
- Miller, I.W., Norman, W.H., Keitner, G.I., Bishop, S.B. & Dow, M.G. (1989). Cognitive-behavioral treatment of depressed inpatients. *Behavior Therapy*, 20(1), 25-47.
- Miller, A.H., Maletic, V. & Raison, C.L. (2009). Inflammation and its discontents: the role of cytokines in the pathophysiology of major depression. *Biological Psychiatry*, 65(9), 732–741.
- Mirowsky, J. & Ross, C.E. (1995). Sex differences in distress: Real or artifact. *American Sociological Review*, 60(3), 449-468.
- Moffitt, T.E., Caspi, A., Harrington, H., Milne, B.J., Melchior, M., Goldberg, D. & Poulton, R. (2007). Generalized anxiety disorder and depression: Childhood risk factors in a birth cohort followed to age 32. *Psychological Medicine*, 37(3), 441–52.
- Mogg, K., Bradley, B.P., Williams, R. & Mathews, A. (1993). Subliminal processing of emotional information in anxiety and depression. *Journal of Abnormal Psychology*, 102, 304–311.
- Morrow, J., & Nolen-Hoeksema, S. (1990). Effects of responses to depression on the remediation of depressive affect. *Journal of Personality and Social Psychology*, 58(3), 519–527.
- Mota-Pereira, J., Silverio, J., Carvalho, S., Ribeiro, J.C., et al. (2011). Moderate exercise improves depression parameters in treatment-resistant patients with major depressive disorder. *Journal of Psychiatric Research* 45(8), 1005–11.
- Motto, J.A. (1970). Newspaper influence on suicide: A controlled study. *Archives of General Psychiatry*, 23, 143–148.

- Muehlenkamp, J.J., Engel, S.G., Wadeson, A., Crosby, R.D., Wonderlich, S.A., Simonich, H. & Mitchell, J.E. (2009). Emotional states preceding and following acts of non-suicidal self-injury in bulimia nervosa patients. *Behavioural Research and Therapy*, 47(1), 83–87.
- Munafò, M.R. (2012). The serotonin transporter gene and depression. *Depression and Anxiety*, 29, 915–917.
- Naranjo, C.A., Tremblay, L.K. & Busto, U.E. (2001). The role of the brain reward system in depression. *Progress in Neuro-Psychopharmacol & Biological Psychiatry*, 25(4), 781–823.
- Newberg, A.R., Catapano, L.A., Zarate, C.A. & Manji, H.K. (2008). Neurobiology of bipolar disorder. *Expert Review of Neurotherapy*, 8(1), 93–110.
- Newman, C.F., Leahy, R.L., Beck, A.T. et al. (2002). *Bipolar disorder: A cognitive therapy approach*. Washington, DC: American Psychological Association.
- Nietzel, M.T. & Harris, M.J. (1990). Relationship of dependency and achievement autonomy to depression. *Clinical Psychology Review*, 10(3), 279-297.
- Nock, M.K., & Prinstein, M.J. (2004). A functional approach to the assessment of self-mutilative behavior. *Journal of Consulting and Clinical Psychology*, 72, 885–890.
- Nock, M.K. & Photos, V. (2006). Parent motivation to participate in treatment: Assessment and prediction of subsequent participation. *Journal of Child and Family Studies*, 15, 345–358.
- Nock, M.K. & Mendes, W.B. (2008). Physiological arousal, distress tolerance, and social problem solving deficits among adolescent self-injurers. *Journal of Consulting and Clinical Psychology*, 76, 28–38.
- Nock, M.K., Wedig, M.M., Holmberg, E.B. & Hooley, J.M. (2008). The Emotion Reactivity Scale: Development, evaluation, and relation to self-injurious thoughts and behaviors. *Behavior Therapy*, 39, 107–116.
- Nock, M.K., Prinstein, M.J. & Sterba, S.K. (2009). Revealing the form and function of self-injurious thoughts and behaviors: A real-time ecological assessment study

- among adolescents and young adult. *Journal of Abnormal Psychology*, 118(4), 816–827.
- Nock, M.K. (2010). Self-injury. *Annual Review of Clinical Psychology*, 6, 339–363.
- Nolen-Hoeksema, S. (2000). The role of rumination in depressive disorders and mixed anxiety/depressive symptoms. *Journal of Abnormal Psychology*, 109(3), 504–511.
- Nolen-Hoeksema, S. (2001). Gender differences in depression. *Current Directions in Psychological Science*, 10, 173–176.
- Nolen-Hoeksema, S. (2002). Gender differences in depression. In I.H. Gotlib & C.L. Hammen (Eds.) *Handbook of depression*. New York: Guilford Press.
- Nordentoft, M., Mortensen, P.B. & Pedersen, C.B. (2011). Absolute risk of suicide after first hospital contact in mental disorder. *Archives of General Psychiatry*, 68(10), 1058–64.
- Ochsner, K.N. & Barrett, L.F. (2001). A multiprocess perspective on the neuroscience of emotion. In T.J. Mayne & G.A. Bonanno (Eds.) *Emotions: Current issues and future directions*. New York: Guilford.
- Papageorgiou, C. & Wells, A. (2001). Metacognitive beliefs about rumination in recurrent major depression. *Cognitive and Behavioral Practice*, 8, 160–164.
- Patten, S.B. (2003a). International differences in major depression prevalence: What do they mean? *Journal of Clinical Epidemiology*, 56, 711–716.
- Patten, S.B. (2003b). Recall bias and major depression lifetime prevalence. *Social Psychiatry and Psychiatric Epidemiology*, 36(6), 290–296.
- Peters, K.D. & Murphy, S.L. (1998). Deaths: Final data for 1996. *National Vital Statistics Report*, 47.
- Peters, K.D., Constans, J.I. & Mathews, A. (2011). Experimental modification of attribution processes. *Journal of Abnormal Psychology*, 120(1), 168–173.
- Peterson, C., Semmel, A., von Baeyer, C., Abramson, L.Y. et al. (1982). The attributional style questionnaire. *Cognitive Therapy and Research*, 6(3): 287–299.

- Peterson, C., Maier, S.F. & Seligman, M.E.P. (1993). *Learned helplessness: A theory for the age of personal control*. New York: Oxford.
- Phillips, D. & Carstensen, L.L. (1986). Clustering of teenage suicides after television news stories about suicide. *New England Journal of Medicine*, *315*, 685–689.
- Plener, P.L., Libal, G., Keller, F., Fegert, J.M. & Muehlenkamp, J.J. (2009). An international comparison of adolescent non-suicidal self-injury (NSSI) and suicide attempts: Germany and the USA. *Psychological Medicine*, *39*(9), 1549–1558.
- Pollock, L.R. & Williams, J.M.G. (2001). Effective problem solving in suicide attempters depends on specific autobiographical recall. *Suicide and Life-Threatening Behaviour*, *31*(4), 386–396.
- Powers, S.K. (2002). Exercise, antioxidants, and cardioprotection, *Sports & Science Exchange* *85*, 15, No.2.
- Prien, R.F. & Potter, W.Z. (1993). Maintenance treatment for mood disorders. In D.L. Dunner (Ed.) *Current psychiatric therapy*. Philadelphia: Saunders.
- Proudfoot, J., Doran, J., Manicavasagar, V. & Parker, G. (2011). The precipitants of manic/hypomanic episodes in the context of bipolar disorder: A review. *Journal of Affective Disorders*, *133*(3), 381–387.
- Raes, F., Hermans, D., Williams, J.M.G. & Eelen, P. (2005). Autobiographical memory specificity and emotional abuse. *British Journal of Clinical Psychology*, *44*, 133–138.
- Raes, F., Hermans, D., Williams, J.M.G. & Eelen, P. (2006). Reduced autobiographical memory specificity and affect regulation. *Cognition & Emotion*, *20*(3–4), 402–429.
- Rampello, L., Nicoletti, F. & Nicoletti, F. (2000). Dopamine and depression: Therapeutic implications. *CNS Drugs* *13*(1): 35–45.
- Reeves, A.D., Stuckler, M., McKee, D. Gunnell, S. Chang, S. Basu, S. (2012) Increase in state suicide rates in the USA during economic recession. *Lancet*, *380*(9856), 1813–1814.

- Reeves, G.M., Nijjar, G.V., Langenberg, P., Johnson, M.A., Khabazghazvini, B., Sleemi, A. *et al.* (2012). Improvement in depression scores after 1 hour of light therapy treatment in patients with seasonal affective disorder. *Journal of Nervous and Mental Disease*, 200, 51–55.
- Reimherr, F.W., Strong, R.E., Marchant, B.K., Hedges, D.W. & Wender, P.H. (2001). Factors affecting return of symptoms 1 year after treatment in a 62-week controlled study of fluoxetine in major depression. *Journal of Clinical Psychiatry*, 62, 16–23.
- Ressler, K.J. & Nemeroff, C.B. (1999). Role of norepinephrine in the pathophysiology and treatment of mood disorders. *Biological Psychiatry*, 46, 1219–1233.
- Reynolds, M. & Salkovskis, P.M. (1992). Comparison of positive and negative intrusive thoughts and experimental investigation of the differential effects of mood. *Behaviour Research and Therapy*, 30(3), 273-281.
- Reynolds, W.M. & Mazza, J.J. (1994). Suicide and suicidal behaviors in children and adolescents. In W.M. Reynolds & H.F. Johnston (Eds.) *Handbook of depression in children and adolescents*. New York: Plenum.
- Rich, C.L., Warsadt, G.M., Nemiroff, R.A. *et al.* (1991). Suicide, stressors, and the life cycle. *American Journal of Psychiatry*, 148, 524–527.
- Richards, R., Kinney, D.K., Lunde, I., Benet, M. & Merzel, A.P.C (1988). Creativity in manic depressives, cyclothymes, their normal relatives and control subjects. *Journal of Abnormal Psychology*, 97(3), 281-288.
- Rimer, J., Dwan, K., Lawlor, D.A., Greig, C.A., McMurdo, M., Morley, W. & Mead, G.E. (2012). Exercise for depression. *Cochrane Database Systematic Reviews* 2012, 11;7:CD004366.
- Riskind, J.H. & Gotay, C.C. (1982). Physical posture: Could it have regulatory or feedback effects on motivation and emotion? *Motivation & Emotion*, 6, 273–298.
- Robinson, M.S. & Alloy, L.B. (2003). Negative cognitive styles and stress-reactive rumination interact to predict depression: A prospective study. *Cognitive Therapy and Research*, 27(3), 275–291.

- Rosen, R.C., Lane, R.M. & Menza, M. (1999). Effects of SSRIs on sexual function: A critical review. *Journal of Clinical Psychopharmacology*, 19(1), 67-85.
- Roy, A., Virkkunen, M. & Linooila, M. (1987). Reduced central serotonin turnover in a subgroup of alcoholics. *Progress in Neuro-Psychopharmacology & Biological Psychiatry*, 11(2-3), 173-177.
- Royal College of Psychiatrists (2002). Guidelines for ECT anaesthesia. *Psychiatric Bulletin*, 26, 237-238.
- Rujescu, D., Zill, P., Rietschel, M. & Maier, W. (2009). Genetik suizidalen Verhaltens. *Nervenheilkunde*, 28, 173-252, 211-216.
- Rush, A.J., Beck, A.T., Kovacs, M. & Hollon, S.D. (1977). Comparative efficacy of cognitive therapy and pharmacotherapy in the treatment of depressed outpatients. *Cognitive Therapy and Research*, 1, 17-39.
- Sackeim, H.A., Prudic, J., Fuller, R., Keilp, J., Lavori, P.W. & Olfson, M. (2007). The cognitive effects of electroconvulsive therapy in community settings. *Neuropsychopharmacology*, 32(1), 244-254.
- Scogin, F.R., Hanson, A. & Welsh, D. (2003). Self-administered treatment in stepped-care models of depression treatment. *Journal of Clinical Psychology*, 59(3), 341-349.
- Scott, J., Garland, A. & Moorhead, S. (2001). A pilot study of cognitive therapy in bipolar disorders. *Psychological Medicine*, 31(3), 459-467.
- Scott, W.D. & Cervone, D. (2002). The impact of negative affect on performance standards: Evidence for an affect-as-information mechanism. *Cognitive Therapy and Research*, 26(1): 19-37.
- Segal, Z.V., Gemar, M. & Williams, S. (1999). Differential cognitive response to a mood challenge following successful cognitive therapy or pharmacotherapy for unipolar depression. *Journal of Abnormal Psychology*, 108(1), 3-10.
- Segrin, C. (2000). Social skills deficits associated with depression. *Clinical Psychology Review*, 20, 379-403.

- Seligman, M.E.P. (1974). Depression and learned helplessness. In R.J. Friedman & M.M. Katz (Eds.) *The psychology of depression: Contemporary theory and research*. Washington, DC: Winston-Wiley.
- Seligman, M.E.P. (1975). *Helplessness: On depression, development, and death*. San Francisco: Freeman.
- Shaw, I. & Woodward, L. (2004). The medicalisation of unhappiness? The management of mental distress in primary care. In I. Shaw & K. Kauppinen (Eds.) *Conceptualising health and illness: European perspectives*. Aldershot: Ashgate.
- Shneidman, E.S. (1973). Suicide. In *Encyclopedia Britannica*. London: Encyclopaedia Britannica.
- Showalter, E. (1997). Chronic fatigue syndrome. In E. Showalter (Ed.) *Hystories: Hysterical epidemics and modern culture*. London: Picador.
- Simon, G.E., Von Korff, M., Piccinelli, M., Fullerton, C., Ormel, J. *et al.* (1999). An international study of the relation between somatic symptoms and depression. *New England Journal of Medicine*, 341(18): 1329–1335.
- Simons, A.D., Garfield, S.L. & Murphy, G.E. (1984). The process of change in cognitive therapy and pharmacotherapy for depression changes in mood and cognition. *Archives of General Psychiatry*, 41(1), 45-51.
- Singleton, N., Bumpstead, R., O'Brien, M., Lee, A. & Meltzer, H. (2001). *Psychiatric morbidity among adults living in private households, 2000*. London: TSO (The Stationery Office).
- Sisask, M. & Varnik, A. (2012). Media roles in suicide prevention: A systematic review. *International Journal of Environmental Research and Public Health*, 9(1), 123–138.
- Sloan, D.M., Strauss, M.E. & Wisner, K.L. (2001). Diminished response to pleasant stimuli by depressed women. *Journal of Abnormal Psychology*, 110(3), 488–493.
- Sobin, C. & Sackeim, H.A. (1997). Psychomotor symptoms of depression. *American Journal of Psychiatry*, 154, 4–17.

- Spittal, M.J., Pirkis, J., Miller, M. & Studdert, D.M. (2012). Declines in the lethality of suicide attempts explain the decline in suicide deaths in Australia. *PLOS One*, 2012;7(9):e44565.
- Stanley, B., Brown, G., Brent, D.A., Wells, K. *et al.* (2009). Cognitive-behavioral therapy for suicide prevention (CBT-SP): Treatment model, feasibility, and acceptability. *Journal of the American Academy of Child and Adolescent Psychiatry*, 48(10),1005–1013.
- Stewart, J.C., Rand, K.L., Muldoon, M.F., & Kamarck, T.W. (2009). A prospective evaluation of the directionality of the depression-inflammation relationship. *Brain, Behavior, and Immunity*, 23, 936–944.
- Straus, S.E., Dale, J.K., Tobi, M., Lawley, T. *et al.* (1998). Acyclovir treatment of the chronic fatigue syndrome: Lack of efficiency in a placebo-controlled trial. *New England Journal of Medicine*, 319(26), 1692-1698.
- Stulemeijer, M., de Jong, L.W.A.M., Fiselier, T.J.W., Hoogveld, S.W.B. & Bleijenberg, G. (2005). Cognitive behaviour therapy for adolescents with chronic fatigue syndrome: randomised controlled trial. *British Medical Journal*, 330(7481), 14–17.
- Sullivan, P.F., Neale, M.C. & Kendler, K.S. (2000). Genetic epidemiology of major depression: review and meta-analysis. *American Journal of Psychiatry*, 157(10), 1552–62.
- Suls, J. & Bunde, J. (2005). Anger, anxiety, and depression as risk factors for cardiovascular disease: the problems and implications of overlapping affective dispositions. *Psychological Bulletin*, 131(2), 260–300.
- Sumner, J.A. (2012). The mechanisms underlying overgeneral autobiographical memory: an evaluative review of evidence for the CaR-FA-X model. *Clinical Psychology Review*, 32(1), 34–48.
- Suppes, T., Baldessarini, R.J., Faedda, G.L. & Tohen, M. (1991). Risk of recurrence following discontinuation of lithium treatment in bipolar disorder. *Archives of General Psychiatry*, 48(12), 1082-1088.
- Swonger, A.K. & Constantine, L.L. (1983). *Drugs and therapy: A handbook of psychotropic drugs (2nd edn)*. Boston: Little, Brown.

- Tarrier, N., Haddock, G., Lewis, S.W., Drake, R. & Gregg, L. (2006). Suicide behaviour over 18 months in recent onset schizophrenic patients: The effects of CBT. *Schizophrenia Research*, 83(1), 15–27.
- Teasdale, J.D. (1988). Cognitive vulnerability to persistent depression. *Cognition & Emotion*, 2, 247–274.
- Teasdale, J.D., Segal, Z. & Williams, J.M.G (1995). How does cognitive therapy prevent depressive relapse and why should attentional control (mindfulness) training help. *Behaviour Research and Therapy*, 33(1), 25-39.
- Thase, M.E., Tivedi, M.H. & Rush, A.J. (1995). MAOIs in the contemporary treatment of depression. *Neuropsychopharmacology*, 12(3), 185-219.
- Thase, M.E. (2012). Social skills training for depression and comparative efficacy research: A 30-year retrospective. *Behaviour Modification*, 36, 545–557.
- Treadway, M.T. & Zald, D.H. (2011). Reconsidering anhedonia in depression: Lessons from translational neuroscience. *Neuroscience & Biobehavioral Reviews*, 35(3), 537–555.
- Turner, J.S. & Leach, D.J. (2012). Behavioural activation therapy: Philosophy, concepts and techniques. *Behaviour Change*, 29, 77–96.
- Ustun, T.B., Ayuso-Mateos, J.L., Chatterji, S., Mathers, C., Murray, C.J.L. (2004). Global burden of depressive disorders in the year 2000. *British Journal of Psychiatry*, 184, 386–392.
- Van der Feltz-Cornelis, C.M., Sarchiapone, M. & Postuvan, V., *et al.* (2011). Best practice elements of multilevel suicide prevention strategies: A review of systematic reviews. *Crisis*, 32(6), 319–333.
- Van Praag, H.M., Plutchick, R. & Apter, A. (Eds.) (1990). *Violence and suicidality: Perspectives in clinical and psychobiological research*. New York: Brunner/Mazel.
- Vervliet, B. & Raes, F. (2012). Criteria of validity in experimental psychopathology: application to models of anxiety and depression. *Psychological Medicine*, 12, 1–4.

- Wagman Borowsky, I., Resnick, M. D., Ireland, M., & Blum, R.W. (1999). Suicide attempts among American Indian and Alaska native youth. *Archives of Pediatric and Adolescent Medicine*, *153*, 573–580.
- Walker, L.E.A. (2000). *The battered woman syndrome (2nd edn)*. New York: Springer.
- Watkins, P.C., Mathews, A., Williamson, D.A. & Fuller, R.D. (1992). Mood-congruent memory in depression: Emotional priming or elaboration. *Journal of Abnormal Psychology*, *101*(3), 581-586.
- Watkins, E.R. (2008). Constructive and unconstructive repetitive thought. *Psychological Bulletin*, *134*, 163–206.
- Watson, D. (2005). Rethinking the mood and anxiety disorders: A quantitative hierarchical model for DSM-V. *Journal of Abnormal Psychology*, *114*, 522–536.
- Wedig, M.M., & Nock, M.K. (2010). Functional assessment of maladaptive behaviors: A preliminary evaluation of binge eating and purging among women. *Psychiatry Research*, *178*, 518–524.
- Wehr, T.A., Sack, D.A. & Rosenthal, N.E. (1987). Sleep reduction as a final common pathway in the genesis of mania. *American Journal of Psychiatry*, *144*(2), 201–204.
- Weissman, M.M., Bland, R.C., Canino, G.J., Faravelli, C. et al. (1996). Cross-national epidemiology of major depression and bipolar disorder. *JAMA: Journal of the American Medical Association*, *276*(4), 293–299.
- Wender, P.H., Kety, S.S., Rosenthal, D., Schulsinger, F. et al. (1986). Psychiatric disorders in the biological and adoptive families of adopted individuals with affective disorders. *Archives of General Psychiatry*, *43*, 923–929.
- Westrin, A. & Lam, R.W. (2007). Long-term and preventative treatment for seasonal affective disorder. *CNS Drugs*, *21*(11), 901–9.
- Wetterberg, L. (1999). Melatonin and clinical application. *Reproduction Nutrition Development*, *39*(3), 367–382.
- Williams, J.M.G. & Scott, J. (1988). Autobiographical memory in depression. *Psychological Medicine*, *18*(3), 689-695.

- Winchel, R.M., Stanley, B. & Stanley, M. (1990). Biochemical aspects of suicide. In S.J. Blumenthal & D.J. Kupfer (Eds.) *Suicide over the life cycle: Risk factors, assessment and treatment of suicide patterns*. Washington: APA.
- World Health Organization (2012) *Depression: A Global Public Health Concern*. Retrieved from http://www.who.int/mental_health/management/depression/who_paper_depression_wfmh_2012.pdf.
- Wortman, C.B. & Brehm, J.W. (1975). Responses to uncontrollable outcomes: An integration of the reactance theory and the learned helplessness model. In L. Berkowitz (Ed.) *Advances in social psychology*. New York: Academic Press.
- Yancey, J.R. & Thomas, S.M. (2012). Chronic fatigue syndrome: diagnosis and treatment. *American Family Physician*, 86(8), 741–6.
- Zeiss, A.M., Lewinsohn, P.M. & Munoz, R.F. (1979). Nonspecific improvement effects in depression using interpersonal skills training, pleasant activity schedules or cognitive training. *Journal of Consulting and Clinical Psychology*, 47(3), 427-439.
- Zinbarg, R.E., Barlow, D.H., Liebowitz, M. et al. (1994). The DSM-IV field trial for mixed anxiety depression. *American Journal of Psychiatry*, 151, 1153–1162.
- Zisook, S., Corruble, E., Duan, N., Iglewicz, A., et al. (2012). The bereavement exclusion and DSM-5. *Depression and Anxiety*, 29(5):425–43.