

**DAVEY**  
**PSYCHOPATHOLOGY, 2<sup>ND</sup> EDITION**  
**CHAPTER 8 | EXPERIENCING PSYCHOSIS: SCHIZOPHRENIA SPECTRUM**  
**PROBLEMS**  
**REFERENCES**

- Addington, J., Piskulic, D. & Marshall, C. (2010). Psychosocial treatments for schizophrenia . *Current Directions in Psychological Science*, 19, 260–263.
- Aguilera, A., López, S.R., Breitborde, N.J., Kopelowicz, A. & Zarate, R. (2010). Expressed emotion and sociocultural moderation in the course of schizophrenia. *Journal of Abnormal Psychology*, 119, 875–885.
- AlAqeel, B. & Margolese, H.C. (2012). Remission in schizophrenia: Critical and systematic review. *Harvard Review of Psychiatry*, 20(6), 281–297.
- Alford, B.A. & Beck, A.T. (1994). Cognitive therapy of delusional beliefs. *Behaviour Research and Therapy*, 32(3), 369–380.
- Allin, M. & Murray, R. (2002). Schizophrenia: a neurodevelopmental or neurodegenerative disorder? *Current Opinion in Psychiatry*, 15(1), 9–15.
- Alvarez-Jimenez, M., Parker, A.G., Hetrick, S.E., McGorry, P.D. & Gleeson, J.F. (2011). Preventing the second episode: A systematic review and meta-analysis of psychosocial and pharmacological trials in first-episode psychosis. *Schizophrenia Bulletin*, 37, 619–630.
- Ayllon, T. (1963). Intensive treatment of psychotic behavior by stimulus satiation and food reinforcement. *Behaviour Research and Therapy* 1(1), 53-61.
- Ayllon, T., Haughton, E. & Hughes, H.B. (1965). Interpretation of symptoms: Fact or fiction. *Behaviour Research and Therapy*, 3(1), 1–7.
- Andreasen, N.C., Flashman, L., Flaum, M., Arndt, S. *et al.* (1994). Regional brain abnormalities in schizophrenia measured with magnetic resonance imaging. *JAMA: Journal of the American Medical Association*, 272(22), 1763–1769.
- Andreasen, N.C. (2001). *Brave new brain: Conquering mental illness in the era of the genome*. New York: Oxford University Press.

- Andreasson, S., Allebeck, P., Engstrom, A. & Ryberg, U. (1987). Cannabis and schizophrenia: A longitudinal study of Swedish conscripts. *Lancet*, 2, 1483–1486.
- Angermeyer, M.C., Kuhn, L. & Goldstein, J.M. (1990). Gender and the course of schizophrenia: Differences in treated outcomes. *Schizophrenia Bulletin*, 16(2), 293-307.
- Angrist, B., Lee, H.K. & Gershon, S. (1974). Antagonism of amphetamine-induced symptomatology by a neuroleptic. *American Journal of Psychiatry*, 131(7), 817-819.
- Antonova, E., Sharma, T., Morris, R. & Kumari, V. (2004). The relationship between brain structure and neurocognition in schizophrenia: A selective review. *Schizophrenia Research*, 70, 117–145.
- Arnold, J., Boucher, A. & Karl, T. (2012), The yin and yang of cannabis-induced psychosis: The actions of  $\Delta(9)$ -tetrahydrocannabinol and cannabidiol in rodent models of schizophrenia. *Current Pharmaceutical Design*, 18(32), 5113–5130.
- Arseneault, L., Cannon, M., Witton, J. & Murray, R.M. (2004). Causal association between cannabis and psychosis: examination of the evidence. *British Journal of Psychiatry*, 184, 110–117.
- Artiges E, Martinot JL, Verdys M, Attar-Levy D. *et al.* (2000). Altered hemispheric functional dominance during word generation in negative schizophrenia. *Schizophrenia Bulletin*, 26(3), 709–721.
- Baare, W.F.C., van Oel, C.J., Pol, H.E.H., Schnack, H.G. *et al.* (2001). Volumes of brain structures in twins discordant for schizophrenia. *Archives of General Psychiatry*, 58(1), 33–40.
- Badner, J.A. & Gershon ES (2002). Meta-analysis of whole-genome linkage scans of bipolar disorder and schizophrenia. *Molecular Psychiatry*, 7(4), 405–411.
- Baker, C.A. & Morrison, A.P. (1998). Cognitive processes in auditory hallucinations: attributional biases and metacognition. *Psychological Medicine*, 28(5), 1199–1208.

- Barrowclough, C., Johnston, M. & TARRIER, N. (1994). Attributions, expressed emotion, and patient relapse: An attributional model of relatives response to schizophrenic illness. *Behaviour Therapy*, 25(1), 67–88.
- Bateson, G. (1978). The double-bind theory – misunderstood? *Psychiatric News*, April, 40.
- Bateson, G., Jackson, D.D., Haley, J. & Weakland, J. (1956). Toward a theory of schizophrenia. *Behavioral Sciences*, 1(4), 251-164.
- Bebbington, P., Johnson, S. & Thornicroft, G. (2002). Community mental health care: Promises and pitfalls. In N. Sartorius & W. Gaebel (Eds.) *Psychiatry in society*. New York: Wiley.
- Beckmann, H. & Franzek, E. (2000). The genetic heterogeneity of 'schizophrenia'. *World Journal of Biological Psychiatry*, 1, 35–41.
- Bentall, R.P. & Kaney, S. (1989). Emotional Stroop performance predicts disorganization in schizophrenia. *Schizophrenia Research*, 77, 141–149.
- Bentall, R.P., Kaney, S. & Dewey, M.E. (1991). Paranoia and social reasoning: An attribution theory analysis. *British Journal of Clinical Psychology*, 30, 13-23.
- Bentall, R.P. (1994). Cognitive biases and abnormal beliefs: Towards a model of persecutory delusions. In A.S. David & J. Cutting (Eds.) *The neuropsychology of schizophrenia*. London: Lawrence Erlbaum.
- Bentall, R.P. & Kinderman, P. (1998). Psychological processes and delusional beliefs: Implications for the treatment of paranoid states. In S. Lewis, N. TARRIER & T. Wykes (Eds.) *Outcome and innovation in psychological treatment of schizophrenia*. Chichester: Wiley.
- Bentall, R.P. & Kinderman, P. (1999). Self-regulation, affect and psychosis: Social cognition in paranoia and mania. In T. Dalgleish & M. Power (Eds.) *Handbook of cognition and emotion*. London: Wiley.
- Bentall, R.P., Corcoran, R., Howard, R., Blackwood, N. & Kinderman, P. (2001). Persecutory delusions: A review and theoretical integration. *Clinical Psychology Review*, 21, 1143–1192.
- Bentall, R.P. (2004). *Madness explained: Psychosis and human nature*. Penguin.

- Bentall, R.P. (2006). Madness explained: Why we must reject the Kraepelinian paradigm and replace it with a 'complaint-orientated' approach to understanding mental illness. *Medical Hypotheses*, 66(2), 220–233.
- Berzins, K.M., Petch, A. & Atkinson, J.M. (2003). Prevalence and experience of harassment of people with mental health problems living in the community. *British Journal of Psychiatry*, 183, 526–533.
- Bevan, V., Read, J. & Cartwright, C. (2011). The prevalence of voice-hearers in the general population: A literature review. *Journal of Mental Health*, 20(3), 281–292.
- Bhojraj, T.S., Sweeney, J.A., Prasad, K.M., Eack, S.M. *et al.* (2011). Gray matter loss in young relatives at risk for schizophrenia: Relation with prodromal psychopathology. *Neuroimage*, 54, S272–S279.
- Bini, L. (1938). Experimental researches of epileptic attacks induced by the electric current. *American Journal of Psychiatry*, 94, 172–183.
- Blakemore, S.J., Oakley, D.A. & Frith, C.D. (2003). Delusions of alien control in the normal brain. *Neuropsychologia*, 41(8), 1058–1067.
- Bleuler, E. (1908). Die Prognose der Dementia praecox (Schizophreniegruppe). *Allgemeine Zeitschrift für Psychiatrie*, 65, 436.
- Bo, S., Abu-Akel, A., Kongerslev, M., Haahr, U.H. & Simonsen, E. (2011). Risk factors for violence among patients with schizophrenia. *Clinical Psychology Review*, 31(5), 711–726.
- Bond, G.R. (1992). Vocational rehabilitation. In R.P. Liberman (Ed.), *Handbook of psychiatric rehabilitation*. New York: Macmillan.
- Bond, G.R., Drake, R.E., & Becker, D.R. (2012). Generalizability of the individual placement and support (IPS) model of supported employment outside the US. *World Psychiatry*, 11(1), 32–39.
- Bora, E., Yucel, M. & Pantelis, C. (2009). Theory of mind impairment: A distinct trait-marker for schizophrenia spectrum disorders and bipolar disorder? *Acta Psychiatrica Scandinavica*, 120, 253–264.

- Bora, E. & Pantelis, C. (2013). Theory of mind impairments in first-episode psychosis, individuals at ultra-high risk for psychosis and in first-degree relatives of schizophrenia: Systematic review and meta-analysis. *Schizophrenia Research*, 144(1–3), 31–36.
- Brebion, G., Amador, X., David, A., Malaspina, D. et al. (2000). Positive symptomatology and source-monitoring failure in schizophrenia: An analysis of symptom-specific effects. *Psychiatry Research*, 95(2), 119–131.
- Brennan, P.A. & Walker, E.F. (2001). Vulnerability to schizophrenia: Risk factors in childhood and adolescence. In R.E. Ingram & J.M. Price (Eds.) *Vulnerability to psychopathology: Risk across the lifespan*. New York: Guilford.
- Broome, M.R., Johns, I.C., Valli, I., Woolley, J.B., Tabraham, P., Brett, C., & McGuire, P.K. (2007). Delusion formation and reasoning biases in those at clinical high risk for psychosis. *British Journal of Psychiatry*, 191, s38–s42.
- Brown, G.W., Carstairs, G.M. & Topping, G. (1958). Post-hospital adjustment of chronic mental patients. *Lancet*, 2(Sept. 27), 685–689.
- Brown, G.W. & Birley, J.L.T. (1968). Crises and life changes and onset of schizophrenia. *Journal of Health and Social Behavior*, 9(3), 203–214.
- Brown, A.S., Begg, M.D., Gravenstein, S. et al. (2004). Serologic evidence of prenatal influenza in the etiology of schizophrenia. *Archives of General Psychiatry*, 61, 774–780.
- Brown, A.S. & Derkits, E.J. (2010). Prenatal infections and schizophrenia: A review of epidemiologic and translational studies. *American Journal of Psychiatry*, 167, 261–280.
- Brown, A.S. (2011). The environment and susceptibility to schizophrenia. *Progress in Neurobiology*, 93, 23–58.
- Buchanan, R.W., Vadar, K., Barta, P.E. & Pearlson, G.D. (1998). Structural evaluation of the prefrontal cortex in schizophrenia. *American Journal of Psychiatry*, 155, 1049–1055.
- Bühler, B., Hambrecht, M., Löffler, W., an der Heiden, W. & Häfner, H. (2002). Precipitation and determination of the onset and course of schizophrenia by

- substance abuse: A retrospective and prospective study of 232 population-based first illness episodes. *Schizophrenia Research*, 54, 243–251.
- Burt, D.R., Cheese, I. & Snyder, S.H. (1977). Anti-schizophrenic drugs: Chronic treatment elevates dopamine receptor-binding in brain. *Science*, 196(4287), 327–328.
- Bustillo, J., Lauriello, J., Horan, W. & Keith, S. (2001). The psychosocial treatment of schizophrenia: An update. *American Journal of Psychiatry*, 158, 163–175.
- Byrne, M., Agerbo, E., Eaton, W.W. & Mortensen, P.B. (2004). Parental socioeconomic status and risk of first admission with schizophrenia: A Danish national register based study. *Social Psychiatry and Psychiatric Epidemiology*, 39(2), 87–96.
- Cantor-Graae, E. & Selten, J.P. (2005). Schizophrenia and migration: A meta-analysis and review. *American Journal of Psychiatry*, 162, 12–24.
- Cardno, A.G., Marshall, E.J., Coid, B., Macdonald, A.M. et al (1999). Heritability estimates for psychotic disorders: The Maudsley Twin psychosis series. *Archives of General Psychiatry*, 56(2), 162–168.
- Cardno, A.G. & Gottesman, I.I. (2000). Twin studies of schizophrenia: From bow-and-arrow concordances to star wars Mx and functional genomics. *American Journal of Medical Genetics*, 97, 12–17.
- Cardno, A.G. & McGuffin, P. (2006). Genetics and delusional disorder. *Behavioural Science & the Law*, 24(3), 257–276.
- Carlsson, A. (2001). A half-century of neurotransmitter research: Impact on neurology and psychiatry (Nobel lecture). *Chembiochem*, 2, 484–493.
- Carpenter, W.T. & van Os, J. (2011). Should attenuated psychosis syndrome be a DSM-5 diagnosis? *American Journal of Psychiatry*, 168, 460–463.
- Cechnicki, A., Bielańska, A., Hanuszkiewicz, I. & Daren, A. (2013). The predictive validity of expressed emotions (EE) in schizophrenia. A 20-year prospective study. *Journal of Psychiatric Research*, 47, 208–214.

- Cecil, K.M., Lenkinski, R.E., Gur, R.E. & Gur, R.C. (1999). Proton magnetic resonance spectroscopy in the frontal and temporal lobes of neuroleptic naive patients with schizophrenia. *Neuropsychopharmacology*, 20(2), 131–140.
- Chadwick, P.D.J. & Lowe, C.F. (1990). Measurement and modification of delusional beliefs. *Journal of Consulting and Clinical Psychology*, 58, 225–232.
- Chadwick, P.D.J. & Lowe, C.F. (1994). A cognitive approach to measuring and modifying delusions. *Behaviour Research and Therapy*, 32(3), 355–367.
- Citrome, L., Bilder, R.M. & Volavka, J. (2002). Managing treatment-resistant schizophrenia: Evidence from randomised clinical trials. *Journal of Psychiatric Practice*, 8, 205–215.
- Clancy, S. A. (2005). *Abducted: How people come to believe they were kidnapped by aliens*. Cambridge, MA: Harvard University Press.
- Cleghorn, J.M., Franco, S., Szeitman, B., Kaplan, R.D. *et al.* (1992). Towards a brain map of auditory hallucinations. *American Journal of Psychiatry*, 149(8), 1062–1069.
- Cohen, J.D., Barch, D.M., Carter, C. & Servan-Schreiber, D. (1999). Context-processing deficits in schizophrenia: Converging evidence from three theoretically motivated cognitive tasks. *Journal of Abnormal Psychology*, 108(1), 120–133.
- Colbert, S.M. & Peters, E.R. (2002). Need for closure and jumping to conclusions in delusion-prone individuals. *Journal of Nervous and Mental Disease*, 170, 27–31.
- Corcoran, R., Cahill, C. & Frith, C.D. (1997). The appreciation of visual jokes in people with schizophrenia: A study of 'mentalizing' ability. *Schizophrenia Research*, 24(3), 319–327.
- Cornblatt, B.A., Lenzenwger, M.F., Dworkin, R.H. & Kimling, L.E. (1985). Positive and negative schizophrenic symptoms, attention and information-processing. *Schizophrenia Bulletin*, 11(3), 397–408.
- Craver, J.C. & Pogue-Geile, M.F. (1999). Liability to schizophrenia: A sibling study of negative symptoms. *Schizophrenia Bulletin*, 25, 827–839.

- Csernansky, J.G. & Schuchart, E.K. (2002). Relapse and rehospitalisation rates in patients with schizophrenia: Effects of second generation antipsychotics. *CNS Drugs*, 16(7), 473–484.
- Dolder, C.R., Lacro, J.P., Dunn, L.B. & Jeste, D.V. (2002). Antipsychotic medication adherence: Is there a difference between typical and atypical agents? *American Journal of Psychiatry*, 159(1), 103–108.
- Davis, J.M. (1978). Dopamine theory of schizophrenia: A two-factor theory. In L.C. Wynne, R.L. Cromwell & S. Matthyse (Eds.) *The nature of schizophrenia*. New York: Wiley.
- Davis, K.L., Kahn, R.S., Ko, G & Davidson, M. (1991). Dopamine in schizophrenia: A review and reconceptualization. *American Journal of Psychiatry*, 148(11), 1474–1486.
- Davis, J.O. & Phelps, J.A. (1995). Twins with schizophrenia: Genes or germs. *Schizophrenia Bulletin*, 21(1), 13–18.
- De Messias, E.L.M., Cordeiro, N.F., Sampaio, J.J.C., Bartko, J.J. & Kirkpatrick, B. (2001). Schizophrenia and season of birth in a tropical region: relationship to rainfall. *Schizophrenia Research*, 48(2–3), 227–234.
- Degenhardt, L. & Hall, W. (2001). The association between psychosis and problematic drug use among Australian adults: Findings from the National Survey of Mental Health and Well-Being. *Psychological Medicine*, 31, 659–668.
- Delay, J. & Deniker, P. (1952). Le traitement des psychoses par une methode neurolytique derive d'hibernotherapie: Le 4560 RP utilise seul en cure prolongee et continue. *Congrès des Médecins Alienistes et Neurologistes de France et des Pays du Langue Française*, 50, 503–513.
- Eaddy, M., Grogg, A. & Locklear, J. (2005). Assessment of compliance with antipsychotic treatment and resource utilization in a Medicaid population. *Clinical Therapeutics*, 27(2), 263–272.
- Elbogen, E.B. & Johnson, S.C. (2009). The intricate link between violence and mental disorder: Results from the National Epidemiologic Survey on Alcohol and Related Conditions. *Archives of General Psychiatry*, 66, 152–161.



- Ellet, L., Freeman, D. & Garety, P. A. (2008). The psychological effect of an urban environment on individuals with persecutory ideation: The Camberwell Walk Study. *Schizophrenia Research*, 99, 77–84.
- Falcone, A.M., Wiffen, B., O'Connor J., Kolliakou, A., Joseph, C., Taylor, H., & Freeman, D. (2010). Jumping to conclusions and psychosis. *Schizophrenia Research*, 117, 294.
- Fatemi, S.H., Pearce, D.A., Brooks, A.I. & Sidwell, R.W. (2005). Prenatal viral infection in mouse causes differential expression of genes in brains of mouse progeny: A potential animal model for schizophrenia and autism. *Synapse*, 57(2), 91–99.
- Faustman, W.O. (1995). What causes schizophrenia? In S. Vinogradov (Ed.) *Treating schizophrenia*. San Francisco: Jossey-Bass.
- Fear, C.F., Sharp, H. & Healy, D. (1996). Cognitive processes in delusional disorder. *British Journal of Psychiatry*, 168, 61–67.
- Fergusson, D.M., Horwood L.J. & Swain-Campbell, N.R. (2003). Cannabis dependence and psychotic symptoms in young people. *Psychological Medicine*, 33(1), 15–21.
- Fergusson, D.M., Horwood L.J. & Ridder, E.M. (2005). Tests of causal linkages between cannabis use and psychotic symptoms. *Addiction*, 100(3), 354–366.
- Fine, C., Gardner, M., Craigie, J. & Gold, I. (2007). Hopping, skipping or jumping to conclusions? Clarifying the role of the JTC bias in delusions. *Cognitive Neuropsychiatry*, 12, 46–77.
- Fischer, B.A., Keller, W.R., Arango, C., Pearlson, G.D. *et al.* (2012). Cortical structural abnormalities in deficit versus nondéficit schizophrenia. *Schizophrenia Research*, 136, 51–54.
- Fowler, D., Garety, P. & Kuipers, E. (1995). *Cognitive therapy for psychosis*. New York: Wiley.
- Frederick, J. and Cotanch, P. (1995). Self-help techniques for auditory hallucinations in schizophrenia. *Issues in Mental Health Nursing*, 16(3), 213–224.

- Freeman, D., Garety, P.A., Kuipers, E., Fowler, D. & Bebbington, P.E. (2002). A cognitive model of persecutory delusions. *British Journal of Clinical Psychology*, 41, 331–347.
- Freud, S. (1915). *Psychopathology of everyday life*. Authorized English edition with introduction by A. A. Brill. London: T Fisher Unwin.
- Freud, S. (1924). Neurosis and psychosis. In James Strachey (Ed. and trans.) *Standard edition of the complete psychological works of Sigmund Freud* (24 vols.), London: Hogarth, Vol. 19.
- Frith, C. (1992). *The cognitive neuropsychology of schizophrenia*. Hillsdale, NJ: Lawrence Erlbaum.
- Frith, C.D. (1996). The role of the prefrontal cortex in self-consciousness: The case of auditory hallucinations. *Philosophical Transactions of the Royal Society of London*, 351B.
- Frith, C.D. & Corcoran, R. (1996). Exploring 'theory of mind' in people with schizophrenia. *Psychological Medicine*, 26(3), 521–530.
- Frith, C.D. & Dolan, R.J. (2000). The role of memory in the delusions associated with schizophrenia. In D.L. Schacter & E. Scarry (Eds.) *Memory, brain, and belief*. Cambridge, MA: Harvard University Press.
- Fromm-Reichmann, F. (1948). Notes on the development of treatment of schizophrenia by psychoanalytic psychotherapy. *Psychiatry*, 11, 263–273.
- Garety, P.A. & Freeman, D. (1999). Cognitive approaches to delusions: A critical review of theories and evidence. *British Journal of Clinical Psychology*, 38, 113–154.
- Garety, P.A., Craig, T.K., Dunn, G., Fornells-Ambrojo, M., Colbert, S., Rahaman, N., Read, J. & Power, P. (2006). Specialised care for early psychosis: symptoms, social functioning and patient satisfaction: randomised controlled trial. *British Journal of Psychiatry*, 188, 37–45.
- Gejman, P.V., Sanders, A.R. & Kendler, K.S. (2011). Genetics of schizophrenia: New findings and challenges. *Annual Review of Genomics and Human Genetics*, 12, 121–144.

- Giedd, J.N. (2004). Structural magnetic resonance imaging of the adolescent brain. *Annals of the New York Academy of Sciences*, 1021, 77–85.
- Goldsmith, S.K., Shapiro, R.M. & Joyce, J.N. (1997). Disrupted pattern of D-2 dopamine receptors in the temporal lobe in schizophrenia: A postmortem study. *Archives of General Psychiatry*, 54(7), 649–658.
- Goldstein, M.J. (1987). Psychosocial issues. *Schizophrenia Bulletin*, 13(1), 157–171.
- Gopal, Y.V. & Variend, H. (2005). First episode schizophrenia: Review of cognitive deficits and cognitive remediation. *Advances in Psychiatric Treatment*, 11, 38–44.
- Gottesman, I.I., McGuffin, P. & Farmer, A.E. (1987). Clinical genetics as clues to the real genetics of schizophrenia (a decade of modest gains while playing for time). *Schizophrenia*, 13(1), 23-47.
- Gottesman, I.I. & Bertelsen, A. (1989). Confirming unexpressed genotypes for schizophrenia: Risks in the offspring of Fischer's Danish identical and fraternal discordant twins. *Archives of General Psychiatry*, 46(10), 867–872.
- Green, M.J., Williams, L.M. & Davidson, D.J. (2001). Processing of threat related affect is delayed in delusion-prone individuals. *British Journal of Psychology*, 40, 157–165.
- Green, M.J., Williams, L.M. & Davidson, D.J. (2003). Visual scanpaths to threat related faces in deluded schizophrenia. *Psychiatry Research*, 119, 271–285.
- Grilly, D.M. (2002). *Drugs and human behaviour (4th edn)*. Boston: Allyn & Bacon.
- Guggenheim, F.G. & Babigian, H.M. (1974). Catatonic schizophrenia: Epidemiology and clinical course: 7-year register study of 798 cases. *Journal of Nervous and Mental Disease*, 158(4), 291–305.
- Gur, R.E., Cowell, P.E., Latshaw, A., Turetsky, B.I. et al. (2000). Reduced dorsal and orbital prefrontal gray matter volumes in schizophrenia. *Archives of General Psychiatry*, 57(8), 761–768.
- Gur, R.E., Turetsky, B.I., Cowell, P.E., Finkelman, C. et al. (2000). Temporolimbic volume reductions in schizophrenia. *Archives of General Psychiatry*, 57(8), 769–775.

- Haddock, G. & Slade, P.D. (1995). *Cognitive-behavioural interventions for psychotic disorders*. London: Routledge.
- Hafner, H. & van der Heiden, W. (1988). The mental health care system in transition: A study in organization, effectiveness, and costs of complementary care for schizophrenic patients. In C.N. Stefanis & D. Rabavillis (Eds.) *Schizophrenia: Recent biosocial developments*. New York: Human Sciences Press.
- Hafner, H. (2000). Onset and early course as determinants of the further course of schizophrenia. *Acta Psychiatrica Scandinavica*, 102, 44–48.
- Hafner, H., Maurer, K., Loffler, W., van der Heiden, W. et al. (2003). Modeling the early course of schizophrenia. *Schizophrenia Bulletin*, 29(2), 325–340.
- Hansson, L., Middelboe, T., Sorgaard, K.W., Bengtsson-Tops, A. et al. (2002). Living situation, subjective quality of life and social network among individuals with schizophrenia living in community settings. *Acta Psychiatrica Scandinavica*, 106(5), 343–350.
- Harris, T. (1987). Recent developments in the study of life events in relation to psychiatric and physical disorders. In B. Cooper (Ed.) *Psychiatric epidemiology: Progress and prospects*. London: Croom Helm.
- Harrison, P.J. & Owen, M.J. (2003). Genes for schizophrenia? Recent findings and their pathophysiological implications. *Lancet*, 361, 417–19.
- Harrison, P.J. & Weinberger, D.R. (2004). Schizophrenia genes, gene expression, and neuropathology: On the matter of their convergence. *Molecular Psychiatry*, 10, 1–29.
- Harrop, C. & Trower, P. (2001). Why does schizophrenia develop at late adolescence? *Clinical Psychology Review*, 21, 241–266.
- Hayward, M., Berry, K. & Ashton, A. (2011). Applying interpersonal theories to the understanding of and therapy for auditory hallucinations: A review of the literature and directions for further research. *Clinical Psychology Review*, 31, 1313–1323.

- Heaton, R., Paulsen, J.S., McAdams, L.A., Kuck, J., Zisook, S., Braff D. *et al.* (1994). Neuropsychological deficits in schizophrenics. Relationship to age, chronicity, and dementia. *Archives of General Psychiatry*, 51, 469–476.
- Henquet, C., Krabbendam, L., Spauwen, J., Kaplan, C. *et al.* (2005). Prospective cohort study of cannabis use, predisposition for psychosis, and psychotic symptoms in young people. *British Medical Journal*, 330(7481), 11–14.
- Heston, L.L. (1966). Psychiatric disorders in foster home reared children of schizophrenic mothers. *British Journal of Psychiatry*, 112(489), 819–825.
- Hjern, A., Wicks, S. & Dalman, C. (2004). Social adversity contributes to high morbidity in psychoses in immigrants: A national cohort study in two generations of Swedish residents. *Psychological Medicine*, 34(6), 1025–1033.
- Hiroeh, U, Appleby L, Mortensen, P.B. & Dunn, G. (2001). Death by homicide, suicide, and other unnatural causes in people with mental illness: A population-based study. *Lancet*, 358, 2110–2112.
- Hodgins, S. (2008). Violent behaviour among people with schizophrenia: A framework for investigations of causes, and effective treatment, and prevention. *Philosophical Transactions of the Royal Society B*, 363, 2505–2518.
- Hoffman, R.E. (2007). A social deafferentation hypothesis for induction of active schizophrenia. *Schizophrenia Bulletin*, 33, 1066–1070.
- Hogarty, G.E., Anderson, C.M., Reiss, D.J., Kornblith, S.J. *et al.* (1986). Family psychoeducation, social skills training, and maintenance chemotherapy, in the aftercare treatment of schizophrenia. 1. One-year effects of a controlled study on relapse and expressed emotion. *Archives of General Psychiatry*, 43(7), 633–642.
- Hogarty, G.E., Greenwald, D., Ulrich, R.F., Kornblith, S.J. *et al.* (1997). Three-year trials of personal therapy among schizophrenic patients living with or independent of family. 2. Effects on adjustment of patients. *American Journal of Psychiatry*, 154(11), 1514–1524.
- Hogarty, G.E. & Flesher, S. (1999). Practice principles of cognitive enhancement therapy for schizophrenia. *Schizophrenia Bulletin*, 25, 693–708.

- Hogarty, G.E., Flesher, S., Ulrich, R., Carter, M. *et al.* (2004). Cognitive enhancement therapy for schizophrenia: Effects of a 2-year randomized trial on cognition and behaviour. *Archives of General Psychiatry*, 61(9), 866–876.
- Hollingshead, A.B. & Redlich, F.C. (1958). *Social class and mental illness: A community study*. New York: Wiley.
- Huq, S., Garety, P. & Hemsley, D. (1988). Probabilistic judgements in deluded and non-deluded subjects. *Quarterly Journal of Experimental Psychology: Human Experimental Psychology*, 40A, 801–812.
- Hur, Y.M., Cherny, S.S. & Sham, P.C. (2012). Heritability of hallucinations in adolescent twins. *Psychiatry Research*, 199, 98–101.
- Hutton, P. (2013). Cognitive behavioural therapy for schizophrenia: A critical commentary on the Newton-Howes and Wood meta-analysis. *Psychology and Psychotherapy: Theory, Research and Practice*, 86, 139–145.
- Huxley, N.A., Rendall, M. & Sederer, L. (2000). Psychosocial treatments in schizophrenia: A review of the past 20 years. *Journal of Nervous and Mental Disease*, 188(4), 187–201.
- International Schizophrenia Consortium (2009). Rare chromosomal deletions and duplications increase risk of schizophrenia. *Nature*, 455, 237–241.
- Jeste, D.V., Gladsjo, J.A., Lindamer, L.A. *et al.* (1996). Medical comorbidity in schizophrenia. *Schizophrenia Bulletin*, 22(3), 413–430.
- Jones, P.B., Barnes, T.R., Davies, L., Dunn, G. *et al.* (2006). Randomized controlled trial of the effect on quality of life of second- vs first-generation antipsychotic drugs in schizophrenia: Cost Utility of the Latest Antipsychotic Drugs in Schizophrenia Study (CUtLASS 1). *Archives of General Psychiatry*, 63, 1079–1087.
- Jones, S.R., and Fernyhough, C. (2007). A new look at the neural diathesis–stress model of schizophrenia: The primacy of social-evaluative and uncontrollable situations. *Schizophrenia Bulletin*, 33, 1171–1177.
- Jónsdóttir, H., Opjordsmoen, S., Birkenaes, A.B., Simonsen, C., Engh, J.A., Ringen, P.A., Vaskinn, A. *et al.* (2013). Predictors of medication adherence in patients

with schizophrenia and bipolar disorder. *Acta Psychiatrica Scandinavica*, 127(1), 23–33.

Kaney, S. & Bentall, R.P. (1989) Persecutory delusions and attributional style. *British Journal of Medical Psychology*, 62, 191-198.

Karoumi, B., Saoud, M., d'Amato, T., Rosenfeld, F. *et al.* (2001). Poor performance in smooth pursuit and antisaccadic eye-movement tasks in healthy siblings of patients with schizophrenia. *Psychiatry Research*, 101(3), 209–219.

Kavanagh, D.J., (1992). Recent developments in expressed emotion and schizophrenia. *British Journal of Psychiatry*, 160, 601–620.

Kendler, K.S., Myers, J.M., O'Neill, F.A., Martin, R. *et al.* (2000). Clinical features of schizophrenia and linkage to chromosomes 5q, 6p, 8p, and 10p in the Irish study of high-density schizophrenia families. *American Journal of Psychiatry*, 157(3), 402–408.

Kennedy, N., McDonough, M., Kelly, B. & Berrios, G.E. (2002). Erotomania revisited: Clinical course and treatment. *Comprehensive Psychiatry*, 43(1), 1–6.

Kety, S.S. (1988). Schizophrenic illness in the families of schizophrenic adoptees: Findings from the Danish national sample. *Schizophrenia Bulletin*, 14(2), 217–222.

Kety, S.S., Wender, P.H., Jacobsen, B., Ingraham, L.J. *et al.* (1994). Mental illness in the biological and adoptive relatives of schizophrenic adoptees: Replication of the Copenhagen study in the rest of Denmark. *Archives of General Psychiatry*, 51(6), 442–455.

Khandaker, G.M., Zimbron, J., Lewis, G. & Jones, P.B. (2013). Prenatal maternal infection, neurodevelopment and adult schizophrenia: a systematic review of population-based studies. *Psychological Medicine*, 43, 239–257.

Khantzian, E.J. (1985). The self-medication hypothesis of addictive disorders: Focus on heroin and cocaine dependence. *American Journal of Psychiatry*, 142(11), 1259-1264.

Kim, Y., Zerwas, S., Trace, S.E. & Sullivan, P.F. (2011). Schizophrenia genetics: Where next? *Schizophrenia Bulletin*, 37(3), 456–463.

- King, M., Nazroo, J., Weich, S., McKenzie, K., Bhui, K. *et al.* (2005). Psychotic symptoms in the general population of England: A comparison of ethnic groups (The EMPIRIC study). *Social Psychiatry and Psychiatric Epidemiology*, *40*, 375–381.
- Kingdon, D.G. & Turkington, D. (2004). *Cognitive therapy of schizophrenia*. New York: Guilford Press.
- Kirov, G., Grozeva, D., Norton, N., Ivanov, D., Mantripragada, K.K., Holmans, P., Craddock, N., Owen, M.J. & O'Donovan M.C. (2009). Support for the involvement of large copy number variants in the pathogenesis of schizophrenia. *Human Molecular Genetics*, *18*, 1497–1503.
- Kneeland, R.E. & Fatemi, S.H. (2013). Viral infection, inflammation and schizophrenia. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, *42*, 35–48.
- Kosten, T.R. & Ziedonis, D.M. (1997). Substance abuse and schizophrenia: Editors' introduction. *Schizophrenia Bulletin*, *23*(2), 181–186.
- Kopelowicz, A & Liberman, R.P. (1998). Psychological and behavioral treatments for schizophrenia. In P.E. Nathan & J.M. Gorman (Eds.) *Treatments that work (1st edn)*. New York: Oxford University Press.
- Krabbendam, L. & Aleman, A. (2003). Cognitive rehabilitation in schizophrenia: A quantitative analysis of controlled studies. *Psychopharmacology*, *169*, 376–382.
- Kring, A.M. & Neale, J.M. (1996). Do schizophrenic patients show a disjunctive relationship among expressive, experiential, and psychophysiological components of emotion? *Journal of Abnormal Psychology*, *105*(2), 249–257.
- Kubicki, M., Westin, C.F., Maier, S.E., Frumin, M. *et al.* (2002). Uncinate fasciculus findings in schizophrenia: A magnetic resonance diffusion tensor imaging study. *American Journal of Psychiatry*, *159*(5), 813–820.
- Lacro, J.P., Dunn, L.B., Dolder, C.R., Leckband, S.G. & Jeste, D.V. (2002). Prevalence of and risk factors for medication nonadherence in patients with schizophrenia: A comprehensive review of recent literature. *Journal of Clinical Psychiatry*, *63*(10), 892–909.



- Laruelle, M. & Abi-Dargham, P. (1999). Dopamine as the wind of the psychotic fire: New evidence from brain imaging studies. *Journal of Psychopharmacology*, *13*(4), 358–371.
- Lee, D.A., Randall, F., Beattie, G. & Bentall, R.P. (2004). Delusional discourse: An investigation comparing the spontaneous causal attributions of paranoid and non-paranoid individuals. *Psychology and Psychotherapy: Theory, Research and Practice*, *77*, 525–540.
- Lencz, T., Smith, C.W. Auther, A. Correll, C.U. & Cornblatt, B. (2004). Nonspecific and attenuated negative symptoms in patients at clinical high-risk for schizophrenia. *Schizophrenia Research*, *68*(1), 37–48.
- Leucht, S., Barnes, T.R.E., Kissling, W., Engel, R.R., Correll, C. & Kane, J.M. (2003). Relapse prevention in schizophrenia with new-generation antipsychotics: A systematic review and exploratory meta-analysis of randomized controlled trials. *American Journal of Psychiatry*, *160*, 1209–1222.
- Levinson, D.F., Lewis, C.M. & Wise, L.H. (2002). Meta-analysis of genome scans for schizophrenia. *American Journal of Medical Genetics*, *114*(7), SL2.
- Levinson, D.F., Duan, J., Oh, S., Wang, K., Sanders, A.R., Shi, J. *et al.* (2011). Copy number variants in schizophrenia: Confirmation of five previous findings and new evidence for 3q29 microdeletions and VIPR2 duplications. *American Journal of Psychiatry*. *168*, 302–316.
- Levy, D.L. & Holzman, P.S. (1997). Eye tracking dysfunction and schizophrenia: an overview with special reference to the genetics of schizophrenia. *International Review of Psychiatry*, *9*(4), 365–371.
- Lieberman, J.A., Stroup, T.S., McEvoy, J.P., Swartz, M.S. *et al.* (2005). Effectiveness of antipsychotic drugs in patients with chronic schizophrenia. *New England Journal of Medicine*, *353*(12), 1209–1223.
- Lin, K.M. & Kleinman, A.M. (1988). Psychopathology and clinical course of schizophrenia: A cross-cultural-perspective. *Schizophrenia Bulletin*, *14*(4), 555-567.

- Lincoln, T.M., Peters, N., Schafer, M. & Moritz, S. (2009). Impact of stress on paranoia: An experimental study of moderators and mediators. *Psychological Medicine*, 7, 1129–1139.
- Lincoln, T., Lange, J., Burau, J., Exner, C. & Moritz, S. (2009). The effect of state anxiety on paranoid ideation and jumping to conclusions. An experimental investigation. *Schizophrenia Bulletin*, 36, 1140–1148.
- Louchart-de la Chapelle, S., Nkam, I., Houy, E., Belmont, A. et al. (2005). A concordance study of three electrophysiological measures in schizophrenia. *American Journal of Psychiatry*, 162(3), 466–474.
- Loughland, C., Williams, L. & Gordon, E. (2002). Visual scanpaths to positive and negative facial emotions in an outpatient schizophrenic sample. *Schizophrenia Research*, 55, 159–170.
- Lysaker, P.H., Olesek, K.L. et al. (2011). Metacognition in schizophrenia: Correlates and stability of deficits in theory of mind and self-reflectivity. *Psychiatry Research*, 190(1), 18–22.
- Madianos, M.G. & Madianou, D. (1992). The effects of long-term community care on relapse and adjustment of persons with chronic schizophrenia. *International Journal of Mental Health*, 21(1), 37-49.
- Maher, B. (2001). Delusions. In P.B. Sutker & H.E. Adams (Eds.), *Comprehensive handbook of psychopathology (3rd edn)*. New York: Kluwer Academic/Plenum.
- Marshall, M., Lewis, S., Lockwood, A., Drake, R., Jones, P. & Croudace, T. (2005). Association between duration of untreated psychosis and outcome in cohorts of first-episode patients: a systematic review. *Archives of General Psychiatry*, 62, 975–983.
- Mathalon, D.H., Sullivan, E.V., Lim, K.O. & Pfefferbaum, A. (2001). Progressive brain volume changes and the clinical course of schizophrenia in men: A longitudinal magnetic resonance imaging study. *Archives of General Psychiatry*, 58(2), 148–157.
- McCarley, R.W., Salisbury, D.F., Hirayasu, Y., Yurgelun-Todd, D.A. et al. (2002). Association between smaller left posterior superior temporal gyrus volume on

- magnetic resonance imaging and smaller left temporal P300 amplitude in first-episode schizophrenia. *Archives of General Psychiatry*, 59(4), 321–331.
- McGlashan, T.H. & Hoffman, R.E. (2000). Schizophrenia is a disorder of developmentally reduced synaptic connectivity. *Archive of General Psychiatry*, 57, 637–648.
- McGuire, P.K., Silbersweig, D.A., Wright, I., Murray, R.M. et al. (1996). The neural correlates of inner speech and auditory verbal imagery in schizophrenia: Relationship to auditory verbal hallucinations. *British Journal of Psychiatry*, 169 (2), 148–159.
- McGurk, S.R., Mueser, K.T. & Pascaris, A. (2005). Cognitive training and supported employment for persons with severe mental illness: One-year results from a randomized controlled trial. *Schizophrenia Bulletin*, 31, 898–909.
- McGurk, S.R., Twamley, E.W., Sitzer, D.I., McHugo, G.J. & Mueser, K.T. (2007). A meta-analysis of cognitive remediation in schizophrenia. *American Journal of Psychiatry*, 164, 1791–1802.
- McNally, R.J. (2012). Explaining “memories” of space alien abduction and past lives: An experimental psychopathology approach. *Journal of Experimental Psychopathology*, 3, 2–16.
- Mednick, S.A., Machon, R.A., Huttunen, M.O. & Bonnett, D. (1988). Adult schizophrenia following prenatal exposure to an influenza epidemic. *Archives of General Psychiatry*, 45(2), 189-192.
- Meltzer, H.Y., Cola, P., Way, L. et al. (1993). Cost-effectiveness of Clozapine in neuroleptic-resistant schizophrenia. *American Journal of Psychiatry*, 150, 1630–1638.
- Menzies, R.P.D, Fedoroff, J.P., Green, C.M. & Isaakson, K. (1995). Prediction of dangerous behavior in male erotomania. *British Journal of Psychiatry*, 166, 529–536.
- Modrow, J. (1992). *How to become a schizophrenic: The case against biological psychiatry*. Everett, WA: Apollyon Press.

- Moilanen, J., Haapea, M., Miettunen, J., Jaaskelainen, E. *et al.* (2013). Characteristics of subjects with schizophrenia spectrum disorder with and without antipsychotic medication: A 10-year follow-up of the Northern Finland 1966 Birth Cohort study. *European Psychiatry*, 28, 53–58.
- Moniz, E. (1936). *Tentatives operatoires dans le traitement de certaines psychoses*. Paris: Mason.
- Moritz, S. & Woodward, T.S. (2005). Jumping to conclusions in delusional and non-delusional schizophrenic patients. *British Journal of Clinical Psychology*, 44, 193–207.
- Morrison, A.P. (2001). The interpretation of intrusions in psychosis: An integrative cognitive approach to hallucinations and delusions. *Behavioural and Cognitive Psychotherapy*, 29, 257–276.
- Morrison, A.P. (2001). Cognitive therapy for auditory hallucinations as an alternative to antipsychotic medication: A case series. *Clinical Psychology and Psychotherapy*, 8(2), 136–147.
- Morrison, A., Renton, J., Dunn, H., Williams, S. & Bentall, R. (2003) *Cognitive therapy for psychosis*. London: Routledge.
- Morrison, A.P., Nothard, S., Bowe, S. & Wells, A. (2004). Interpretations of voices in patients with hallucinations and non-patient controls: A comparison and predictors of distress in patients. *Behaviour Research and Therapy*, 42(11), 1315-1323.
- Mueser KT, Sengupta A, Schooler NR, Bellack, A.S., Xei, H.Y. *et al.* (2001). Family treatment and medication dosage reduction in schizophrenia: Effects on patient social functioning, family attitudes, and burden. *Journal of Consulting and Clinical Psychology*, 69, 3–12.
- Mueser, K. & McGurk, S.R. (2004). Schizophrenia. *Lancet*, 363, 2063–2072.
- Murray, R.M. & van Os, J. (1998). Predictors of outcome in schizophrenia. *Journal of Clinical Psychopharmacology*, 18(2), 2S–4S.
- Myles, N., Newall, H., Nielszen, O. & Large, M. (2012). The association between cannabis use and earlier age at onset of schizophrenia and other psychoses:

meta-analysis of possible confounding factors. *Current Pharmaceutical Design*, 18, 5055–69.

- Newton-Howes, G. & Wood, R. (2013). Cognitive behavioural therapy and the psychopathology of schizophrenia: systematic review and meta-analysis. *Psychology and Psychotherapy: Theory, Research and Practice*, 86(2), 127–38.
- NICE (2010). *Schizophrenia. The Nice guideline on core interventions in the treatment and management of schizophrenia in adults in primary and secondary care. Updated edition.* Retrieved from <http://www.nice.org.uk/nicemedia/pdf/cg82fullguideline.pdf>.
- Nordstrom, A.L., Farde, L., Nyberg, S., Karlsson, P. *et al.* (1995). D-1, D-2, and 5-HT<sub>2</sub> receptor occupancy in relation to clozapine serum concentration: A PET study of schizophrenic patients. *American Journal of Psychiatry*, 152(10), 1444–1449.
- Nayani, T.H. & David, A.S. (1996). The auditory hallucination: A phenomenological survey. *Psychological Medicine*, 26(1), 177–189.
- O'Connor, K.O., Stip, E., Pélissier, M.C., Aardema, F., Guay, S., Gaudette, G., Van Haaster, I. *et al.* (2007). Treating delusional disorder: A comparison of cognitive-behavioral therapy and attention placebo control. *Canadian Journal of Psychiatry*, 52, 182–190.
- Olabi, B., Ellison-Wright, I., McIntosh, A.M., Wood, S.J. *et al.* (2011). Are there progressive brain changes in schizophrenia? A meta-analysis of structural magnetic resonance imaging studies. *Biological Psychiatry*, 70, 88–96.
- Olbrich, R., Kirsch, P., Pfeiffer, H. & Mussgay, L. (2001). Patterns of recovery of autonomic dysfunctions and neurocognitive deficits in schizophrenics after acute psychotic episodes. *Journal of Abnormal Psychology*, 110(1), 142–150.
- Owen, M.J., Williams, N.M. & O'Donovan, M.C. (2004). The molecular genetics of schizophrenia: New findings promise new insights. *Molecular Psychiatry*, 9, 14–27.
- Paspalas, C.D., Wang, M. & Arnsten, A.F.T. (2013). Constellation of HCN Channels and cAMP regulating proteins in dendritic spines of the primate prefrontal

cortex: Potential substrate for working memory deficits in schizophrenia. *Cerebral Cortex*, 23, 1643–1654.

- Pathe, M. (2002). *Surviving stalking*. New York: Cambridge University Press.
- Pearce, B.D. (2001). Schizophrenia and viral infection during neurodevelopment: A focus on mechanisms. *Molecular Psychiatry*, 6(6), 634–646.
- Penn, D.L. & Mueser, K.T. (1996). Research update on the psychosocial treatment of schizophrenia. *American Journal of Psychiatry*, 153, 607–617.
- Peters, E.R., Pickering, A.D., Kent, A., Glasper, A. *et al.* (2000). The relationship between cognitive inhibition and psychotic symptoms. *Journal of Abnormal Psychology*, 109(3): 386–395.
- Peters, E.R. & Garety, P. (2006). Cognitive functioning in delusions: A longitudinal examination. *Behaviour Research and Therapy*, 44, 481–514.
- Peters, E.R., Williams, S.L., Cooke, M.A. & Kuipers, E. (2012). It's not what you hear, it's the way you think about it: Appraisals as determinants of affect and behaviour in voice hearers. *Psychological Medicine*, 42, 1507–1514.
- Pfammatter, M., Junghan, U.M. & Brenner, H.D. (2006). Efficacy of psychological therapy in schizophrenia: Conclusions from meta-analyses. *Schizophrenia Bulletin*, 32, S64–S80.
- Phillips, M.L. & David, A.S. (1998). Abnormal visual scan paths: A psychophysiological marker of delusions in schizophrenia. *Schizophrenia Research*, 29, 235–245.
- Pharoah, F., Mari, J., Rathbone, J. & Wong, W. (2010). Family intervention for schizophrenia. *Cochrane Database System Review*, 8, CD000088.
- Pinkham, A.E., Penn, D.L., Perkins, D.O. & Lieberman, J. (2003). Implications for the neural basis of social cognition for the study of schizophrenia. *American Journal of Psychiatry*, 160(5), 815–824.
- Pollack, W. (1989). Schizophrenia and the self: Contributions of psychoanalytic self-psychology. *Schizophrenia Bulletin*, 15, 311–322.

- Potkin, S.G., Alva, G.A., Fleming, K., Anand, R., Keator, D., Carreon, D. et al. (2002). Distinguishing negative symptom schizophrenia with positron emission tomography. *American Journal of Psychiatry*, *159*(2), 227–237.
- Pratt, S. & Mueser, K.T. (2002). Social skills training for schizophrenia. In S.G. Hofmann & M.C. Tompson (Eds.) *Treating chronic and severe mental disorders: A handbook of empirically supported interventions*. New York: Guilford.
- Preti, A. & Cella, M. (2010). Randomized-controlled trials in people at ultra-high risk of psychosis: a review of treatment effectiveness. *Schizophrenia Research*, *123*, 30–36.
- Quinsey, V.L., Harris, G.T., Rice, M.E. & Cormier, C.A. (2006). *Violent offenders: Appraising and managing risk (2nd edn)*. Washington, DC: American Psychological Association.
- Read, J., van Os, J., Morrison, A.P. & Ross, C.A. (2005). Childhood trauma, psychosis and schizophrenia: A literature review with theoretical and clinical implications. *Acta Psychiatrica Scandinavica*, *112*, 330–350.
- Rector, N.A., Beck, A.T. & Stolar, N. (2005). The negative symptoms of schizophrenia: A cognitive perspective. *Canadian Journal of Psychiatry*, *50*, 247–257.
- Regier, D.A., Farmer, M.E., Rae, D.S., Locke, B.Z. et al. (1990). Comorbidity of mental-disorders with alcohol and other drug abuse: Results from the Epidemiologic Catchment Area (ECA) Study. *JAMA: Journal of the American Medical Association*, *264*(19), 2511–2518.
- Reichenberg, A. (2005). Cognitive impairment as a risk for psychosis. *Dialogues in Clinical Neuroscience*, *7*, 31–38.
- Reid, Y., Johnson S, Bebbington PE, Kuipers E, Scott, H. & Thornicroft, G. (2001). The longer term outcomes of community care: A 12-year follow-up of the Camberwell High Contact Survey. *Psychological Medicine*, *31*, 351–359.
- Robinson, D.G., Woerner, N.G., Alvir, J.M.J., Geisler, S. et al. (1999). Predictors of treatment response from a first episode of schizophrenia or schizoaffective disorder. *American Journal of Psychiatry*, *156*(4), 544–549.

- Rosenhan, D.L. (1973). On being sane in insane places. *Science*, 179, 250–258.
- Rummel-Kluge, C., Komossa, K., Schwarz, S., Hunger, H., Schmid, F., Kissling, W. *et al.* (2010). Head to head comparisons of extrapyramidal side effects of second generation antipsychotics in the treatment of schizophrenia: A meta-analysis. *Schizophrenia Bulletin*, 123, 225–233.
- San, L., Bernardo, M., Gowe, A. & Pena, M. (2013). Factors associated with relapse in patients with schizophrenia. *International Journal of Psychiatry in Clinical Practice*, 17, 2–9.
- Sanislow, C.A. & Carson, R.C. (2001). Schizophrenia: A critical examination. In P.B. Sutker & H.E. Adams (Eds.) *Comprehensive handbook of psychopathology (3rd edn)*. New York: Kluwer Academic/Plenum.
- Sartorius, N., Jablensky, A., Korten, A., Ernberg, G. *et al.* (1986). Early manifestations and first-contact incidence of schizophrenia in different cultures. *Psychological Medicine*, 16(4), 909–928.
- Savulich, G., Shergill, S & Yiend J (2012). Biased cognition in psychosis. *Journal of Experimental Psychopathology*, 3, 514–536.
- Schiffman, J., Abrahamson, A., Cannon, T., LaBrie, *et al.* (2001). Early rearing factors in schizophrenia. *International Journal of Mental Health*, 30, 3–16.
- Schneider, F. & Deldin, P.J. (2001). Genetics and schizophrenia. In P.B. Sutker & H.E. Adams (Eds.) *Comprehensive handbook of psychopathology (3rd edn)*. New York: Kluwer Academic/Plenum.
- Seeman, P. & Kapur, S. (2001). The dopamine receptor basis of psychosis. In A. Brier, P.V. Tran, F. Bymaster & C. Tollerfson (Eds.) *Current issues in the psychopharmacology of schizophrenia*. Philadelphia: Lippincott Williams & Wilkins.
- Seshadri, S., Zeledon, M. & Sawa, A. (2013). Synapse-specific contributions in the cortical pathology of schizophrenia. *Neurobiology of Disease*, 53, 26–35.
- Shenton, M.E., Dickey, C.C., Frumin, M. & McCarley, R.W. (2001). A review of MRI findings in schizophrenia. *Schizophrenia Research*, 49(1–2), 1–52.



- Shergill, S.S., Brammer, M.J., Williams, S.C.R., Murray, R.M. & McGuire, P.K. (2000). Mapping auditory hallucinations in schizophrenia using functional magnetic resonance imaging. *Archives of General Psychiatry*, 57(11), 1033–1038.
- Silverstein, S.M., Spaulding, W.D., Menditto, A.A., Savitz, A., Liberman, R.P., Berten, S. & Starobin, H. (2008). Attention shaping: A reward-based learning method to enhance skills training outcomes in schizophrenia. *Schizophrenia Bulletin*, 35, 222–232.
- Singh, S.P. (2010). Early intervention in psychosis. *British Journal of Psychiatry*, 196, 343–345.
- Singh, S.P., Harley, K. & Suhail, K. (2013). Cultural specificity of emotional overinvolvement: A systematic review. *Schizophrenia Bulletin*, 39(2), 449–463.
- Slaghuis, W.L. & Curran, C.E. (1999). Spatial frequency masking in positive- and negative-symptom schizophrenia. *Journal of Abnormal Psychology*, 108(1), 42–50.
- Smith, T.E., Bellack, A.S. & Liberman, R.P. (1996). Social skills training for schizophrenia: Review and future directions. *Clinical Psychology Review*, 16(7), 599–617.
- Solowij, N., Yücel, M., Respondek, C., Whittle, S., Lindsay, E., Pantelis, C., et al. (2011). Cerebellar white matter changes in cannabis users with and without schizophrenia. *Psychological Medicine* 41(11), 2349–2359.
- Sommer, I., Aleman, A., Ramsey, N., Bouma, A. & Kahn, R. (2001). Handedness, language lateralisation and anatomical asymmetry in schizophrenia: Meta-analysis. *British Journal of Psychiatry*, 178, 344–351.
- Sommer, I.E., Slotema, C.W., Daskalakis, Z.J., Derks, E.M. et al. (2012). The treatment of hallucinations in schizophrenia spectrum disorders. *Schizophrenia Bulletin*, 38(4), 704–714.
- Soyka, M., Graz, C., Bottlender, R., Dirschedl, P. & Schoech, H. (2007). Clinical correlates of later violence and criminal offences in schizophrenia. *Schizophrenia Research*, 94, 89–98.

- Startup, H., Freeman, D. & Garety, P.A. (2008). Jumping to conclusions and persecutory delusions. *European Psychiatry*, 23, 457–459.
- Steen, R.G., Mull, C., McClure, R.M. et al. (2006). Brain volume in first-episode schizophrenia. Systematic review and meta-analysis of magnetic resonance imaging studies. *British Journal of Psychiatry*, 188, 510–518.
- Stone, J.M., Morrison, P.D. & Pilowsky, L.S. (2007). Glutamate and dopamine dysregulation in schizophrenia: A synthesis and selective review. *Journal of Psychopharmacology*, 21(4), 440–452.
- Sullivan, P.F., Kendler, K.S. & Neale, M.C. (2003). Schizophrenia as a complex trait: Evidence from a meta-analysis of twin studies. *Archives of General Psychiatry*, 60, 1187–1192.
- Tamminga, C.A., Stan, A.D. & Wagner, A.D. (2010). The hippocampal formation in schizophrenia. *American Journal of Psychiatry*, 167, 1178–1193.
- Tanda, G., Pontieri, F.E. & DiChiara, G. (1997). Cannabinoid and heroin activation of mesolimbic dopamine transmission by a common mu 1 opioid receptor mechanism. *Science*, 276(5321), 2048–2050.
- Tarrier, N., Barrowclough, C., Vaughn, C. & Bamrah, J.S. et al. (1988). The community management of schizophrenia: A controlled trial of a behavioral intervention with families to reduce relapse. *British Journal of Psychiatry*, 153, 532–542.
- Thara, R., Henrietta, M., Joseph, A., Rajumar, S. & Eaton, W.W. (1994). 10-year course of schizophrenia: The Madras longitudinal study. *Acta Psychiatrica Scandinavica*, 90(5), 329–336.
- Thornicroft, G., Tansella, M., Becker, T., Knapp, M. et al. (2004). The personal impact of schizophrenia in Europe. *Schizophrenia Research*, 69(2–3), 125–132.
- Tierney, A.J. (2000). Egas Moniz and the origins of psychosurgery: A review commemorating the 50th anniversary of Moniz's Nobel Prize. *Journal of the History of Neuroscience*, 9, 22–36.

- Titone, D., Holzman, P.S., Levy, D.L. (2002). Idiom processing in schizophrenia: Literal implausibility saves the day for idiom priming. *Journal of Abnormal Psychology, 111*(2), 313–320.
- Torrey, E.F. (1991). A viral-anatomical explanation of schizophrenia. *Schizophrenia Bulletin, 17*, 15–18.
- Torrey, E.F., Miller, J., Rawlings, R. & Yolken, R.H. (1997). Seasonality of births in schizophrenia and bipolar disorder: a review of the literature. *Schizophrenia Research, 28*(1), 1–38.
- Torrey, E.F. (2001). *Surviving schizophrenia: A manual for families, consumers and providers (4th edn)*. New York: HarperCollins.
- Teplin, L.A. (1985). The Criminality of the Mentally Ill: A Dangerous Misconception. *American Journal of Psychiatry, 142*, 593–599.
- Trillenbergh, P., Lencer, R. & Heide, W. (2004). Eye movements and psychiatric disease. *Current Opinion in Neurology 17*(1), 43–47.
- Trower, P., Birchwood, M., Meaden, A., Byrne, S., Nelson, A. & Ross, K. (2004). Cognitive therapy for command hallucinations: randomised controlled trial. *British Journal of Psychiatry, 184*, 312–320.
- Turner, R.J. & Wagonfeld, M.O. (1967). Occupational mobility and schizophrenia. *American Sociological Review, 32*, 104–113.
- Ullman, L.P. & Krasner, L. (1975). *A psychological approach to abnormal behaviour (2nd edn)*. Englewood Cliffs, NJ: Prentice Hall.
- Van Dijk, D., Koeter, M.W., Hijman, R., Kahn, R.S. & van den Brink, W. (2012). Effect of cannabis use on the course of schizophrenia in male patients: A prospective cohort study. *Schizophrenia Research, 137*, 50–57.
- Van Haren, N.E.M., Rijdsdijk, F., Schnack, H.G. & Picchioni, M.M. (2012). The genetic and environmental determinants of the association between brain abnormalities and schizophrenia: The schizophrenia twins and relatives consortium. *Biological Psychiatry, 71*, 915–921.
- Van Os, J. & Kapur, S. (2009). Schizophrenia. *Lancet, 374*, 635–645.

- Varghese, D., Wray, N.R., Scott, J.G. & Williams, G.M. (2013). The heritability of delusional-like experiences. *Acta Psychiatrica Scandinavica*, 127, 48–52.
- Vaughan, S. & Fowler, D. (2004). The distress experienced by voice hearers is associated with the perceived relationship between the voice hearer and the voice. *British Journal of Clinical Psychology*, 43, 143–153.
- Verdoux, H., Liraud, F., Assens, F., Abalan, F. & van Os, J. (2002). Social and clinical consequences of cognitive deficits in early psychosis: A two-year follow-up study of first-admitted patients. *Schizophrenia Research*, 56, 149–159.
- Verdoux, H., Gindre, C., Sorbara, F., Tournier, M., Swendsen, J.D. (2003). Effects of cannabis and psychosis vulnerability in daily life: an experience sampling test study. *Psychological Medicine*, 33(1), 23–32.
- Volavka, J., Laska, E., Baker, S. et al. (1997). History of violent behaviour and schizophrenia in different cultures. Analyses based on the WHO study on Determinants of Outcome of Severe Mental Disorders. *British Journal of Psychiatry*, 171, 9–14.
- Wahlberg, K.E., Wynne, L.C., Keskitalo, P., Nieminen, P. et al. (2001). Long-term stability of communication deviance. *Journal of Abnormal Psychology*, 110, 443–448.
- Wahlberg, K.E., Wynne, L.C., Hakko, H., Laksy, K. et al. (2004). Interaction of genetic risk and adoptive parent communication deviance: Longitudinal prediction of adoptee psychiatric disorders. *Psychological Medicine*, 34(8), 1531–1541.
- Walker, E., Kestler, L., Bollini, A. & Hochman, K. (2004). Schizophrenia: Etiology and course. *Annual Review of Psychology*, 55, 401–430.
- Walker, E., Mittal, V. & Tessner, K. (2008). Stress and the hypothalamic pituitary adrenal axis in the developmental course of schizophrenia. *Annual Review of Clinical Psychology*, 4, 189–216.
- Wallace, C., Mullen, P.E. & Burgess, P. (2004). Criminal offending in schizophrenia over a 25-year period marked by deinstitutionalization and increasing prevalence of comorbid substance use disorders. *American Journal of Psychiatry*, 161(4), 716–727.

- Walsh, E., Buchanan, A. & Fahy, T. (2002). Violence and schizophrenia: Examining the evidence. *British Journal of Psychiatry*, *180*, 490–495.
- Wang, P.S., Demler, O. & Kessler, R.C. (2002). Adequacy of treatment for serious mental illness in the United States. *American Journal of Public Health*, *92*(1), 92–98.
- Ward, K.E., Friedman, L., Wise, A. & Schulz, S.C. (1996). Meta-analysis of brain and cranial size in schizophrenia. *Schizophrenia Research*, *22*(3), 197–213.
- Waring, M. & Ricks, D. (1965). Family patterns of children who become adult schizophrenics. *Journal of Nervous & Mental Disease*, *140*, 351–364.
- Waters, F., Allen, P., Aleman, A., Fernyhough, C., Woodward, T., Badcock, J.C., Barkus, E. *et al.* (2012). Auditory hallucinations in schizophrenia and non-schizophrenia populations: A review and integrated model of cognitive mechanisms. *Schizophrenia Bulletin*, *38*, 683–693.
- Weinberger, D.R., Berman, K.F. & Illowsky, B.P. (1988). Physiological dysfunction of dorsolateral prefrontal cortex in schizophrenia: III A new cohort and evidence for a nonaminergic mechanism. *Archives of General Psychiatry*, *45*, 609–615.
- Weisman, A.G., Nuechterlein K.H., Goldstein, M.J. & Snyder, K.S. (2000). Controllability perceptions and reactions to symptoms of schizophrenia: A within-family comparison of relatives with high and low expressed emotion. *Journal of Abnormal Psychology*, *109*(1), 167–171.
- Westermann, S., Salzmann, S., Fuchs, X. & Lincoln, T.M. (2012). Introducing a Social Beads Task. *Journal of Experimental Psychopathology*, *3*(4), 594–611.
- Whaley, A.L. (2004). Ethnicity/race, paranoia, and hospitalization for mental health problems among men. *American Journal of Public Health*, *94*(1), 78–81.
- Wielgus, M.S. & Harvey, P.D. (1988). Dichotic listening and recall in schizophrenia and mania. *Schizophrenia Bulletin*, *14*, 689–700.
- Wiersma, D., Nienhuis, F.J., Slooff, C.J. & Giel, R. (1998). Natural course of Schizophrenic disorders: A 15-year follow-up of a Dutch incidence cohort. *Schizophrenia Bulletin*, *24*(1), 75–85.

- Willick, M.S., Milrod, D. & Karush, R.K. (1998). Psychoanalysis and the psychoses. In M. Furer, E. Nersessian *et al.* (Eds.) *Controversies in contemporary psychoanalysis: Lectures from the faculty of the New York Psychoanalytic Institute*. Madison, CT: International Universities Press.
- Winterer, G., & Weinberger, D.R. (2004). Genes, dopamine and cortical signal-to-noise ratio in schizophrenia. *Trends in Neurosciences*, 27(11), 683–690.
- Woods, S.W., Walsh, B.C., Saks, J.R. & McGlashan, T.H. (2010) The case for including attenuated psychotic symptoms syndrome in DSM-5 as a psychosis risk syndrome. *Schizophrenia Research*, 123, 199–207.
- World Health Organization (1990). *Schizophrenia and public health*. WHO/MSA/NAM/97.6.
- Worrel, J.A., Marken, P.A., Beckman, S.E. & Ruehler, V.L. (2000). Atypical antipsychotic agents: A critical review. *American Journal of Health-System Pharmacy*, 57, 238–255.
- Wylie, A.S., Scott, R.T.A & Burnett, S.J. (1995). Psychosis due to skunk. *British Medical Journal*, 311(6997), 125–125.
- Wykes, T., Steel, C., Everitt, B. & Tarrier, N. (2008). Cognitive behavior therapy for schizophrenia: Effect sizes, clinical models, and methodological rigor. *Schizophrenia Bulletin*, 34, 523–537.
- Wykes, T., Huddy, V., Cellard, C., McGurk, S.R. & Czobor, P. (2011). A meta-analysis of cognitive remediation for schizophrenia: methodology and effect sizes. *American Journal of Psychiatry*, 168, 472–485.
- Young, A.S., Niv, N., Cohen, A.N., Kessler, C., McNagny, K. (2010). The appropriateness of routine medication treatment for schizophrenia. *Schizophrenia Bulletin*, 36, 732–739.
- Zygmunt, A., Olfson, M., Boyer, C.A. & Mechanic, D. (2002). Interventions to improve medication adherence in schizophrenia. *American Journal of Psychiatry*, 159(10), 1653–1664.